

SLOVENSKI STANDARD SIST EN 61158-4-22:2012

01-julij-2012

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 4-22. del: Specifikacija protokola na nivoju podatkovnih povezav - Elementi tipa 22 (IEC 61158-4-22:2010)

Industrial communication networks - Fieldbus specifications - Part 4-22: Data-link layer protocol specification - Type 22 elements (IEC 61158-4-22:2010)

Industrielle Kommunikationsnetze - Feldbusse - Teil 4-22; Protokollspezifikation des Data Link Layer (Sicherungsschicht) - Typ 22-Elemente (IEC 61158-4-22:2010) (standards.iten.ai)

Réseaux de communication industriels Spécifications des bus de terrain - Partie 4-22: Spécifications du protocole de la couche de liaison de données de l'éments de Type 22 (CEI 61158-4-22:2010) ffd11d8e6e50/sist-en-61158-4-22-2012

Ta slovenski standard je istoveten z: EN 61158-4-22:2012

ICS:

25.040.40 Merjenje in krmiljenje Industrial process industrijskih postopkov measurement and control
35.100.20 Podatkovni povezovalni sloj Data link layer
35.110 Omreževanje Networking

SIST EN 61158-4-22:2012 en

SIST EN 61158-4-22:2012

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61158-4-22:2012 https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609ffd11d8e6e50/sist-en-61158-4-22-2012

EUROPEAN STANDARD

EN 61158-4-22

NORME FUROPÉENNE **EUROPÄISCHE NORM**

May 2012

ICS 25.040.40; 35.100.20; 35.110

English version

Industrial communication networks -Fieldbus specifications -Part 4-22: Data-link layer protocol specification -Type 22 elements

(IEC 61158-4-22:2010)

Réseaux de communication industriels -Spécifications des bus de terrain -Partie 4-22: Spécifications du protocole de la couche de liaison de données -Eléments de Type 22 (CEI 61158-4-22:2010) eh STANDARD P(EC 61158-4-22:2010)

Industrielle Kommunikationsnetze -Feldbusse -Teil 4-22: Protokollspezifikation des Data Link Layer (Sicherungsschicht) -Typ 22-Elemente

(standards.iteh.ai)

SIST EN 61158-4-22:2012

https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609-

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

- 2 -

Foreword

The text of document 65C/605/FDIS, future edition 1 of IEC 61158-4-22, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-4-22:2012.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national	(dop)	2012-12-28
•	standard or by endorsement latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2015-03-28

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-4-22:2010 was approved by CENELEC as a European Standard without any modification (standards.iteh.ai)

In the official version, for Bibliography, the following note has to be added for the standard indicated: SIST EN 61158-4-2

IEC/TR 61158-1;2010/standa NOTE, Harmonized as CLC/TR 61158-1;2010 (not modified).

ffd11d8e6e50/sist-en-61158-4-22-2012

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61158-3-22	2010	Industrial communication networks - Fieldbus specifications - Part 3-22: Data-link layer service definition - Type 22 elements	EN 61158-3-22	2012
IEC 61588	2009	Precision clock synchronization protocol for networked measurement and control systems	_ ;	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 7498-3	iTe	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	W	-
ISO/IEC 8802-3	2000 https://star	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements (Is/sist/0a19812a-fc8d-4ddl Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	o-8609-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IEEE 802.1Q	-	IEEE Standard for Local and Metropolitan Area Networks - Virtual Bridged Local Area Networks	-	-

SIST EN 61158-4-22:2012

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61158-4-22:2012 https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609ffd11d8e6e50/sist-en-61158-4-22-2012



IEC 61158-4-22

Edition 1.0 2010-08

INTERNATIONAL STANDARD

Industrial communication networks — Fieldbus specifications — Part 4-22: Data-link layer protocol specification — Type 22 elements

<u>SIST EN 61158-4-22:2012</u> https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609-ffd11d8e6e50/sist-en-61158-4-22-2012

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE XB

ICS 25.04.40; 35.100.20; 35.110 ISBN 978-2-88912-093-2

CONTENTS

FΟ	REWO)RD	5	
INT	RODU	JCTION	7	
1	Scop	e	9	
	1.1	General	9	
	1.2	Specifications		
	1.3	Procedures	9	
	1.4	Applicability	9	
	1.5	Conformance	10	
2	Norm	ative references	10	
3	Term	s, definitions, symbols, abbreviations and conventions	10	
	3.1	Reference model terms and definitions	10	
	3.2	Service convention terms and definitions	12	
	3.3	Common terms and definitions	13	
	3.4	Additional Type 22 definitions	14	
	3.5	Common symbols and abbreviations	17	
	3.6	Additional Type 22 symbols and abbreviations	18	
	3.7	Conventions	20	
4	Over	view of the Dt-protocol	21	
	4.1	Operating principle,	21	
	4.2	Operating principle Communication mode(Standards.iteh.ai)	21	
	4.3	Topology	22	
	4.4	DLPDU processingSIST EN 61158-4-22:2012	22	
	4.5	Topology DLPDU processing SIST EN 61158-4-22:2012 https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609- General communication mechanisms Idl 1d8e6e30/sist-en-61158-4-22-2012 Gateway	23	
	4.6	Gateway	24	
	4.7	Interaction models	24	
5	DLP	OU structure	24	
	5.1	Overview	24	
	5.2	Data types and encoding rules	25	
	5.3	DLPDU identification	26	
	5.4	General DLPDU structure	27	
	5.5	Communication management DLPDUs	29	
	5.6	Cyclic data channel (CDC) DLPDUs	34	
	5.7	Cyclic data channel (CDC) DLPDU data	35	
	5.8	Message channel (MSC) DLPDUs	36	
	5.9	Message channel DLPDU data - MSC message transfer protocol (MSC-MTP)	37	
	5.10	Time synchronization	41	
6	Teleg	Telegram timing and DLPDU handling		
	6.1	Communication mechanism	42	
	6.2	Device synchronization	44	
7	Туре	22 protocol machines	45	
	7.1	RTFL device protocol machines	45	
	7.2	RTFN device protocol machines		
	7.3	Message channel - message transfer protocol (MSC-MTP)	59	
Bib	liogra	ohy	63	

Figure 1 – DLPDU sequence	43
Figure 2 – Communication relationship RTFN device	44
Figure 3 – Overview RTFL device protocol machines	45
Figure 4 – Protocol machine send DLPDU procedure	46
Figure 5 – Protocol machine receive DLPDU procedure	47
Figure 6 – CDCL send cyclic data sequence	48
Figure 7 – CDCL receive cyclic data sequence	49
Figure 8 – MSCL send sequence	50
Figure 9 – MSCL receive sequence	51
Figure 10 – Network management protocol machine	52
Figure 11 – Net management sequence at system boot up	53
Figure 12 – Initialization sequence ordinary device	54
Figure 13 – PCS configuration sequence	55
Figure 14 – Delay measurement principle	56
Figure 15 – Overview RTFN device protocol machines	57
Figure 16 – CDCN connection setup and release	58
Figure 17 – CDCN unpulish data	59
Figure 18 – Segmentation sequence	60
Figure 19 – Expedited transfer sequence	60
Figure 20 - Toggling from expedited transfer to segmented transfer	61
Figure 21 – Segmentation sequence for broad- or multicast message without Acknowledgement	en
https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609-	02
ffd11d8e6e50/sist-en-61158-4-22-2012	
Table 1 – DLPDU element definition	20
Table 2 – Conventions for protocol machine description	21
Table 3 – Transfer syntax for bit sequences	25
Table 4 – Transfer syntax for data type Unsignedn	26
Table 5 – Transfer syntax for data type Signedn	26
Table 6 - Type 22 DLPDU inside an ISO/IEC 8802-3	27
Table 7 – Type 22 DLPDU inside a VLAN tagged ISO/IEC 8802-3 DLPDU	27
Table 8 – Type 22 DLPDU inside an UDP DLPDU	28
Table 9 – General structure of a Type 22 DLPDU	28
Table 10 – DLPDU header structure	29
Table 11 – Network verification prepare DLPDU	29
Table 12 – Network verification environment DLPDU	29
Table 13 – Network verification information DLPDU	29
Table 14 – Network verification acknowledgement DLPDU	30
Table 15 – RTFN scan network read request DLPDU	30
Table 16 – RTFN scan network read response DLPDU	30
Table 17 – Identification data	30
Table 18 – PhyLinkPortX	
Table 19 – RTF support	31
• •	

Table 21 – DeviceRole	32
Table 22 – RTFN connection management DLPDU	33
Table 23 – CDCN connection still alive DLPDU	33
Table 24 – ID data	33
Table 25 – RTFL control DLPDU	33
Table 26 – RTFL configuration DLPDU	34
Table 27 – RTFL configuration acknowledgement DLPDU	34
Table 28 – CDCL DLPDU	35
Table 29 – CDCN DLPDU	35
Table 30 – CDC DLPDU data arrangement	35
Table 31 – CDC DLPDU data	36
Table 32 – MSCL DLPDU	36
Table 33 – MSCL control	37
Table 34 – MSCN DLPDU	37
Table 35 – MSC-MTP frame structure	38
Table 36 – Address type	38
Table 37 – MSC-MTP Init structure	39
Table 38 – MSC-MTP Init_Fast structure Table 39 – MSC-MTP Send structure Table 39 – MSC-MTP Send structure	39
Table 40 – MSC-MTP Acknowledgement structure.iteh.ai)	40
Table 41 – MSC-MTP Abort structure	
Table 42 – Data structure of a messageSIST EN 61158-4-22:2012 https://standards.iteh.avcatalog/standards/sist/0a19812a-fc8d-4ddb-8609-	40
Table 43 – DelayMeasurement startiencoding en-61.158-4-22-2012	41
Table 44 – DelayMeasurement read encoding	41
Table 45 – PCS configuration encoding	41
Table 46 – Time synchronization service request	41
Table 47 – Time synchronization service response	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-22: Data-link layer protocol specification – Type 22 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their 4 national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

 fid11d8e6e50/sist-en-61158-4-22-2012
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61158-4-22 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This standard cancels and replaces IEC/PAS 61158-4-22 published in 2009. This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/605/FDIS	65C/619/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

61158-4-22 © IEC:2010(E)

-6-

A list of all parts of the IEC 61158 series, published under the general title *Industrial* communication networks – Fieldbus specifications, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61158-4-22:2012</u> https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609-ffd11d8e6e50/sist-en-61158-4-22-2012 61158-4-22 © IEC:2010(E)

-7-

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC/TR 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementers and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual property right holders.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning Type 22 elements and possibly other types and add six 10 a 1981 2a - fc 8d - 4dd - 8609 - ftd 1 de 6e 50 six 1-en - 61 158 - 4 - 22 - 2012

WO-2006/069691-A1

[PI] Control system with a plurality of spatially distributed stations and method for transmitting data in said control system

DE - 10 2004 063 213

- B4

Steuerungssystem mit einer Vielzahl von räumlich verteilten Stationen sowie Verfahren zum Übertragen von Daten in einem solchen Steuerungssystem

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of these patent rights is registered with IEC. Information may be obtained from:

Information may be obtained from:

[PI] Pilz GmbH & Co. KG

Felix-Wankel-Str. 2

[PI]

73760 Ostfildern

Germany

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

61158-4-22 © IEC:2010(E)

-8-

ISO (www.iso.org/patents) and IEC (http://www.iec.ch/tctools/patent_decl.htm) maintain online data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61158-4-22:2012</u> https://standards.iteh.ai/catalog/standards/sist/0a19812a-fc8d-4ddb-8609-ffd11d8e6e50/sist-en-61158-4-22-2012 _ 9 _

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-22: Data-link layer protocol specification – Type 22 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides communication opportunities to all participating data-link entities

- a) in a synchronously-starting cyclic manner, according to a pre-established schedule, and
- b) in a cyclic or acyclic asynchronous manner, as requested each cycle by each of those data-link entities.

Thus this protocol can be characterized as one which provides cyclic and acyclic access asynchronously but with a synchronous restart of each cycle.

1.2 Specifications

(standards.iteh.ai)

This standard specifies:

SIST EN 61158-4-22:2012

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed data-link service provider;
- b) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this standard, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of:

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

Profiles provide a simple multi-attribute means of summarizing an implementation's capabilities, and thus its applicability to various time-critical communications needs.