

# SLOVENSKI STANDARD

## SIST EN 61158-6-12:2012

01-september-2012

Nadomešča:

SIST EN 61158-6-12:2008

---

**Industrijska komunikacijska omrežja - Specifikacije za procesno vodilo - 6-12. del: Specifikacija protokola na aplikacijskem nivoju - Elementi tipa 12 (IEC 61158-6-12:2010)**

Industrial communication networks - Fieldbus specifications - Part 6-12: Application layer protocol specification - Type 12 elements (IEC 61158-6-12:2010)

**iTeh STANDARD PREVIEW**

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-12: Protokollspezifikation des Application Layer (Anwendungsschicht) - Typ 12-Elemente (IEC 61158-6-12:2010)

[SIST EN 61158-6-12:2012](#)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-12: Spécification des protocoles des couches d'application - Elements de type 12 (CEI 61158-6-12:2010)

**Ta slovenski standard je istoveten z: EN 61158-6-12:2012**

---

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

**SIST EN 61158-6-12:2012**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61158-6-12:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 61158-6-12**

June 2012

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN 61158-6-12:2008

English version

**Industrial communication networks -  
Fieldbus specifications -  
Part 6-12: Application layer protocol specification -  
Type 12 elements  
(IEC 61158-6-12:2010)**

Réseaux de communication industriels -  
Spécifications des bus de terrain -  
Partie 6-12: Spécification des protocoles  
des couches d'application -  
Éléments de type 12  
(CEI 61158-6-12:2010)

Industrielle Kommunikationsnetze -  
Feldbusse -  
Teil 6-12: Protokollspezifikation des  
Application Layer (Anwendungsschicht) -  
Typ 12-Elemente  
(IEC 61158-6-12:2010)

**ITEH STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61158-6-12:2012

<https://standards.iteh.ai/catalog/standards/sist/020d96-0001-4d93-a74b-2012-03-282>

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 65C/607/FDIS, future edition 2 of IEC 61158-6-12, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-6-12:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-12-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-03-28

This document supersedes EN 61158-6-12:2008.

EN 61158-6-12:2012 includes the following significant technical changes with respect to EN 61158-6-12:2008:

- bug fixes; and
- editorial improvements.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

[SIST EN 61158-6-12:2012](https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012)

<https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012>

## Endorsement notice

The text of the International Standard IEC 61158-6-12:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61131-3	NOTE Harmonized as EN 61131-3.
IEC/TR 61158-1:2010	NOTE Harmonized as CLC/TR 61158-1:2010 (not modified).
IEC 61158-4-12	NOTE Harmonized as EN 61158-4-12.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60559	-	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	-
IEC 61158-3-12	-	Industrial communication networks - Fieldbus specifications - Part 3-12: Data-link layer service definition - Type 12 elements	EN 61158-3-12	-
IEC 61158-5-12	-	Industrial communication networks - Fieldbus specifications - Part 5-12: Application layer service definition - Type 12 elements	EN 61158-5-12	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 8802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 9899	-	Programming languages - C	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-
IEEE 802.1Q	1998	IEEE Standard for Local and Metropolitan Area Networks - Virtual Bridged Local Area Networks	-	-
IEEE 802.1D	2004	IEEE Standard for Local and Metropolitan Area Networks - Media Access Control (MAC) Bridges	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61158-6-12:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012>



IEC 61158-6-12

Edition 2.0 2010-08

# INTERNATIONAL STANDARD

---

**Industrial communication networks – Fieldbus specifications –  
Part 6-12: Application layer protocol specification – Type 12 elements**

**SIST EN 61158-6-12:2012**  
<https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XG**

---

ICS 25.04.40; 35.100.70; 35.110

ISBN 978-2-88912-129-8

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
1.1 General.....	10
1.2 Specifications.....	11
1.3 Conformance.....	11
2 Normative references.....	11
3 Terms, definitions, symbols, abbreviations and conventions.....	12
3.1 Reference model terms and definitions.....	12
3.2 Service convention terms and definitions.....	12
3.3 Application layer definitions.....	13
3.4 Common symbols and abbreviations.....	18
3.5 Additional symbols and abbreviations.....	18
3.6 Conventions.....	20
4 Application layer protocol specification.....	25
4.1 Operating principle.....	25
4.2 Node reference model.....	25
5 FAL syntax description.....	27
5.1 Coding principles.....	27
5.2 Data types and encoding rules.....	27
5.3 AR coding.....	30
5.4 SII coding.....	35
5.5 Isochronous PDI coding.....	40
5.6 CoE coding.....	44
5.7 EoE coding.....	82
5.8 FoE Coding.....	91
6 FAL protocol state machines.....	97
6.1 Overall structure.....	97
6.2 AP-Context state machine.....	99
6.3 FAL service protocol machine (FSPM).....	99
6.4 Application Relationship Protocol Machines (ARPMs).....	99
6.5 DLL mapping protocol machine (DMPM).....	142
Bibliography.....	143
Figure 1 – Common structure of specific fields.....	20
Figure 2 – Type description example.....	22
Figure 3 – Slave Node Reference Model.....	26
Figure 4 – Encoding of Time Of Day value.....	27
Figure 5 – Encoding of Time Difference value.....	28
Figure 6 – AL Control Request structure.....	30
Figure 7 – AL Control Response structure.....	31
Figure 8 – AL State Changed structure.....	33
Figure 9 – PDI Control type description.....	34
Figure 10 – Sync Configuration type description.....	34



Figure 11 – Distributed Clock sync and latch type description .....	41
Figure 12 – CoE general structure .....	44
Figure 13 – SDO Download Expedited Request structure .....	45
Figure 14 – SDO Download Expedited Response structure .....	46
Figure 15 – SDO Download Normal Request structure .....	47
Figure 16 – Download SDO Segment Request structure .....	49
Figure 17 – Download SDO Segment Response structure .....	50
Figure 18 – SDO Upload Expedited Request structure .....	50
Figure 19 – SDO Upload Expedited Response structure .....	51
Figure 20 – SDO Upload Normal Response structure .....	53
Figure 21 – Upload SDO Segment Request structure .....	54
Figure 22 – Upload SDO Segment Response structure .....	54
Figure 23 – Abort SDO Transfer Request structure .....	55
Figure 24 – SDO Information Service structure .....	58
Figure 25 – Get OD List Request structure .....	58
Figure 26 – Get OD List Response structure .....	59
Figure 27 – Get Object Description Request structure .....	61
Figure 28 – Get Object Description Response structure .....	61
Figure 29 – Get Entry Description Request structure .....	62
Figure 30 – Get Entry Description Response structure .....	63
Figure 31 – SDO Info Error Request structure .....	65
Figure 32 – EoE general structure .....	82
Figure 33 – EoE Timestamp structure .....	83
Figure 34 – EoE Fragment Request structure .....	84
Figure 35 – Set IP Parameter Request structure .....	86
Figure 36 – Set IP Parameter Response structure .....	88
Figure 37 – Set Address Filter Request structure .....	89
Figure 38 – Set Address Filter Response structure .....	91
Figure 39 – Read Request structure .....	92
Figure 40 – Write Request structure .....	92
Figure 41 – Data Request structure .....	93
Figure 42 – Ack Request structure .....	94
Figure 43 – Error Request structure .....	95
Figure 44 – Busy Request structure .....	97
Figure 45 – Relationship among Protocol Machines .....	98
Figure 46 – AR Protocol machines .....	99
Figure 47 – ESM Diagramm .....	101
Table 1 – PDU element description example .....	22
Table 2 – Example attribute description .....	23
Table 3 – State machine description elements .....	23
Table 4 – Description of state machine elements .....	24
Table 5 – Conventions used in state machines .....	24

Table 6 – Transfer Syntax for bit sequences .....	28
Table 7 – Transfer syntax for data type Unsignedn .....	29
Table 8 – Transfer syntax for data type Integern .....	30
Table 9 – AL Control Description .....	31
Table 10 – AL Control Response .....	31
Table 11 – AL Status Codes .....	32
Table 12 – AL State Changed .....	33
Table 13 – PDI Control .....	34
Table 14 – PDI Configuration .....	34
Table 15 – Sync Configuration .....	35
Table 16 – Slave Information Interface Area .....	35
Table 17 – Slave Information Interface Categories .....	36
Table 18 – Mailbox Protocols Supported Types .....	36
Table 19 – Categories Types .....	37
Table 20 – Structure Category String .....	37
Table 21 – Structure Category General .....	38
Table 22 – Structure Category FMMU .....	39
Table 23 – Structure Category SyncM for each Element .....	39
Table 24 – Structure Category TXPDO and RXPDO for each PDO .....	40
Table 25 – Structure PDO Entry .....	40
Table 26 – Distributed Clock sync parameter .....	42
Table 27 – Distributed Clock latch data .....	43
Table 28 – CoE elements .....	44
Table 29 – SDO Download Expedited Request .....	46
Table 30 – SDO Download Expedited Response .....	47
Table 31 – SDO Download Normal Request .....	48
Table 32 – Download SDO Segment Request .....	49
Table 33 – Download SDO Segment Response .....	50
Table 34 – SDO Upload Expedited Request .....	51
Table 35 – SDO Upload Expedited Response .....	52
Table 36 – SDO Upload Normal Response .....	53
Table 37 – Upload SDO Segment Request .....	54
Table 38 – Upload SDO Segment Response .....	55
Table 39 – Abort SDO Transfer Request .....	56
Table 40 – SDO Abort Codes .....	57
Table 41 – SDO Information Service .....	58
Table 42 – Get OD List Request .....	59
Table 43 – Get OD List Response .....	60
Table 44 – Get Object Description Request .....	61
Table 45 – Get Object Description Response .....	62
Table 46 – Get Entry Description Request .....	63
Table 47 – Get Entry Description Response .....	64
Table 48 – SDO Info Error Request .....	66

Table 49 – Emergency Request.....	67
Table 50 – Emergency Error Codes.....	68
Table 51 – Error Code.....	68
Table 52 – Diagnostic Data.....	69
Table 53 – Sync Manager Length Error.....	69
Table 54 – Sync Manager Address Error.....	69
Table 55 – Sync Manager Settings Error.....	69
Table 56 – RxPDO Transmission via mailbox.....	70
Table 57 – TxPDO Transmission via mailbox.....	70
Table 58 – RxPDO Remote Transmission Request.....	71
Table 59 – TxPDO Remote Transmission Request.....	71
Table 60 – Command object structure.....	72
Table 61 – Object Dictionary Structure.....	72
Table 62 – Object Code Definitions.....	72
Table 63 – Basic Data Type Area.....	73
Table 64 – Extended Data Type Area.....	74
Table 65 – Enumeration Definition.....	75
Table 66 – CoE Communication Area.....	75
Table 67 – Device Type.....	76
Table 68 – Error Register.....	77
Table 69 – Manufacturer Device Name.....	77
Table 70 – Manufacturer Hardware Version.....	78
Table 71 – Manufacturer Software Version.....	78
Table 72 – Identity Object.....	78
Table 73 – Receive PDO Mapping.....	79
Table 74 – Transmit PDO Mapping.....	79
Table 75 – Sync Manager Communication Type.....	80
Table 80 – Sync Manager Channel 0-31.....	81
Table 81 – Sync Manager Synchronization.....	82
Table 82 – Initiate EoE Request.....	83
Table 83 – Initiate EoE Response.....	84
Table 84 – EoE Fragment Request.....	85
Table 85 – EoE Data.....	86
Table 86 – Set IP Parameter Request.....	87
Table 87 – Set IP Parameter Response.....	88
Table 88 – EoE Result Parameter.....	89
Table 89 – Set Address Filter Request.....	90
Table 90 – Set Address Filter Response.....	91
Table 91 – Read Request.....	92
Table 92 – Write Request.....	93
Table 93 – Data Request.....	94
Table 94 – Ack Request.....	95
Table 95 – Error Request.....	96

Table 96 – Error codes of FoE.....	96
Table 97 – Busy Request .....	97
Table 98 – State transitions and local management services .....	101
Table 99 – Primitives issued by ESM to DL.....	102
Table 100 – Primitives issued by DL to ESM.....	102
Table 101 – Primitives issued by Application to ESM .....	103
Table 102 – Primitives issued by ESM to Application .....	103
Table 103 – ESM Variables .....	103
Table 104 – ESM macros .....	104
Table 105 – ESM functions.....	105
Table 106 – ESM state table .....	106
Table 107 – ESM Functions.....	118
Table 108 – Primitives issued by Mailbox handler to DL.....	118
Table 109 – Primitives issued by DL to Mailbox handler.....	118
Table 110 – Primitives issued by Protocol handler to Mailbox handler .....	119
Table 111 – Primitives issued by Mailbox handler to Protocol handler .....	119
Table 112 – Primitives issued by Application to CoESM.....	120
Table 113 – Primitives issued by CoESM to Application.....	121
Table 114 – CoESM state table .....	121
Table 115 – Primitives issued by Application to EoESM.....	131
Table 116 – Primitives issued by EoESM to Application .....	132
Table 117 – EoESM state table .....	133
Table 118 – Primitives issued by Application to FoESM .....	137
Table 119 – Primitives issued by FoESM to Application .....	138
Table 120 – FoESM state table.....	138

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**INDUSTRIAL COMMUNICATION NETWORKS –  
 FIELDBUS SPECIFICATIONS –**
**Part 6-12: Application layer protocol specification –  
 Type 12 elements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE 1 Use of some of the associated protocol Types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol Type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the profile parts. Use of the various protocol Types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61158-6-12 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- a) bug fixes; and
- b) editorial improvements.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/607/FDIS	65C/621/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE 2 The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
<https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012>

## INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

SIST EN 61158-6-12:2012

<https://standards.iteh.ai/catalog/standards/sist/020dbe96-0001-4d93-a74b-5268737c1b1a/sist-en-61158-6-12-2012>