

---

**Optični kabli - 1-24. del: Splošne specifikacije - Osnovni preskusni postopki za optične kable - Električne preskusne metode (IEC 60794-1-24:2014)**

Optical fibre cables - Part 1-24: Generic specification - Basic optical cable test procedures - Electrical test methods

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

**Ta slovenski standard je istoveten z: EN 60794-1-24:2014**  
<https://standards.iteh.ai/catalog/standards/sist/a010b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014>

---

**ICS:**

33.180.10      (Optična) vlakna in kabli      Fibres and cables

**SIST EN 60794-1-24:2014**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 60794-1-24:2014](https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014)

<https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 60794-1-24**

August 2014

ICS 33.180.10

Supersedes EN 60794-1-2:2003 (partially)

English Version

**Optical fibre cables - Part 1-24: Generic specification - Basic  
optical cable test procedures - Electrical test methods  
(IEC 60794-1-24:2014)**

Câbles à fibres optiques - Partie 1-24: Spécification  
générique - Méthodes fondamentales d'essais applicables  
aux câbles optiques - Procédures - Méthodes d'essais  
électriques  
(CEI 60794-1-24:2014)

Lichtwellenleiterkabel - Teil 1-24: Fachgrundspezifikation -  
Grundlegende Prüfverfahren für Lichtwellenleiterkabel -  
Elektrische Prüfverfahren  
(IEC 60794-1-24:2014)

This European Standard was approved by CENELEC on 2014-06-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN 60794-1-24:2014](https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-60794-1-24:2014)

[https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-](https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-60794-1-24:2014)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

The text of document 86A/1591/FDIS, future edition 1 of IEC 60794-1-24, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60794-1-24:2014.

The following dates are fixed:

- latest date by which the document has to be (dop) 2015-03-17  
implemented at national level by  
publication of an identical national  
standard or by endorsement
- latest date by which the national (dow) 2017-06-17  
standards conflicting with the  
document have to be withdrawn

This document supersedes EN 60794-1-2:2003 (partially).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 60794-1-24:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60794-1-2:2003 <sup>1)</sup> NOTE Harmonized as EN 60794-1-2:2003 <sup>2)</sup> (not modified).

IEC 60794-1-20 <sup>1)</sup> NOTE Harmonized as EN 60794-1-20.  
<https://standards.iteh.ai/catalog/standards/sist/en-60794-1-24-2014>

<sup>1)</sup> Withdrawn.

<sup>2)</sup> Superseded by EN 60794-1-22:2012, EN 60794-1-23:2012, EN 60794-1-2:2014, EN 60794-1-20:2014, EN 60794-1-24:2014 and the future EN 60794-1-21.



IEC 60794-1-24

Edition 1.0 2014-05

# INTERNATIONAL STANDARD



**Optical fibre cables –  
Part 1-24: Generic specification – Basic optical cable test procedures – Electrical  
test methods**

[SIST EN 60794-1-24:2014  
https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-  
edcfb92f8db2/sist-en-60794-1-24-2014](https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014)

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**M**

ICS 33.180.10

ISBN 978-2-8322-1576-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references .....	5
3 Method H1: Short-circuit test (for OPGW and OPAC).....	5
3.1 Object.....	5
3.2 Sample .....	5
3.2.1 OPGW testing.....	5
3.2.2 OPAC testing.....	6
3.3 Apparatus .....	6
3.4 Procedure.....	7
3.4.1 OPGW testing.....	7
3.4.2 OPAC testing.....	7
3.4.3 Common procedure for OPGW and OPAC .....	8
3.5 Requirements .....	8
3.6 Details to be specified.....	8
3.6.1 OPGW testing.....	8
3.6.2 OPAC testing.....	8
4 Method H2: Lightning test method for optical aerial cables along electric power lines (OPGW and OPAC).....	8
4.1 Object.....	8
4.2 General.....	9
4.3 Sample .....	9
4.4 Apparatus .....	9
4.5 Procedure.....	10
4.6 Requirements .....	10
4.7 Details to be specified.....	10
5 Method H3 – Electrical continuity test of cable metallic elements.....	10
5.1 Object.....	10
5.2 Sample .....	10
5.3 Apparatus .....	10
5.4 Procedure.....	11
5.5 Requirements .....	11
5.6 Details to be specified.....	11
Bibliography.....	12
Figure 1 – OPGW short-circuit test arrangement.....	6
Figure 2 – OPAC short-circuit test arrangement.....	7
Figure 3 – Lightning test arrangement.....	9
Table 1 – Test parameters .....	10

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## OPTICAL FIBRE CABLES –

**Part 1-24: Generic specification –  
Basic optical cable test procedures –  
Electrical test methods**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-1-24 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This edition of IEC 60794-1-24 cancels and replaces the electrical tests methods section of the second edition of IEC 60794-1-2, published in 2003 (and subsequently replaced by the third edition). It constitutes a technical revision.

It has been decided to split the second edition of IEC 60794-1-2 into six new documents:

- IEC 60794-1-2 : Cross reference table
- IEC 60794-1-20 : General and definitions
- IEC 60794-1-21 : Mechanical tests
- IEC 60794-1-22 : Environmental tests

- IEC 60794-1-23 : Cable elements
- IEC 60794-1-24 : Electrical tests

The text of this standard is based on the following documents:

FDIS	Report on voting
86A/1591/FDIS	86A/1606/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)

A bilingual version of this publication may be issued at a later date.

[SIST EN 60794-1-24:2014](https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014)

<https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014>

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**



## OPTICAL FIBRE CABLES –

### Part 1-24: Generic specification – Basic optical cable test procedures – Electrical test methods

#### 1 Scope

This part of IEC 60794 applies to optical fibre cables for use with telecommunication equipment and devices employing similar techniques, and to cables having a combination of both optical fibres and electrical conductors.

The object of this standard is to define test procedures to be used in establishing uniform requirements for electrical requirements.

Throughout the standard the wording “optical cable” may also include optical fibre units, microduct fibre units, etc.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[SIST EN 60794-1-24:2014](https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014)

<https://standards.iteh.ai/catalog/standards/sist/a0f0b4b3-d6a1-4b95-ab94-edcfb92f8db2/sist-en-60794-1-24-2014>

Void.

#### 3 Method H1: Short-circuit test (for OPGW and OPAC)

##### 3.1 Object

The short-circuit test is intended to assess the performance of the OPGW (optical ground wire) under typical short-circuit, or the impact on the performance of OPAC (optical attached cable) under short-circuit current on the messenger wire.

##### 3.2 Sample

###### 3.2.1 OPGW testing

###### 3.2.1.1 Two samples test method

A typical arrangement using two test samples is shown in Figure 1.

Two samples, each being at least 10 m long, shall be terminated at each end with suitable fittings. In sample A, one or more thermocouples shall be inserted into holes drilled into the optical unit to monitor the optical unit temperature. In sample B, one or more thermocouples shall be attached to the wires of the OPGW to monitor the OPGW temperature. Fibre optical attenuation shall be measured using a light source and power meter connected to each end of the test fibre of sample B. The test length of the optical fibre shall be a minimum of 100 m (when the sample is shorter than 100 m, concatenation shall be used) .