



SLOVENSKI STANDARD

SIST EN 62271-202:2014

01-september-2014

Nadomešča:

SIST EN 62271-202:2007

**Visokonapetostne stikalne in krmilne naprave - 202. del:
Visokonapetostna/niskonapetostna montažna postaja (IEC 62271-202:2014)**

High-voltage switchgear and controlgear - Part 202: High voltage/low voltage prefabricated substation

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Appareillages à haute tension - Partie 202: Postes préfabriqués haute tension/basse tension

[SIST EN 62271-202:2014](https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014)

<https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014>

Ta slovenski standard je istoveten z: EN 62271-202:2014

ICS:

| | | |
|-----------|--|---|
| 29.130.10 | Visokonapetostne stikalne in krmilne naprave | High voltage switchgear and controlgear |
|-----------|--|---|

SIST EN 62271-202:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62271-202:2014

<https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014>

EUROPEAN STANDARD

EN 62271-202

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2014

ICS 29.130.10

Supersedes EN 62271-202:2007

English Version

High-voltage switchgear and controlgear - Part 202: High-voltage/low-voltage prefabricated substation (IEC 62271-202:2014)

Appareillages à haute tension - Partie 202: Postes
préfabriqués haute tension/basse tension
(CEI 62271-202:2014)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil
202: Fabrikfertige Stationen für
Hochspannung/Niederspannung
(IEC 62271-202:2014)

This European Standard was approved by CENELEC on 2014-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN 62271-202:2014

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 17C/595/FDIS, future edition 2 of IEC 62271-202, prepared by SC 17C "High-voltage switchgear and controlgear assemblies" of IEC TC 17 "Switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62271-202:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-11-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-05-01

This document supersedes EN 62271-202:2007.

EN 62271-202:2014 includes the following significant technical changes with respect to EN 62271-202:2007:

- a) regarding temperature-rise test an alternative method for liquid filled transformers is (re)introduced and the temperature-rise test method for dry-type transformers is specified more precisely;
- b) testing procedure for short time and peak withstand current tests are specified more precisely;
- c) assessment of electromagnetic fields is considered including a type test (optional) according CLC/TR 62271-208:2010;
- d) influence of the product on the environment is considered (Clause 12);
- e) internal arc test requirements have been adapted to EN 62271-200:2012 and requirements for the assessment of pressure relief volumes below the floor / ground has been assigned;
- f) the method for defining the load factor in an enclosure for liquid filled transformers is extended with different temperature rises for the transformer outside the enclosure (Annex DD);
- g) for the calculation of the load factor of dry-type transformers in an enclosure the insulation systems according to EN 60076-1:2011, Tables B.1 and B.2 are worked out in detail.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62271-202:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| | | |
|-----------------------|------|--------------------------------------|
| IEC 60059:1999 | NOTE | Harmonized as EN 60059:1999. |
| IEC 60068 (Series) | NOTE | Harmonized as EN 60068 (Series). |
| IEC 60076 (Series) | NOTE | Harmonized as EN 60076 (Series). |
| IEC 60243-1:2013 | NOTE | Harmonized as EN 60243-1:2013. |
| IEC 61936-1:2010 | NOTE | Harmonized as EN 61936-1:2010. |
| IEC 62271-4:2013 | NOTE | Harmonized as EN 62271-4:2013. |
| IEC/TS 62271-304:2008 | NOTE | Harmonized as CLC/TS 62271-304:2008. |
| ISO 1460 | NOTE | Harmonized as EN ISO 1460. |

| | | |
|--------------------|------|--------------------------------------|
| ISO 1461 | NOTE | Harmonized as EN ISO 1461. |
| ISO 2081 | NOTE | Harmonized as EN ISO 2081. |
| ISO 2409 | NOTE | Harmonized as EN ISO 2409. |
| ISO 3231:1993 | NOTE | Harmonized as EN ISO 3231:1997. |
| ISO 7784 (Series) | NOTE | Harmonized as EN ISO 7784 (Series). |
| ISO 9227 | NOTE | Harmonized as EN ISO 9227. |
| ISO 10546 | NOTE | Harmonized as EN ISO 1460. |
| ISO 11997 (Series) | NOTE | Harmonized as EN ISO 11997 (Series). |
| ISO 12944 (Series) | NOTE | Harmonized as EN ISO 12944 (Series). |
| ISO 13732-1:2006 | NOTE | Harmonized as EN ISO 13732-1:2008. |

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62271-202:2014](https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014)

<https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

| <u>Publication</u> | <u>Year</u> series | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> series |
|-------------------------|-----------------------|--|---|-----------------------|
| IEC 60050 | | International Electrotechnical Vocabulary - - Part 461: Electric cables | | |
| IEC 60068-2-75 | - | Environmental testing -- Part 2-75: Tests - Test Eh: Hammer tests | EN 60068-2-75 | - |
| IEC 60076-1 | 2011 | Power transformers -- Part 1: General | EN 60076-1 | 2011 |
| IEC 60076-2 | 2011 | Power transformers -- Part 2: Temperature rise for liquid-immersed transformers | EN 60076-2 | 2011 |
| IEC 60076-3 | 2013 | Power transformers -- Part 3: Insulation levels, dielectric tests and external clearances in air | EN 60076-3 | 2013 |
| IEC 60076-5 | 2006 | Power transformers -- Part 5: Ability to withstand short circuit | EN 60076-5 | 2006 |
| IEC 60076-7 | 2005 | Power transformers -- Part 7: Loading guide for oil-immersed power transformers | | - |
| IEC 60076-10 | 2001 | Power transformers -- Part 10: Determination of sound levels | EN 60076-10 | 2001 |
| IEC 60076-11 | 2004 | Power transformers -- Part 11: Dry-type transformers | EN 60076-11 | 2004 |
| IEC 60076-12 | 2008 | Power transformers -- Part 12: Loading guide for dry-type power transformers | | - |
| IEC 60076-13 | 2006 | Power transformers -- Part 13: Self- protected liquid-filled transformers | EN 60076-13 | 2006 |
| IEC 60364-4-41 (mod) | 2005 | Low-voltage electrical installations -- Part 4-41: Protection for safety - Protection against electric shock | HD 60364-4-41 | 2007 |
| | | | +HD 60364-4- 41:2007/corrigendu m Jul. 2007 | 2007 |
| IEC 60529 | 1989 | Degrees of protection provided by enclosures (IP Code) | EN 60529 | 1991 |
| | | | +EN 60529:1991/corrig endum May 1993 | 1993 |
| IEC 60529:1989/A1 | 1999 | | EN 60529:1991/A1 | 2000 |
| IEC 60529:1989/A2 | 2013 | | EN 60529:1991/A2 | 2013 |
| IEC 60664-1 | 2007 | Insulation coordination for equipment within low-voltage systems -- Part 1: Principles, requirements and tests | EN 60664-1 | 2007 |
| IEC 60721-1 | 1990 | Classification of environmental conditions - - Part 1: Environmental parameters and their severities | EN 60721-1 | 1995 |
| +A1 | 1992 | | - | - |
| +A2 | 1995 | | +A2 | 1995 |

| | | | | |
|------------------|------|---|--|------|
| IEC 60721-2-2 | 2012 | Classification of environmental conditions - EN 60721-2-2 - Part 2-2: Environmental conditions appearing in nature -- Precipitation and wind | | 2013 |
| IEC 60721-2-4 | 1987 | Classification of environmental conditions - HD 478.2.4 S1 - Part 2: Environmental conditions appearing in nature - Solar radiation and temperature | | 1989 |
| +A1 | 1988 | | - | - |
| IEC 60947-1 | 2007 | Low-voltage switchgear and controlgear -- Part 1: General rules | EN 60947-1 | 2007 |
| IEC 61180-1 | 1992 | High-voltage test techniques for low-voltage equipment -- Part 1: Definitions, test and procedure requirements | EN 61180-1 | 1994 |
| IEC 61439-1 | 2011 | Low-voltage switchgear and controlgear assemblies -- Part 1: General rules | EN 61439-1 | 2011 |
| IEC 61439-2 | 2011 | Low-voltage switchgear and controlgear assemblies -- Part 2: Power switchgear and controlgear assemblies | EN 61439-2 | 2011 |
| IEC 62262 | 2002 | Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code) | EN 62262 | 2002 |
| IEC 62271-1 | 2007 | High-voltage switchgear and controlgear -- Part 1: Common specifications | EN 62271-1 | 2008 |
| IEC 62271-200 | 2011 | High-voltage switchgear and controlgear -- Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV | EN 62271-200 | 2012 |
| IEC 62271-201 | 2006 | High-voltage switchgear and controlgear -- Part 201: AC insulation-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV | EN 62271-201 | 2006 |
| | | https://standards.sist.org/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014 | +EN 62271-201:2006/corrigendum Nov. 2006 | 2006 |
| IEC 62271-202 | 2014 | High-voltage switchgear and controlgear -- Part 202: High-voltage/low-voltage prefabricated substation | EN 62271-202 | 2014 |
| ISO 1052 | 1982 | Steels for general engineering purposes | - | - |
| ISO 1182 | | Reaction to fire tests for products – Non-combustibility test | EN ISO 1182 | 2010 |
| ISO 1716 | | Reaction to fire tests for products – Determination of the gross heat of combustion (calorific value) | EN ISO 1716 | 2010 |
| ISO 6508-1 | | Metallic materials -- Rockwell hardness test -- Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T) | EN ISO 6508-1 | 2005 |
| IEC/TR 62271-208 | 2009 | High-voltage switchgear and controlgear -- Part 208: Methods to quantify the steady state, power-frequency electromagnetic fields generated by HV switchgear assemblies and HV/LV prefabricated substations | CLC/TR 62271-208 | 2010 |
| IEC/TR 62271-300 | 2006 | High-voltage switchgear and controlgear - Part 300: Seismic qualification of alternating current circuit-breakers | - | - |

| | | | |
|------------------|------|--|---|
| IEC/TS 60815-1 | 2008 | Selection and dimensioning of high-voltage - insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles | - |
| ISO/IEC Guide 51 | 1999 | Safety aspects - Guidelines for their inclusion in standards | - |

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62271-202:2014](https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014)

<https://standards.iteh.ai/catalog/standards/sist/749f8361-74bb-4163-a066-79ed87692a65/sist-en-62271-202-2014>



IEC 62271-202

Edition 2.0 2014-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE



High-voltage switchgear and controlgear –
Part 202: High-voltage/low-voltage prefabricated substation
(standards.iteh.ai)

Appareillage à haute tension –
Partie 202: Postes préfabriqués haute tension/basse tension
SIST EN 62271-202:2014
http://standards.iteh.ai/catalog/standards/sist-en-62271-202-2014/66-79ed87692a65/sist-en-62271-202-2014

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XD**
CODE PRIX

ICS 29.130.10

ISBN 978-2-8322-1483-1

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

| | |
|--|----|
| FOREWORD..... | 8 |
| INTRODUCTION..... | 10 |
| 1 General..... | 11 |
| 1.1 Scope..... | 11 |
| 1.2 Normative references..... | 11 |
| 2 Normal and special service conditions..... | 13 |
| 2.1 Normal service conditions..... | 13 |
| 2.1.1 Indoor switchgear and controlgear..... | 13 |
| 2.1.1.101 Low-voltage switchgear and controlgear..... | 13 |
| 2.1.1.102 Transformer..... | 13 |
| 2.1.2 Outdoor switchgear and controlgear..... | 14 |
| 2.2 Special service conditions..... | 14 |
| 2.2.1 Altitude..... | 14 |
| 2.2.2 Pollution..... | 14 |
| 2.2.3 Temperature and humidity..... | 15 |
| 2.2.4 Vibrations, shock or tilting..... | 15 |
| 2.2.5 Wind speed..... | 15 |
| 2.2.6 Other parameters..... | 15 |
| 3 Terms and definitions..... | 15 |
| 4 Ratings..... | 17 |
| 4.1 Rated voltage (U_r)..... | 18 |
| 4.2 Rated insulation level..... | 18 |
| 4.3 Rated frequency (f_r)..... | 19 |
| 4.4 Rated normal current and temperature rise..... | 19 |
| 4.4.1 Rated normal current (I_r)..... | 19 |
| 4.4.2 Temperature rise..... | 19 |
| 4.4.3 Particular points of Table 3..... | 19 |
| 4.5 Rated short-time withstand current (I_k)..... | 19 |
| 4.5.101 Rated short-time withstand current of high voltage switchgear and controlgear and high voltage interconnection (I_k)..... | 20 |
| 4.5.102 Rated short-time phase to earth withstand current (I_{ke})..... | 20 |
| 4.5.103 Rated short-time withstand currents of low voltage switchgear and controlgear and low voltage interconnection (I_{cw})..... | 20 |
| 4.6 Rated peak withstand current (I_p)..... | 20 |
| 4.6.101 Rated peak withstand current (I_p)..... | 20 |
| 4.6.102 Rated peak phase to earth withstand current (I_{pe})..... | 20 |
| 4.6.103 Rated peak withstand currents of low voltage switchgear and controlgear and low voltage interconnection (I_{pk})..... | 20 |
| 4.7 Rated durations of short circuit (t_k)..... | 20 |
| 4.7.101 Rated duration of short circuit (t_k)..... | 21 |
| 4.7.102 Rated duration of phase to earth short circuit (t_{ke})..... | 21 |
| 4.7.103 Rated duration of short circuits for low voltage switchgear and controlgear and low voltage interconnection..... | 21 |
| 4.7.104 Rated duration of short circuits for transformers..... | 21 |
| 4.8 Rated supply voltage of closing and opening devices and auxiliary and control circuits (U_a)..... | 21 |
| 4.9 Rated supply frequency of closing and opening devices and of auxiliary circuits..... | 21 |

| | | |
|---------|---|----|
| 4.10 | Rated pressure of compressed gas supply for controlled pressure systems | 21 |
| 4.11 | Rated filling levels for insulation and/or operation | 21 |
| 4.101 | Rated maximum power and class of enclosure | 22 |
| 4.101.1 | Rated maximum power of the prefabricated substation | 22 |
| 4.101.2 | Rated class of enclosure | 22 |
| 4.102 | Ratings of the internal arc classification | 22 |
| 4.102.1 | General | 22 |
| 4.102.2 | Types of accessibility (A, B, AB) | 22 |
| 4.102.3 | Rated arc fault currents (I_A , I_{Ae}) | 22 |
| 4.102.4 | Rated arc fault duration (t_A , t_{Ae}) | 23 |
| 5 | Design and construction | 23 |
| 5.1 | Requirements for liquids in switchgear and controlgear | 23 |
| 5.2 | Requirements for gases in switchgear and controlgear | 23 |
| 5.3 | Earthing of switchgear and controlgear | 24 |
| 5.4 | Auxiliary and control equipment | 25 |
| 5.5 | Dependent power operation | 25 |
| 5.6 | Stored energy operation | 25 |
| 5.7 | Independent manual or power operation (independent unlatched operation) | 25 |
| 5.8 | Operation of releases | 25 |
| 5.9 | Low- and high-pressure interlocking and monitoring devices | 25 |
| 5.10 | Nameplates | 25 |
| 5.11 | Interlocking devices | 25 |
| 5.12 | Position indication | 26 |
| 5.13 | Degree of protection provided by enclosures | 26 |
| 5.14 | Creepage distances for outdoor insulators | 26 |
| 5.15 | Gas and vacuum tightness | 26 |
| 5.16 | Liquid tightness | 26 |
| 5.17 | Fire hazard (flammability) | 26 |
| 5.18 | Electromagnetic compatibility (EMC) | 26 |
| 5.101 | Protection of the prefabricated substation against mechanical stress | 26 |
| 5.102 | Protection of the environment due to internal defects | 27 |
| 5.103 | Internal arc fault | 27 |
| 5.104 | Enclosure | 28 |
| 5.104.1 | General | 28 |
| 5.104.2 | Fire behaviour | 28 |
| 5.104.3 | Corrosion | 29 |
| 5.104.4 | Covers and doors | 30 |
| 5.104.5 | Ventilation openings | 30 |
| 5.104.6 | Partitions | 30 |
| 5.105 | Other provisions | 31 |
| 5.105.1 | Provisions for dielectric tests on cables | 31 |
| 5.105.2 | Accessories | 31 |
| 5.105.3 | Operation aisle | 31 |
| 5.105.4 | Labels | 31 |
| 5.106 | Sound emission | 31 |
| 5.107 | Electromagnetic fields | 31 |
| 6 | Type tests | 31 |

| | | |
|---------|--|----|
| 6.1 | General..... | 31 |
| 6.1.1 | Grouping of tests | 32 |
| 6.1.2 | Information for identification of specimens | 32 |
| 6.1.3 | Information to be included in type-test reports | 32 |
| 6.2 | Dielectric tests | 33 |
| 6.2.1 | Ambient air conditions during tests | 33 |
| 6.2.2 | Wet test procedure | 33 |
| 6.2.3 | Conditions of switchgear and controlgear during dielectric tests | 33 |
| 6.2.4 | Criteria to pass the test | 33 |
| 6.2.5 | Application of the test voltage and test conditions..... | 33 |
| 6.2.6 | Tests of switchgear and controlgear of $U_r \leq 245$ kV | 33 |
| 6.2.7 | Tests of switchgear and controlgear of $U_r > 245$ kV | 33 |
| 6.2.8 | Artificial pollution tests for outdoor insulators..... | 33 |
| 6.2.9 | Partial discharge tests | 33 |
| 6.2.10 | Dielectric tests on auxiliary and control circuits..... | 34 |
| 6.2.11 | Voltage test as condition check | 34 |
| 6.2.101 | Tests on the high-voltage interconnection..... | 34 |
| 6.2.102 | Tests on low-voltage interconnection | 35 |
| 6.3 | Radio interference voltage (r.i.v.) test | 36 |
| 6.4 | Measurement of the resistance of circuits..... | 36 |
| 6.5 | Temperature-rise tests | 36 |
| 6.5.101 | General | 36 |
| 6.5.102 | Test conditions | 37 |
| 6.5.103 | Test methods | 38 |
| 6.5.104 | Measurements | 41 |
| 6.5.105 | Acceptance criteria | 42 |
| 6.6 | Short-time withstand current and peak withstand current tests | 43 |
| 6.7 | Verification of the protection | 43 |
| 6.8 | Tightness tests | 43 |
| 6.9 | Electromagnetic compatibility tests (EMC) | 43 |
| 6.10 | Additional tests on auxiliary and control circuits | 44 |
| 6.10.1 | General | 44 |
| 6.10.2 | Functional tests | 44 |
| 6.10.3 | Electrical continuity of earthed metallic parts test | 44 |
| 6.10.4 | Verification of the operational characteristics of auxiliary contacts..... | 44 |
| 6.10.5 | Environmental tests | 44 |
| 6.10.6 | Dielectric test | 44 |
| 6.11 | X-radiation test procedures for vacuum interrupters | 44 |
| 6.101 | Calculations and mechanical tests | 44 |
| 6.101.1 | Wind pressure | 44 |
| 6.101.2 | Roof loads | 45 |
| 6.101.3 | Mechanical impacts | 45 |
| 6.102 | Internal arc test..... | 45 |
| 6.102.1 | General | 45 |
| 6.102.2 | Test conditions | 45 |
| 6.102.3 | Arrangement of the equipment..... | 46 |
| 6.102.4 | Test procedure | 46 |

| | | |
|----------------------|---|----|
| 6.102.5 | Criteria to pass the test | 46 |
| 6.102.6 | Test report..... | 47 |
| 6.102.7 | Transferability of tests results..... | 48 |
| 6.103 | Measurement or calculation of electromagnetic fields | 48 |
| 7 | Routine tests | 48 |
| | <i>Replacement:</i> | 49 |
| 7.101 | Dielectric test on the high voltage interconnection..... | 49 |
| 7.102 | Voltage withstand tests on auxiliary circuits | 49 |
| 7.103 | Functional tests | 49 |
| 7.104 | Verification of correct wiring..... | 49 |
| 7.105 | Tests after assembly on site | 49 |
| 8 | Guide to the selection of prefabricated substation | 49 |
| | <i>Replacement:</i> | 49 |
| 8.101 | General..... | 49 |
| 8.102 | Selection of rated values..... | 50 |
| 8.103 | Selection of class of enclosure..... | 50 |
| 8.104 | Internal arc fault..... | 50 |
| 8.104.1 | General | 50 |
| 8.104.2 | Causes and preventive measures | 51 |
| 8.104.3 | Supplementary protective measures | 51 |
| 8.104.4 | Considerations for the selection and installation | 53 |
| 8.104.5 | Internal arc test | 53 |
| 8.104.6 | IAC classification..... | 53 |
| 8.105 | Summary of technical requirements, ratings and optional tests | 54 |
| 9 | Information to be given with enquiries, tenders and orders..... | 58 |
| 9.1 | Information with enquiries and orders..... | 58 |
| 9.2 | Information with tenders..... | 59 |
| 10 | Transport, storage, installation, operation, maintenance | 60 |
| 10.1 | Conditions during transport, storage and installation | 60 |
| 10.2 | Installation | 60 |
| 10.2.1 | Unpacking and lifting | 61 |
| 10.2.2 | Assembly..... | 61 |
| 10.2.3 | Mounting | 61 |
| 10.2.4 | Connections | 61 |
| 10.2.5 | Final installation inspection..... | 61 |
| 10.2.6 | Basic input data by the user | 61 |
| 10.2.7 | Basic input data by the manufacturer | 61 |
| 10.3 | Operation..... | 61 |
| 10.4 | Maintenance | 62 |
| 10.101 | Dismantling, recycling and disposal at the end-of-service life | 62 |
| 11 | Safety..... | 62 |
| 11.101 | Electrical aspects..... | 62 |
| 11.102 | Mechanical aspects | 62 |
| 11.103 | Thermal aspects | 62 |
| 11.104 | Internal arc aspects | 62 |
| 12 | Influence of the product on the environment | 63 |
| Annex AA (normative) | Internal arc fault – Method to verify the internal arc classification (IAC) | 64 |

| | | |
|--------------|--|----|
| AA.1 | General..... | 64 |
| AA.2 | Room simulation | 64 |
| AA.3 | Indicators (for assessing the thermal effects of the gases)..... | 64 |
| | AA.3.1 General | 64 |
| | AA.3.2 Arrangement of indicators..... | 65 |
| AA.4 | Tolerances for geometrical dimensions of test arrangements | 66 |
| AA.5 | Test parameters..... | 67 |
| AA.6 | Test procedure..... | 67 |
| Annex BB | (normative) Test to verify the sound level of a prefabricated substation | 76 |
| | BB.1 Purpose | 76 |
| | BB.2 Test specimen | 76 |
| | BB.3 Test method..... | 76 |
| | BB.4 Measurements | 76 |
| | BB.5 Presentation and calculation of the results | 76 |
| Annex CC | (normative) Mechanical impact test | 78 |
| | CC.1 Test for the verification of the resistance to mechanical impact..... | 78 |
| | CC.2 Apparatus for the verification of the protection against mechanical damage..... | 78 |
| Annex DD | (informative) Rating of transformers in an enclosure | 80 |
| | DD.1 General..... | 80 |
| | DD.2 Liquid-filled transformer..... | 80 |
| | DD.3 Dry-type transformer..... | 81 |
| | DD.4 Example..... | 85 |
| Annex EE | (informative) Examples of earthing circuits..... | 88 |
| Annex FF | (informative) Characteristics of enclosure materials..... | 91 |
| | FF.1 Metals..... | 91 |
| | FF.1.1 Coatings | 91 |
| | FF.1.2 Paints | 91 |
| | FF.2 Concrete..... | 91 |
| Bibliography | | 93 |
| Figure 101 | – Measurement of transformer temperature rise in ambient air: Δt_1 | 37 |
| Figure 102 | – Measurement of transformer temperature rise in an enclosure: Δt_2 | 37 |
| Figure 103 | – Diagram of the preferred temperature-rise test method | 39 |
| Figure 104 | – Diagram of the alternative temperature-rise test method | 40 |
| Figure 105 | – Diagram for open-circuit test | 41 |
| Figure AA.1 | – Mounting frame for vertical indicators | 68 |
| Figure AA.2 | – Horizontal indicators..... | 68 |
| Figure AA.3 | – Arrangement of indicators..... | 71 |
| Figure AA.4 | – Selection of tests on high voltage switchgear for class IAC-A | 72 |
| Figure AA.5 | – Selection of tests on high voltage switchgear for class IAC-B | 73 |
| Figure AA.6 | – Selection of tests on high voltage interconnections for class IAC-A | 74 |
| Figure AA.7 | – Selection of tests on high voltage interconnections for class IAC-B | 75 |
| Figure CC.1 | – Impact test apparatus..... | 79 |
| Figure DD.1 | – Liquid-filled transformer load factor in an enclosure | 81 |
| Figure DD.2 | – Dry-type transformer load factor outside of the enclosure..... | 81 |

| | |
|---|----|
| Figure DD.3 – Insulation class 105 °C (A) dry-type transformers load factor in an enclosure..... | 82 |
| Figure DD.4 – Insulation class 120 °C (E) dry-type transformers load factor in an enclosure..... | 82 |
| Figure DD.5 – Insulation class 130 °C (B) dry-type transformers load factor in an enclosure..... | 83 |
| Figure DD.6 – Insulation class 155 °C (F) dry-type transformers load factor in an enclosure..... | 83 |
| Figure DD.7 – Insulation class 180 °C (H) dry-type transformers load factor in an enclosure..... | 84 |
| Figure DD.8 – Insulation class 200 °C (H) dry-type transformers load factor in an enclosure..... | 84 |
| Figure DD.9 – Insulation class 220 °C (H) dry-type transformers load factor in an enclosure..... | 85 |
| Figure EE.1 – Example of earthing circuits..... | 88 |
| Figure EE.2 – Example of earthing circuits..... | 89 |
| Figure EE.3 – Example within the framework serving as the main earthing conductor..... | 90 |
| | |
| Table 101 – Synthetic material characteristics..... | 29 |
| Table 102 – Locations, causes and examples of measures decreasing the probability of internal arcs..... | 52 |
| Table 103 – Single phase-to-earth arc fault current depending on the network neutral earthing..... | 54 |
| Table 104 – Summary of technical requirements and ratings for prefabricated substations (1 of 4)..... | 55 |
| Table FF.1 – Treatment of coatings..... | 91 |
| Table FF.2 – Tests of coatings..... | 91 |
| Table FF.3 – Test of concrete..... | 92 |