

SLOVENSKI STANDARD SIST EN 62341-5-3:2014

01-januar-2014

Prikazovalniki z organskimi svetlečimi diodami (OLED) - 5-3. del: Metode za merjenje zadrževanja slike in življenjske dobe

Organic light emitting diode (OLED) displays - Part 5-3: Measuring methods of image sticking and lifetime

/

iTeh STANDARD PREVIEW

Afficheurs à diodes électroluminescentes organiques (OLED) - Partie 5-3: Méthodes de mesure de la durée de vie et de la rémanence d'images

SIST EN 62341-5-3:2014

Ta slovenski standard je istoveten z: 62341-5-3:2013

ICS:

31.120 Elektronske prikazovalne

Electronic display devices

naprave

SIST EN 62341-5-3:2014

en

SIST EN 62341-5-3:2014

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD

EN 62341-5-3

NORME EUROPÉENNE EUROPÄISCHE NORM

October 2013

ICS 31.120; 31.260

English version

Organic Light Emitting Diode (OLED) displays - Part 5-3: Measuring methods of image sticking and lifetime (IEC 62341-5-3:2013)

Afficheurs à diodes électroluminescentes organiques (OLED) - Partie 5-3: Méthodes de mesure de la durée de vie et de la rémanence d'images (CEI 62341-5-3:2013)

Anzeigen mit organischen Leuchtdioden (OLED) -Teil 5-3: Messverfahren für Nachbilder und Lebensdauer (IEC 62341-5-3:2013)

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2013-09-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. 5-3:2014

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 110/474/FDIS, future edition 1 of IEC 62341-5-3, prepared by IEC/TC 110 "Electronic display devices" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62341-5-3:2013.

The following dates are fixed:

document have to be withdrawn

latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
 latest date by which the national standards conflicting with the

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62341-5-3:2013 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050	Series	International Electrotechnical Vocabulary (IEV)	-	-
IEC 61966-2-1	1999	Multimedia systems and equipment - Colour measurement and management - Part 2-1: Colour management - Default RGB colour space - sRGB	EN 61966-2-1	2000
IEC 62087	2011	Methods of Measurement for the power consumption of audio, video and related equipment	EN 62087	2012
IEC 62341-1-2	2007	Organic light emitting diode displays - Part 1-2: Terminology and letter symbols	EN 62341-1-2	2009
IEC 62341-6-1	2009	Organic light emitting diode (OLED) displays - Part 6-1: Measuring methods of optical and electro-optical parameters	EN 62341-6-1	2011
CIE 15	https://st 2004	andards, iteh.ai/catalog/standards/sist/744fbd7e-521c-4 Colorimetry 0acbs/1c9065e/sist-en-62341-5-3-2014	42fd-bde3-	-

SIST EN 62341-5-3:2014

iTeh STANDARD PREVIEW (standards.iteh.ai)



IEC 62341-5-3

Edition 1.0 2013-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Organic light emitting diode (OLED) displays PREVIEW Part 5-3: Measuring methods of image sticking and lifetime

Afficheurs à diodes électrolumines centes organiques (OLED) –
Partie 5-3: Méthodes de mesure de la durée de vie et de la rémanence d'images
6aeb81c9065e/sist-en-62341-5-3-2014

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 31.120; 31.260

ISBN 978-2-8322-1045-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FO	REW	DRD	4		
1	Scop	re	6		
2	Norm	native references	6		
3	Terms and definitions				
4	Measuring configuration				
	4.1	General			
	4.2	Light measuring device (LMD)			
5	Stan	dard measuring conditions			
	5.1	Standard measuring environmental conditions			
	5.2	Standard measuring dark-room condition			
	5.3	Standard setup conditions	7		
		5.3.1 General	7		
		5.3.2 Adjustment of OLED display modules	8		
		5.3.3 Starting conditions of measurements	8		
		5.3.4 Test patterns			
		5.3.5 Conditions of measuring equipment			
6	Meas	suring methods of image sticking			
	6.1	Purpose iTeh STANDARD PREVIEW	9		
	6.2	weasuring method	9		
		6.2.1 Measuring equipment dards.iteh.ai)			
		6.2.2 Measuring procedure			
	6.3	Analysis and report SIST EN 62341-5-3:2014 a bttps://standards.iteh.ai/catalog/standards/sist/744fbd7e-521c-42fd-bde3-	10		
		6.3.1 Antarysis and ards.iteh.ai/catalog/standards/sist/744fbd7e-521c-42fd-bde3- 6.3.2 Report 6aeb81c9065e/sist-en-62341-5-3-2014	10		
7	Mood	6.3.2 Reportsuring methods of the luminance lifetime			
′					
	7.1 7.2	Purpose Measuring method			
	1.2	7.2.1 Measuring equipment			
		7.2.2 Measuring procedure			
		7.2.3 Estimation of luminance lifetime			
	7.3	Analysis and report			
Anr		(informative) Calculation method of equivalent signal level			
		(informative) Acceleration test of lifetime measurement			
Bibliography					
טוט	ilogia	priy	20		
Eig	uro 1	– Measuring system and arrangement	7		
_					
_		- Test pattern for image sticking			
_		– An example of the burn-in image	10		
		An example of luminance behavior in operation for an OLED display panel e	14		
		An example of lifetime estimation with the extrapolation method			
_		An example of estimated lifetime depending on the time elapsed			
_		An example of Weibull distribution of lifetime			
_		1 – Measured 10 mA/cm ² to 80 mA/cm ² OLED degradation values and	10		
cor	respo	nding modelled functions with $m = 1/1,7$	18		

Figure A.2 – Accumulated colour intensity of IEC 62087:2011 10-min video loop in RGB subpixel format with equivalent signal distribution chart based on the left images, respectively	21
Figure A.3 – Accumulated colour intensity of the IEC 62087:2011 10-min video loop in W, R, G, and B format, with equivalent signal distribution chart based on the left images, respectively	22
Figure B.1 – Examples of Weibull distributions of accelerated lifetime test	23
Table 1 – An example of measuring distance and radius size	8
Table 2 – An example of typical value	12
Table 3 – An example of the image sticking time with reference	13
Table 4 – An example of the image sticking data at target time	13
Table 5 – Examples of lifetime measurement	16
Table A.1 – Examples of the maximum and the minimum equivalent signal levels (8 bits)	20
Table B.1 – Summary of the acceleration test results in Figure B.1	24
Table B.2 – Statistical analysis results of the accelerated lifetime test in Figure B.1	24

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS -

Part 5-3: Measuring methods of image sticking and lifetime

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any enduser.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies: 62341-5-3-2014
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62341-5-3 has been prepared by IEC technical committee 110: Electronic display devices.

The text of this standard is based on the following documents:

FDIS	Report on voting	
110/474/FDIS	110/501/RVD	

Full information on the voting for the approval on this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62341 series, under the general title *Organic light emitting diode (OLED) displays*, can be found on the IEC website.

62341-5-3 © IEC:2013

-5-

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- · amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS -

Part 5-3: Measuring methods of image sticking and lifetime

1 Scope

This part of IEC 62341 specifies the standard measurement conditions and measurement methods for determining the image sticking and lifetime of organic light emitting diode (OLED) display panels and modules. It mainly applies to modules.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at http://www.electropedia.org)

iTeh STANDARD PREVIEW

IEC 62087:2011, Methods of measurement for the power consumption of audio, video and related equipment (Standards.iteh.al)

IEC 62341-1-2:2007, Organic light emitting (diodes-(ODED) displays – Part 1-2: Terminology and letter symbols https://standards.iteh.ai/catalog/standards/sist/744fbd7e-521c-42fd-bde3-6aeb81c9065e/sist-en-62341-5-3-2014

IEC 62341-6-1:2009, Organic light emitting diode (OLED) displays – Part 6-1: Measuring methods of optical and electro-optical parameters

IEC 61966-2-1:1999, Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB

CIE 15-2004, Colorimetry

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62341-1-2:2007 and IEC 60050-845:1987, as well as the following apply.

3.1

equivalent current density

average current density of a certain pixel calculated from a varying luminance per frame image in a moving picture so that luminance degradation becomes similar at the same time

Note 1 to entry: See Annex A.

3.2

equivalent signal level

digital code value from 0 to 255 (in the case of 8 bits) transformed from the normalized luminance of a certain pixel by a gamma function

Note 1 to entry: See Annex A.