



SLOVENSKI STANDARD
SIST EN 300 392-10-16 V1.3.1:2006
01-november-2006

Prizemni snopovni radio (TETRA) – Govor in podatki (V+D) – 10. del: Dopolnilne storitve stopnje 1 – 16. poddel: Prednostni klic s predpravico (PPC)

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Sub-part 16: Pre-emptive Priority Call (PPC)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **EN 300 392-10-16 Version 1.3.1**

SIST EN 300 392-10-16 V1.3.1:2006
<https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e6-a91e-292eab58514e/sist-en-300-392-10-16-v1-3-1-2006>

ICS:

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

SIST EN 300 392-10-16 V1.3.1:2006 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 392-10-16 V1.3.1:2006

<https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-292eab58514e/sist-en-300-392-10-16-v1-3-1-2006>

ETSI EN 300 392-10-16 V1.3.1 (2006-08)

European Standard (Telecommunications series)

**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 10: Supplementary services stage 1;
Sub-part 16: Pre-emptive Priority Call (PPC)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 392-10-16 V1.3.1:2006](https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-292eab58514e/sist-en-300-392-10-16-v1-3-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-292eab58514e/sist-en-300-392-10-16-v1-3-1-2006>



Reference

REN/TETRA-03172

Keywords

air interface, V+D, data, priority call, radio,
speech, stage 1, TETRA, supplementary service**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 392-10-16 V1.3.1:2006<https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-292eab58514c/sist-en-300-392-10-16-v1-3-1-2006>
Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2006.
All rights reserved.

DECT™, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	8
3.2.1 General abbreviations	8
3.2.2 Supplementary Service abbreviations	8
4 Supplementary Service Pre-emptive Priority Call (SS-PPC) stage 1 specification	9
4.1 Description	9
4.1.1 General description	9
4.1.1.1 Resource pre-emption	9
4.1.1.2 Called user pre-emption	10
4.1.2 Qualifications on applicability to telecommunication services.....	10
4.2 Procedures	11
4.2.1 Provision and withdrawal	11
4.2.2 Normal procedures.....	11
4.2.2.1 Activation, deactivation, definition, registration, interrogation and cancellation.....	11
4.2.2.1.1 Activation and deactivation.....	11
4.2.2.1.2 Definition.....	11
4.2.2.1.3 Registration	11
4.2.2.1.4 Interrogation	11
4.2.2.1.5 Cancellation.....	11
4.2.2.2 Invocation and operation.....	12
4.2.2.2.1 General on invocation and operation.....	12
4.2.2.2.2 Pre-empting individual call set-up.....	12
4.2.2.2.3 Pre-empting group call set-up.....	13
4.2.3 Exceptional procedures.....	13
4.2.3.1 Activation, deactivation, definition, registration, interrogation and cancellation.....	13
4.2.3.1.1 Activation and deactivation	13
4.2.3.1.2 Definition.....	13
4.2.3.1.3 Registration	13
4.2.3.1.4 Interrogation	14
4.2.3.1.5 Cancellation.....	14
4.2.3.2 Invocation and operation.....	14
4.3 Interactions with other supplementary services.....	14
4.3.1 Calling Line Identification Presentation (SS-CLIP)	14
4.3.2 COnnected Line identification Presentation (SS-COLP).....	14
4.3.3 Calling/Connected Line Identification Restriction (SS-CLIR).....	15
4.3.4 Call Report (SS-CR)	15
4.3.5 Talking Party Identification (SS-TPI).....	15
4.3.6 Call Forwarding Unconditional (SS-CFU)	15
4.3.7 Call Forwarding on Busy (SS-CFB)	15
4.3.8 Call Forwarding on No Reply (SS-CFNRY).....	15
4.3.9 Call Forwarding on Not Reachable (SS-CFNRC).....	15
4.3.10 List Search Call (SS-LSC).....	15
4.3.11 Call Authorized by Dispatcher (SS-CAD).....	15
4.3.12 Short Number Addressing (SS-SNA)	15
4.3.13 Area Selection (SS-AS)	16
4.3.14 Access Priority (SS-AP)	16
4.3.15 Priority Call (SS-PC)	16
4.3.16 Call Waiting (SS-CW).....	16
4.3.17 Call Hold (SS-HOLD)	16

4.3.18	Call Completion on Busy Subscriber (SS-CCBS)	16
4.3.19	Late Entry (SS-LE)	16
4.3.20	Pre-emptive Priority Call (SS-PPC).....	16
4.3.21	Include Call (SS-IC)	16
4.3.22	Barring of Outgoing Calls (SS-BOC)	17
4.3.23	Barring of Incoming Calls (SS-BIC)	17
4.3.24	Discreet Listening (SS-DL)	17
4.3.25	Ambience Listening (SS-AL)	17
4.3.26	Dynamic Group Number Assignment (SS-DGNA).....	17
4.3.27	Call Completion on No Reply (SS-CCNR)	17
4.3.28	Call ReTention (SS-CRT).....	17
4.4	Interworking considerations	17
4.5	Overall SDL	18
Annex A (informative):	Bibliography.....	21
Annex B (informative):	Change requests	22
History		23

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 392-10-16 V1.3.1:2006](https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-292eab58514e/sist-en-300-392-10-16-v1-3-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-292eab58514e/sist-en-300-392-10-16-v1-3-1-2006>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Terrestrial Trunked Radio (TETRA).

The present document is part 10, sub-part 16 of a multi-part deliverable covering Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D), as identified below:

EN 300 392-1: "General network design";

EN 300 392-2: "Air Interface (AI)";

EN 300 392-3: "Interworking at the Inter-System Interface (ISI)";

ETS 300 392-4: "Gateways basic operation";

EN 300 392-5: "Peripheral Equipment Interface (PEI)";

EN 300 392-7: "Security";

EN 300 392-9: "General requirements for supplementary services";

EN 300 392-10: "Supplementary services stage 1";

EN 300 392-10-1: "Call Identification (CI)";

ETS 300 392-10-2: "Call report";

ETS 300 392-10-3: "Talking Party Identification (TPI)";

EN 300 392-10-4: "Call Forwarding (CF)";

ETS 300 392-10-5: "List Search Call (LSC)";

EN 300 392-10-6: "Call Authorized by Dispatcher (CAD)";

ETS 300 392-10-7: "Short number addressing";

EN 300 392-10-8: "Area Selection (AS)";

ETS 300 392-10-9: "Access priority";

EN 300 392-10-10: "Priority Call (PC)";

EN 300 392-10-11: "Call Waiting (CW)";

EN 300 392-10-12: "Call Hold (HOLD)";

ETS 300 392-10-13: "Call completion to busy subscriber";

EN 300 392-10-14: "Late Entry (LE)";

ETS 300 392-10-15: "Transfer of control";

EN 300 392-10-16: "Pre-emptive Priority Call (PPC)";

EN 300 392-10-17: "Include Call (IC)";

EN 300 392-10-18: "Barring of Outgoing Calls (BOC)";

EN 300 392-10-19: "Barring of Incoming Calls (BIC)";

ETS 300 392-10-20: "Discreet Listening (DL)";

EN 300 392-10-21: "Ambience Listening (AL)";

EN 300 392-10-22: "Dynamic Group Number Assignment (DGNA)";

ETS 300 392-10-23: "Call completion on no reply";

ETS 300 392-10-24: "Call Retention (CRT)";

EN 300 392-11: "Supplementary services stage 2";

EN 300 392-12: "Supplementary services stage 3";

ETS 300 392-13: "SDL model of the Air Interface (AI)";

ETS 300 392-14: "Protocol Implementation Conformance Statement (PICS) proforma specification";

TS 100 392-15: "TETRA frequency bands, duplex spacings and channel numbering";

TS 100 392-16: "Network Performance Metrics";

TR 100 392-17: "TETRA V+D and DMO specifications";

TS 100 392-18: "Air interface optimized applications".

NOTE: Part 10, sub-part 15 (Transfer of control), part 13 (SDL) and part 14 (PICS) of this multi-part deliverable are in status "historical" and are not maintained.

National transposition dates

Date of adoption of this EN:	18 August 2006
Date of latest announcement of this EN (doa):	30 November 2006
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 2007
Date of withdrawal of any conflicting National Standard (dow):	31 May 2007

1 Scope

The present document defines the stage 1 specifications of the Supplementary Service Pre-emptive Priority Call (SS-PPC) for the Terrestrial Trunked Radio system (TETRA). Stage 1 is an overall service description from the users point of view but does not deal with the details of the human interface itself.

The present document specifies the service description of the supplementary service and the procedures to be expected with successful and unsuccessful outcomes. In addition the present document specifies the interactions with other TETRA supplementary services and interworking considerations.

Charging principles are outside the scope of the present document.

The SS-PPC enables a user to have preferential access to SwMI resources including pre-emption of calls.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- | | |
|-----|---|
| [1] | ITU-T Recommendation I.221: "Common specific characteristics of services".
https://standards.iteh.ai/catalog/standards/sist/d7d48da1-8228-41e8-a91e-3921418574100-2006-2006-16-16-3-1-2006 |
| [2] | ITU-T Recommendation Z.100: "Specification and Description Language (SDL)". |
| [3] | ETSI ETS 300 392-10-24: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Sub-part 24: Call Retention (CRT)". |
| [4] | ETSI EN 300 392-10-6: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Sub-part 6: Call Authorized by Dispatcher (CAD)". |

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

Access Priority Level (APL): value allocated to each mobile Individual TETRA Subscriber Identity (ITSI)/Group TETRA Subscriber Identity (GTSI)/Call type that is used at the initial call set-up attempt to determine priority access across the air interface to the control functional entities

busy: property of a user for whom a network determined user busy or user determined user busy condition applies

NOTE: See ITU-T Recommendation I.221 [1].

Call Retention Value (CRV): call retention priority is a network option which defines the relative level of protection of the established call against the probability of having the resources pre-empted

established call: call between User B and C upon which the pre-emption request is made

impending pre-emption warning indication: warning provided before a pre-emption of the call is established

Pre-emptive Priority Level (PPL): pre-agreed value allocated to each mobile ITSI/GTSI/Call type that is used so that resources may be allocated to the SS-PPC

pre-emptive state: call connection condition between the time the pre-emptive call is established by the network and the ending of the pre-emptive call, e.g. by the served user clearing

Priority Level (PL): pre-agreed value allocated to each mobile ITSI/GTSI/Call type that is used to determine priority access to network resources in the event of network congestion

resource: all radio and network infrastructure facilities used for an established call

NOTE: Typical resource that SwMI releases due to pre-emption is allocated timeslots for an existing call. Also other resources such as links between base stations and exchange or links between SwMIs may be released.

served user: user A making the SS-PPC to user B

SS-PPC call: call with a pre-emptive priority value

time to pre-emption: selected time period between provision of warning of impending intrusion indication and establishment of the connection

3.2 Abbreviations

3.2.1 General abbreviations

For the purposes of the present document, the following general abbreviations apply:

APL	Access Priority Level
CRV	Call Retention Value
CSA	Called Subscriber Answer
GTSI	Group TETRA Subscriber Identity
I/F	Interface
ITSI	Individual TETRA Subscriber Identity
MS	Mobile Station
PL	Priority Level
PPL	Pre-emptive Priority Level
SDL	(Functional) Specification and Description Language
SDS	Short Data Service
SS	Supplementary Service

NOTE: The abbreviation SS is only used when referring to a specific supplementary service.

SwMI Switching and Management Infrastructure

3.2.2 Supplementary Service abbreviations

For the purposes of the present document, the following supplementary service abbreviations apply:

SS-AL	Ambience Listening
SS-AP	Access Priority
SS-AS	Area Selection
SS-BIC	Barring of Incoming Calls
SS-BOC	Barring of Outgoing Calls
SS-CAD	Call Authorized by Dispatcher
SS-CCBS	Call Completion to Busy Subscriber
SS-CCNR	Call Completion on No Reply
SS-CFB	Call Forwarding on Busy
SS-CFNRY	Call Forwarding on No Reply
SS-CFNRC	Call Forwarding on Not Reachable

SS-CFU	Call Forwarding Unconditional
SS-CLIP	Calling Line Identification Presentation
SS-CLIR	Calling/Connected Line Identification Restriction
SS-COLP	COnnected Line identification Presentation
SS-CR	Call Report
SS-CRT	Call ReTention
SS-CW	Call Waiting
SS-DGNA	Dynamic Group Number Assignment
SS-DL	Discreet Listening
SS-HOLD	Call HOLD
SS-IC	Include Call
SS-LE	Late Entry
SS-LSC	List Search Call
SS-PC	Priority Call
SS-PPC	Pre-emptive Priority Call
SS-SNA	Short Number Addressing
SS-TPI	Talking Party Identification

4 Supplementary Service Pre-emptive Priority Call (SS-PPC) stage 1 specification

4.1 Description

4.1.1 General description

4.1.1.1 Resource pre-emption

SS-PPC call enables the users to have resources allocated, even if this means that other calls with lower priority are disconnected. SS-PPC normally means one of the highest Access Priority Levels (APL) at uplink access and one of the highest Priority Levels (PL) across SwMIs.

Normally the calling user defines the pre-emptive priority level for the call, but SwMI may modify that value or allocate that value. The reasons for modification or allocation are outside the scope of the present document.

If the required resources are unavailable (i.e. occupied by other users) for the SS-PPC call SwMI should release resources of the oldest calls with the lowest SwMI Call Retention Value (CRV) and give the released resources to the SS-PPC call. The Call ReTention Supplementary Service (SS-CRT), ETS 300 392-10-24 [3], may also be used to determine which sources to release.

NOTE 1: It is possible that some networks may prefer a different process for determining resource priority.

NOTE 2: The network operator may have to provide a correspondence between priority values and CRVs. This correspondence and the means to establish it are outside the scope of the present document.

In the case where there is no congestion across the air interface or the network resources and the called user is not engaged, the call shall be set up in the normal manner, but the call shall keep the call retention value of the pre-emptive priority call.