



SLOVENSKI STANDARD

SIST EN 61883-6:2015

01-februar-2015

Nadomešča:

SIST EN 61883-6:2007

Porabniška avdio/video oprema - Digitalni vmesnik - 6. del: Prenos zvokovnih in glasbenih podatkov

Consumer audio/video equipment - Digital interface - Part 6: Audio and music data transmission protocol

Audio-Video-Geräte der Unterhaltungselektronik - Digitale Schnittstelle - Teil 6: Übertragungsprotokoll für Ton- und Musikdaten

Matériel audio/video grand public - Interface numérique - Partie 6: Protocole de transmission de données audio et musicales

Ta slovenski standard je istoveten z: **EN 61883-6:2014**

ICS:

33.160.01	Avdio, video in avdiovizualni sistemi na splošno	Audio, video and audiovisual systems in general
35.200	Vmesniška in povezovalna oprema	Interface and interconnection equipment

SIST EN 61883-6:2015

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61883-6:2015

<https://standards.iteh.ai/catalog/standards/sist/7ce897fc-d13b-4a27-be3a-0d19be006265/sist-en-61883-6-2015>

EUROPEAN STANDARD

EN 61883-6

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2014

ICS 33.160.01; 35.200

Supersedes EN 61883-6:2005

English Version

Consumer audio/video equipment - Digital interface -
Part 6: Audio and music data transmission protocol
(IEC 61883-6:2014)

Matériel audio/vidéo grand public - Interface numérique -
Partie 6: Protocole de transmission de données audio et
musicales
(CEI 61883-6:2014)

Audio-Video-Geräte der Unterhaltungselektronik - Digitale
Schnittstelle - Teil 6: Übertragungsprotokoll für Ton- und
Musikdaten
(IEC 61883-6:2014)

This European Standard was approved by CENELEC on 2014-10-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN 61883-6:2015

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 100/2341/FDIS, future edition 3 of IEC 61883-6, prepared by Technical Area 4 "Digital system interfaces and protocols" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61883-6:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-07-08
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-10-08

This document supersedes EN 61883-6:2005.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61883-6:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- | | | |
|------------------|------|---|
| IEC 60958-4 | NOTE | Harmonized as EN 60958-4. |
| IEC 61883-6:2002 | NOTE | Harmonized as EN 61883-6:2002 (not modified). |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60958	Series	Digital audio interface	EN 60958	Series
IEC 60958-3	-	Digital audio interface - Part 3: Consumer applications	EN 60958-3	-
IEC 61883-1	-	Consumer audio/video equipment - Digital interface - Part 1: General	EN 61883-1	-
IEEE 754	1985 ¹⁾	IEEE Standard for Binary Floating-Point Arithmetic	-	-
IEEE 1394	-	IEEE Standard for a High-Performance Serial Bus	-	-
IEEE 1394a	-	Standard for a High Performance Serial Bus - Amendment 1	-	-

¹⁾ Superseded by IEEE 754:2008.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61883-6:2015

<https://standards.iteh.ai/catalog/standards/sist/7ce897fc-d13b-4a27-be3a-0d19be006265/sist-en-61883-6-2015>



IEC 61883-6

Edition 3.0 2014-09

INTERNATIONAL STANDARD



**Consumer audio/video equipment – Digital interface –
Part 6: Audio and music data transmission protocol**

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61883-6:2015
<https://standards.iteh.ai/catalog/standards/sist/7ce897fc-d13b-4a27-be3a-0d19be006265/sist-en-61883-6-2015>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XE

ICS 33.160.01; 35.200

ISBN 978-2-8322-1822-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	11
1 Scope.....	13
2 Normative references	13
3 Terms, definitions and abbreviations	13
3.1 Terms and definitions.....	13
3.2 Abbreviations.....	15
4 Reference model for data transmission.....	16
4.1 General.....	16
4.2 Application layer	17
4.3 Adaptation layer.....	17
4.4 Packetization layer.....	18
5 Transport requirements	19
5.1 Arbitrated short bus reset.....	19
5.2 Bit, byte, and quadlet ordering	19
6 Packet header for audio and music data	19
6.1 General.....	19
6.2 Isochronous packet header format	19
6.3 CIP header format	19
7 Packetization.....	20
7.1 Packet transmission method	20
7.2 Transmission of timing information	20
7.3 Time stamp processing.....	21
7.4 Transmission control.....	21
7.4.1 Non-blocking transmission method	21
7.4.2 Blocking transmission method	23
8 Event types	24
8.1 General.....	24
8.2 AM824 data	27
8.2.1 Generic format.....	27
8.2.2 IEC 60958 conformant data	29
8.2.3 Multi-bit linear audio (MBLA)	29
8.2.4 One-bit audio.....	30
8.2.5 MIDI conformant data	31
8.2.6 SMPTE time code data	32
8.2.7 Sample count data.....	32
8.2.8 High-precision multi-bit linear audio.....	32
8.2.9 Ancillary data.....	33
8.2.10 Application specific ancillary data	35
8.3 32-bit floating-point data	35
8.4 24-bit × 4 audio pack	36
8.5 32-bit generic data	36
9 FDF definition.....	36
9.1 Overview	36
9.2 Basic format.....	37
9.3 Special format.....	39

10	FDf definition for AM824 data	39
10.1	Definition of N-flag	39
10.2	Supplementary SFC definition	39
10.3	Clock-based rate control mode (FDF = 0000 0xxx ₂)	40
10.3.1	Introductory remark	40
10.3.2	Default SFC table for (FDF = 0000 0xxx ₂)	40
10.4	Command-based rate control mode (FDF = 00001xxx ₂)	41
10.4.1	Introductory remark	41
10.4.2	Default SFC table for (FDF = 0000 1xxx ₂)	42
11	AM824 adaptation process	42
11.1	Introductory remark	42
11.2	Basic sequence conversion	42
11.3	Sequence multiplexing	43
11.4	Compound data block structure	43
11.4.1	General	43
11.4.2	Compound data structure rule	44
12	AM824 sequence adaptation layers	47
12.1	Overview	47
12.1.1	General	47
12.1.2	IEC 60958 bitstream	47
12.1.3	One-bit audio	53
12.1.4	Non-linear audio (data stream)	56
12.1.5	MIDI data stream	56
12.1.6	SMPTe time code and sample count	57
12.1.7	High-precision and double-precision multi-bit linear audio	57
12.2	DVD-audio	62
12.2.1	General	62
12.2.2	DVD-Audio specific ancillary data	62
12.2.3	Data for CCI	64
12.2.4	Data for ISRC	64
12.2.5	Example of DVD-Audio stream	64
12.3	SACD definition	66
12.3.1	General	66
12.3.2	SACD ancillary data	66
12.3.3	SACD supplementary data	67
12.3.4	Multi-bit linear audio data	68
12.3.5	SACD Track_Mode&Flags data	68
12.3.6	SACD Track_Copy_Management data	68
12.3.7	Example of SACD streams	68
12.4	Blu-ray Disc	70
12.4.1	General	70
12.4.2	Structure of sample word for audio transmission	70
12.4.3	Multi-bit linear audio data	71
12.4.4	Blu-ray Disc specific ancillary data	71
12.4.5	Data transmitted at every data block	71
12.4.6	Data for CCI	74
12.4.7	Example of Blu-ray Disc stream	75
12.5	Multi-bit linear audio (MBLA)	79
12.5.1	General	79

12.5.2	Structure of sample word for audio transmission	79
12.5.3	Fixed channels' structure of sample word for audio transmission	79
12.5.4	Variable channels' structure of sample word for audio transmission	81
12.5.5	MBLA data	83
12.5.6	MBLA specific ancillary data	83
12.5.7	Data transmitted at every data block of Group 1 for the fixed channels' structure	83
12.5.8	Data transmitted at every data block of Group 2 for the fixed channels' structure	86
12.5.9	Data transmitted at every data block of Group 3 for the fixed channels' structure	88
12.5.10	Data transmitted at every data block of Group 4 for the fixed channels' structure	91
12.5.11	Data transmitted at every data block for the variable channels' structure	93
12.5.12	Data transmitted at extension channel bit order 1 for the variable channels' structure	96
12.5.13	Data transmitted at extension channel bit order 2 for the variable channels' structure	100
12.5.14	Data for CCI	102
12.5.15	Example of MBLA stream for the fixed channels' structure	103
12.5.16	Example of MBLA stream for the variable channels' structure	105
Annex A (informative)	Synchronization issues	108
A.1	General	108
A.2	Delivery of sampling clock of arbitrary frequency	108
Annex B (informative)	Catching up in non-blocking transmission method	110
Annex C (informative)	Transport characteristics	111
C.1	Sampling-clock jitter characteristics	111
C.2	Sample clock transfer jitter mechanisms using A/M protocol	111
C.2.1	General	111
C.2.2	CYCLE_TIME register jitter	111
C.2.3	Time-stamp quantization jitter	112
C.3	Embedded sample-clock jitter	113
C.3.1	Embedded sample-clock jitter spectrum	113
C.3.2	Embedded sample-clock jitter amplitude	113
C.4	Jitter attenuation	116
C.5	Jitter measurement	116
Bibliography	118
Figure 1	– Reference model for audio and music data transmission	16
Figure 2	– Reference model for AM824 data transmission	17
Figure 3	– Implementation example of receiver	18
Figure 4	– Isochronous packet header	19
Figure 5	– Common isochronous packet (CIP) format	20
Figure 6	– Non-blocking transmission method	22
Figure 7	– Transmission parameters	23
Figure 8	– Blocking transmission method	23
Figure 9	– Cluster events	25
Figure 10	– Pack and cluster events	26

Figure 11 – Pack event with 24-bit event sequence.....	26
Figure 12 – Generic AM824 format	27
Figure 13 – AM824 data with SUB LABEL.....	28
Figure 14 – AM824 LABEL allocation map	28
Figure 15 – IEC 60958 conformant data format.....	29
Figure 16 – MBLA data	29
Figure 17 – Raw audio data	30
Figure 18 – Alignment of 20-bit data in 24-bit field	30
Figure 19 – MIDI conformant data format.....	31
Figure 20 – No-data format.....	31
Figure 21 – High-precision multi-bit linear audio data.....	32
Figure 22 – Generic high-precision quadlet sequence	33
Figure 23 – Generic ancillary data	33
Figure 24 – Ancillary no data	34
Figure 25 – General format for ASID	35
Figure 26 – General format for application-specific ancillary data	35
Figure 27 – 32-bit floating-point data format.....	36
Figure 28 – 24-bit × 4 audio pack format.....	36
Figure 29 – 32-bit generic data format	36
Figure 30 – Generic FDF definition.....	37
Figure 31 – FDF code for NO-DATA packet	39
Figure 32 – Structure of FDF for AM824 data type	39
Figure 33 – SFC interpretation.....	40
Figure 34 – FDF for AM824 and AM824 LABEL space	40
Figure 35 – Adaptation to AM824 sequence.....	42
Figure 36 – Asynchronous sequence multiplexing.....	43
Figure 37 – Example of compound data block	44
Figure 38 – Condition of AM824 rule	44
Figure 39 – Generic compound data block structure	45
Figure 40 – Example of unspecified region structure	46
Figure 41 – Generic one-bit audio quadlet	54
Figure 42 – Generic one-bit audio quadlet sequence	55
Figure 43 – One-bit audio DST encoded quadlet.....	55
Figure 44 – Multiplexing of MIDI data streams	56
Figure 45 – High-precision first ancillary data	57
Figure 46 – IEC 60958 conformant data with high-precision data.....	58
Figure 47 – Common and application-specific ancillary data with high-precision data.....	59
Figure 48 – High-precision channel assignment ancillary data	59
Figure 49 – Example of high-precision data	60
Figure 50 – Example of double-precision data	61
Figure 51 – Example of double-precision compound data	62
Figure 52 – Data transmitted at data starting-point.....	63
Figure 53 – Data transmitted at every data block	63

Figure 54 – Ancillary data for CCI	64
Figure 55 – Ancillary data for ISRC	64
Figure 56 – Basic data block of DVD-Audio stream	65
Figure 57 – Example of DVD-Audio data	66
Figure 58 – SACD ancillary data	67
Figure 59 – SACD supplementary data	68
Figure 60 – SACD Track_Mode&Flags data	68
Figure 61 – SACD Track_Copy_Management data	68
Figure 62 – Example of SACD stream in the case of six channels	69
Figure 63 – Example of SACD stream in the case of five channels	70
Figure 64 – Basic data blocks of Blu-ray Disc	71
Figure 65 – Data transmitted at every data block	72
Figure 66 – Ancillary data for CCI	75
Figure 67 – Basic data block of Blu-ray Disc	75
Figure 68 – Examples of Blu-ray Disc stream of one channel	76
Figure 69 – Example of Blu-ray Disc stream of two channels	77
Figure 70 – Example of Blu-ray Disc stream of three channels (3/0)	78
Figure 71 – Example of Blu-ray Disc stream three channels (2/1)	78
Figure 72 – Example of Blu-ray Disc stream of four channels (2/2)	79
Figure 73 – Basic data block of the fixed channels' structure	81
Figure 74 – Basic data block of the variable channels' structure	83
Figure 75 – Data transmitted at every data block of Group 1 for the fixed channels' structure	84
Figure 76 – Data transmitted at every data of Group 2 for the fixed channels' structure	86
Figure 77 – Data transmitted at every data block of Group 3 for the fixed channels' structure	89
Figure 78 – Data transmitted at every data block of Group 4 for the fixed channels' structure	91
Figure 79 – Data transmitted at every data block for the variable channel's structure	93
Figure 80 – Data transmitted at extension channel bit order 1 for the variable channels' structure	96
Figure 81 – Data transmitted at extension channel bit order 2 for the variable channels' structure	100
Figure 82 – Ancillary data for CCI	102
Figure 83 – Examples of MBLA stream for the fixed channels' structure of one channel	104
Figure 84 – Examples of MBLA stream for the fixed channels' structure of two channels	104
Figure 85 – Example of MBLA stream for the fixed channels' structure of three channels (3/0)	105
Figure 86 – Example of MBLA stream for the fixed channels' structure of four channels (2/2)	105
Figure 87 – Examples of MBLA stream for the variable channels' structure of one channel	106
Figure 88 – Example of MBLA stream for the variable channels' structure two channels	106
Figure 89 – Example of MBLA stream for the variable channels' structure of three channels (3/0)	106

Figure 90 – Example of MBLA stream for the variable channels' structure of four channels (2/2).....	107
Figure 91 – Example of MBLA stream for the fixed channels' structure of seven channels.....	107
Figure C.1 – Two-node bus.....	113
Figure C.2 – Three-node bus.....	114
Figure C.3 – Thirty-five-node bus.....	115
Figure C.4 – Sample-clock recovery jitter attenuation template.....	116
Figure C.5 – Sample clock jitter measurement filter characteristic.....	117
Table 1 – Isochronous packet header fields.....	19
Table 2 – CIP fields.....	20
Table 3 – LABEL definition.....	28
Table 4 – SB and SF definitions.....	29
Table 5 – ASI1 definition.....	30
Table 6 – VBL (valid bit length code) definition.....	30
Table 7 – LABEL definition for one-bit audio (plain).....	31
Table 8 – LABEL definition for one-bit audio (encoded).....	31
Table 9 – C (counter) definition.....	31
Table 10 – Num. (slot number) definition.....	32
Table 11 – LABEL definition for ancillary data type.....	33
Table 12 – LABEL definition for common ancillary data.....	34
Table 13 – CONTEXT definition.....	34
Table 14 – SUB LABEL definition for ASID.....	35
Table 15 – LABEL definition for application specific ancillary data.....	35
Table 16 – Subformat and FDF allocations.....	37
Table 17 – DBS for AM824 and 32-bit floating-point data.....	37
Table 18 – DBS for 24-bit × 4 audio pack.....	37
Table 19 – Event type (EVT) code definition.....	37
Table 20 – Default SFC table.....	38
Table 21 – TRANSFER_DELAY for blocking transmission.....	38
Table 22 – Default SFC table for FDF = 0000 0xxx ₂	41
Table 23 – TRANSFER_DELAY for blocking transmission.....	41
Table 24 – Default SFC table for FDF = 0000 1xxx ₂	42
Table 25 – Sampling frequency in IEC 60958-3.....	48
Table 26 – Original sampling frequency.....	48
Table 27 – Up or down sampling ratio of 32 kHz line.....	49
Table 28 – Up or down sampling ratio of 44,1 kHz line.....	49
Table 29 – Up or down sampling ratio of 48 kHz line.....	49
Table 30 – Clock accuracy in IEC 60958-3.....	50
Table 31 – Cases.....	50
Table 32 – Examples.....	51
Table 33 – Relation of values in IEC 60958-3 and A/M protocol.....	53
Table 34 – Sampling frequency definition of one-bit audio.....	54

Table 35 – TRANSFER_DELAY for blocking transmission in the case of the one-bit audio	54
Table 36 – SFC definition of one-bit audio for high-speed AM824 data transfer	56
Table 37 – Channel definition	57
Table 38 – Accuracy definition	57
Table 39 – Recommended rules.....	58
Table 40 – Channel assignment definition.....	59
Table 41 – DVD-Audio specific ancillary data.....	63
Table 42 – Data transmitted at starting-point	63
Table 43 – Data transmitted at every data block	64
Table 44 – Data information.....	67
Table 45 – Validity flag definition	67
Table 46 – ASI2 definition for DVD-Audio	68
Table 47 – ASI1 definition for Blu-ray Disc.....	71
Table 48 – ASI2 definition for Blu-ray Disc.....	71
Table 49 – Blu-ray Disc specific ancillary data	71
Table 50 – Data transmitted at every data block	72
Table 51 – L channel definition	72
Table 52 – R channel definition	72
Table 53 – Lfe channel definition	73
Table 54 – C channel definition.....	73
Table 55 – LS channel definition.....	73
Table 56 – RS channel definition.....	73
Table 57 – Rls channel definition	73
Table 58 – Rrs channel definition.....	73
Table 59 – L/R ch identifier definition	74
Table 60 – C ch identifier definition.....	74
Table 61 – LS/RS ch identifier definition	74
Table 62 – Data transmitted at every data block	75
Table 63 – MBLA specific ancillary data.....	83
Table 64 – Data transmitted at every data block of Group 1 for the fixed channels' structure	84
Table 65 – Emphasis flag definition	84
Table 66 – FL channel definition	84
Table 67 – FR channel definition.....	85
Table 68 – LFE1 channel definition	85
Table 69 – FC channel definition.....	85
Table 70 – LS channel definition.....	85
Table 71 – RS channel definition	85
Table 72 – BL channel definition.....	85
Table 73 – BR channel definition	86
Table 74 – FL/FR ch identifier definition.....	86
Table 75 – FC ch identifier definition.....	86
Table 76 – Data transmitted at every data of Group 2 for the fixed channels' structure	87

Table 77 – Emphasis flag definition	87
Table 78 – FLc channel definition	87
Table 79 – FRc channel definition	87
Table 80 – LFE2 channel definition	87
Table 81 – BC channel definition	88
Table 82 – SiL channel definition.....	88
Table 83 – SiR channel definition.....	88
Table 84 – TpFL channel definition	88
Table 85 – TpFR channel definition.....	88
Table 86 – Data transmitted at every data block of Group 3 for the fixed channels' structure	89
Table 87 – Emphasis flag definition	89
Table 88 – FLw channel definition.....	89
Table 89 – FRw channel definition	89
Table 90 – TpFC channel definition.....	90
Table 91 – TpC channel definition.....	90
Table 92 – TpBL channel definition	90
Table 93 – TpBR channel definition	90
Table 94 – TpSiL channel definition	90
Table 95 – TpSiR channel definition	91
Table 96 – Data transmitted at every data block of Group 4 for the fixed channels' structure	91
Table 97 – Emphasis flag definition	91
Table 98 – TpBC channel definition	92
Table 99 – BtFC channel definition	92
Table 100 – BtFL channel definition	92
Table 101 – BtFR channel definition	92
Table 102 – LSd channel definition	92
Table 103 – RSd channel definition.....	92
Table 104 – TpLS channel definition	93
Table 105 – TpRS channel definition	93
Table 106 – Data transmitted at every data block for the variable channels' structure	93
Table 107 – Emphasis flag definition.....	94
Table 108 – FL channel definition	94
Table 109 – FR channel definition.....	94
Table 110 – LFE1 channel definition	94
Table 111 – FC channel definition	94
Table 112 – LS channel definition.....	95
Table 113 – RS channel definition	95
Table 114 – BL channel definition.....	95
Table 115 – BR channel definition	95
Table 116 – FL/FR ch identifier definition.....	95
Table 117 – FC ch identifier definition.....	96
Table 118 – Extension ch flag 1 definition	96