
# Final draft EN 300 676-2 V1.4.1 (2009-12)

Harmonized European Standard (Telecommunications series)

Ground-based VHF hand-held, mobile and fixed radio transmitters, receivers and transceivers for the VHF aeronautical mobile service using amplitude modulation; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive



#### Reference

#### REN/ERM-JTFEA-001-2

Keywords

aeronautical, AM, DSB, radio, testing, VHF

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

Individual copies of the present document can be downloaded from: <a href="http://www.etsi.org">http://www.etsi.org</a>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a>

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI\_support.asp

## **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009. All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup>, **TIPHON**<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP**<sup>™</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **LTE**<sup>™</sup> is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intelle	ectual Property Rights	5
Forew	vord	5
Introd	luction	5
1	Scope	6
2	References	6
2.1	Normative references	
2.2	Informative references	
3	Definitions and abbreviations	7
3.1	Definitions and aboreviations.	
3.2	Abbreviations	
4	Technical requirements specifications	
4.1	Environmental profile	
4.2	Conformance requirements	
4.2.1	Transmitter requirements	8
4.2.1.1	1	8
4.2.1.2	2 Carrier power (conducted)	8
4.2.1.3	Adjacent channel power	8
4.2.1.4	4 Conducted spurious emissions	8
4.2.1.5		8
4.2.1.6	Keying transient frequency behaviour (Applicable to base stations only)	8
4.2.2	Receiver requirements	9
4.2.2.1	Sensitivity	9
4.2.2.2	Adjacent channel rejection Adjacent channel reje	9
4.2.2.3	Spurious response rejection	9
4.2.2.4	Intermodulation response rejection	9
4.2.2.5	Blocking or desensitisation	9
4.2.2.6	Receiver requirements  Sensitivity  Adjacent channel rejection  Spurious response rejection  Intermodulation response rejection  Blocking or desensitisation  Conducted spurious emissions  Consequently behaviour (Applicable to base stations only)  Receiver requirements  Sensitivity  Adjacent channel rejection  Spurious response rejection  Conducted spurious emissions	9
4.2.2.7	7 Cross modulation rejection	9
5	Testing for compliance with technical requirements	9
5.1	Environmental conditions for testing	9
5.2	Interpretation of the measurement results	9
5.3	Essential radio test suites	10
5.3.1	Transmitter test specifications	10
5.3.1.1	Frequency error	10
5.3.1.2	2 Carrier power (conducted)	10
5.3.1.3	Adjacent channel power	10
5.3.1.4	4 Conducted spurious emissions	10
5.3.1.5		
5.3.1.6	Keying transient frequency behaviour	11
5.3.1.7	7 Cabinet Radiation	11
5.3.2	Receiver test specifications	11
5.3.2.1	Sensitivity	11
5.3.2.2	2 Adjacent channel rejection	11
5.3.2.3	Spurious response rejection	11
5.3.2.4		11
5.3.2.5		
5.3.2.6		11
5.3.2.7		
5.3.2.8	Cabinet radiation	11
<b>A</b> =		
Anne	x A (normative): HS Requirements and conformance Test specifications Table	4.4
	(HS-RTT)	12

Annex B (informative):	The EN title in the official languages15	;
Annex C (informative):	Bibliography16	)
History	17	,

IT all SI A DARID RELIANDS AND A LINE OF THE SECTION OF THE SECTIO

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## **Foreword**

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the ETSI standards One-step Approval Procedure.

The present document is part 2 of a multi-part deliverable covering the Ground-based VHF hand-held, mobile and fixed radio transmitters, receivers and transceivers for the VHF aeronautical mobile service using amplitude modulation; as identified below:

Part 1: "Technical characteristics and methods of measurement";

Part 2: "Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive".

Proposed national transposition dates			
Date of latest announcement of this EN (doa):	3 months after ETSI publication		
Date of latest publication of new National Standard			
or endorsement of this EN (dop/e):	6 months after doa		
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa		

# Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive. The modular structure is shown in EG 201 399 [i.3].

# 1 Scope

The present document applies to DSB AM ground base stations, with channel separations of 8,33 kHz or 25 kHz intended for analogue speech intended for ACARS data communication. The scope of the present document is limited to ground based stations, ground mobile and hand held radios for ground use. These radio equipment types are capable of operating in all or any part of the Aeronautical frequency band- between 118°MHz and 136,975°MHz.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.1] (R&TTE Directive), article 3.2, which states that "... radio equipment shall be so constructed that it effectively (and efficiently) uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive as well as essential requirements under the Single European Sky Interoperability Regulation (as amended) [i.2] and related implementing rules may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <a href="http://www.newapproach.org">http://www.newapproach.org</a>.

# 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
  - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
  - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="http://docbox.etsi.org/Reference">http://docbox.etsi.org/Reference</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

## 2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI EN 300 676-1 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Ground-based VHF hand-held, mobile and fixed radio transmitters, receivers and transceivers for the VHF aeronautical mobile service using amplitude modulation; Part 1: Technical characteristics and methods of measurement".
- [2] ETSI EN 300 113-1 (V1.6.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land mobile service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Part 1: Technical characteristics and methods of measurement".
- [3] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".

## 2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity.
- [i.2] Regulation (EC) 552/2004 of the European Parliament and Council of 10 March 2004 on the interoperability of the European Air Traffic Management network (the interoperability Regulation). Official Journal L 096, 31/03/2004 P. 0026 0042.
- [i.3] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of candidate Harmonized Standards for application under the R&TTE Directive".

## 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.1] and the following apply:

**aeronautical mobile service:** mobile service between aeronautical stations and aircraft stations, or between aircraft stations, in which survival craft stations may participate

conducted measurements: measurements which are made using a direct RF connection to the equipment under test

radiated measurements: measurements which involve the measurement of a radiated field

**environmental profile:** range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

**ground base station:** aeronautical station equipment, in the aeronautical mobile service, for use with an external antenna and intended for use at a fixed location

hand held: radio equipment with integral batteries, designed to be hand portable and operated hand held

**integral antenna equipment:** radio communications equipment with an antenna integrated into the equipment without the use of an external connector and considered to be part of the equipment

NOTE: An integral antenna may be internal or external to the equipment. In equipment of this type, a 50  $\Omega$  RF connection point should be provided for test purposes. A connection point for an AF modulating input and for AF output measurements should also be provided.

**mobile station:** radio equipment designed for permanent or temporary vehicle installation and operation, including provision for vehicle DC power supply, and connections for external antenna, PTT key, microphone, speaker and/or headphone

**non-integral antenna equipment:** radio communications equipment with a connector intended for connection to an antenna

portable station: radio equipment with integral battery for independent hand-carried use

NOTE: Provisions may be made for connections of an external antenna, PTT key, microphone, headphone and charger, but principally to be operated as a self contained unit

## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ACARS Aircraft Communications Addressing and Reporting System

AF Audio Frequency
AM Amplitude Modulation

DC Direct Current (feeding, signalling)

DSB Double Side Band

ICAO International Civil Aviation Organization

IF Intermediate Frequency

PTT Press To Talk

R&TTE Radio and Telecommunications Terminal Equipment

RF Radio Frequency

# 4 Technical requirements specifications

# 4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the supplier. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

# 4.2 Conformance requirements

## 4.2.1 Transmitter requirements

#### 4.2.1.1 Frequency error

The frequency error as defined in clause 7.2 of EN 300 676-1 [1] shall not exceed the values shown in table 1 of EN 300 676-1 [1].

## 4.2.1.2 Carrier power (conducted)

The carrier power as defined in clause 7.3.1 of EN 300 676-1 [1] shall conform to the requirements in clause 7.3.3 of EN 300 676-1 [1].

#### 4.2.1.3 Adjacent channel power

Adjacent channel power as defined in clause 7.5.1 of EN 300 676-1 [1] shall conform to the requirements in clause 7.5.3 of EN 300 676-1 [1].

#### 4.2.1.4 Conducted spurious emissions

Conducted spurious emissions as defined in clause 7.7.1 of EN 300 676-1 [1] shall conform to the limits in clause 7.7.3, table 3 of EN 300 676-1 [1].

#### 4.2.1.5 Intermodulation attenuation (Applicable to Base stations only)

Intermodulation attenuation as defined in clause 7.8.1 of EN 300 676-1 [1] shall conform to the limits in clause 7.8.3 of EN 300 676-1 [1].

## 4.2.1.6 Keying transient frequency behaviour (Applicable to base stations only)

Keying transient frequency behaviour as defined in clause 7.10.1 of EN 300 676-1 [1] shall conform to the limits in clause 7.10.3 of EN 300 676-1 [1].

## 4.2.2 Receiver requirements

NOTE: These aspects and parameters are of

These aspects and parameters are considered essential to ensure immediate and successful ground to air communication. Inadequate performance in any of these aspects may lead to retransmission with consequential inefficient use of the spectrum.

#### 4.2.2.1 Sensitivity

Sensitivity as defined in clause 8.1.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.1.3 of EN 300 676-1 [1].

#### 4.2.2.2 Adjacent channel rejection

Adjacent channel rejection as defined in clause 8.6.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.6.3 of EN 300 676-1 [1].

## 4.2.2.3 Spurious response rejection

Spurious response rejection as defined in clause 8.7.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.7.5 of EN 300 676-1 [1].

### 4.2.2.4 Intermodulation response rejection

Intermodulation response rejection as defined in clause 8.8.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.8.3 of EN 300 676-1 [1].

#### 4.2.2.5 Blocking or desensitisation

Blocking or desensitisation as defined in clause 8.9.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.9.3 of EN 300 676-1 [1].

#### 4.2.2.6 Conducted spurious emissions

Conducted spurious emissions as defined in clause 8.10.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.10.3 (see table 4) of EN 300 676-1 [1].

#### 4.2.2.7 Cross modulation rejection

Cross modulation rejection as defined in clause 8.12.1 of EN 300 676-1 [1] shall conform to the limits in clause 8.12.3 of EN 300 676-1 [1].

# 5 Testing for compliance with technical requirements

# 5.1 Environmental conditions for testing

The test conditions and procedures shall be as defined in clauses 5 and 6 of EN 300 676-1 [1].