

SLOVENSKI STANDARD SIST EN ISO 9241-306:2009

01-januar-2009

9f[cbca]/Ua YXgYVc/bY[Uj d`]j U `cj Y_!g]ghYa '!' \$* "XY`. A YhcXY'cWYb^Yj Ub/U dc`{UYY_lfcbg_]\ g`]_cj b]\ 'nUg`cbcj 'flGC'- &(%' \$*.&\$\$, Ł

Ergonomics of human-system interaction - Part 306: Field assessment methods for electronic visual displays (ISO 9241-306:2008)

Ergonomie der Mensch-System-Interaktion - Teil 306: Vor-Ort-Bewertungsverfahren für elektronische optische Anzeigen (ISO 9241 306:2008) REVIEW

Ergonomie de l'interaction homme/systeme - Partie 306: Méthodes d'appréciation du champ pour écrans visuels électroniques (ISO 9241-306:2008)

https://standards.iteh.ai/catalog/standards/sist/0da14584-9be4-427e-b60b-

Ta slovenski standard je istoveten z: EN ISO 9241-306-2009

ICS:

13.180 Ergonomija 35.180 Terminalska in druga periferna oprema IT

Ergonomics IT Terminal and other peripheral equipment

SIST EN ISO 9241-306:2009

en,fr

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 9241-306

November 2008

ICS 13.180; 35.180

English Version

Ergonomics of human-system interaction - Part 306: Field assessment methods for electronic visual displays (ISO 9241-306:2008)

Ergonomie de l'interaction homme-système - Partie 306: Méthodes d'appréciation sur le terrain des écrans de visualisation électroniques (ISO 9241-306:2008) Ergonomie der Mensch-System-Interaktion - Teil 306: Vor-Ort-Bewertungsverfahren für elektronische optische Anzeigen (ISO 9241-306:2008)

This European Standard was approved by CEN on 12 April 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Iraland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Slovakia, Spain, Sweden, Switzerland and United Kingdom 84-9be4-427e-b60b-

8782ac6382f4/sist-en-iso-9241-306-2009



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Ref. No. EN ISO 9241-306:2008: E

Contents

Page

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

This document (EN ISO 9241-306:2008) has been prepared by Technical Committee ISO/TC 159 "Ergonomics" in collaboration with Technical Committee CEN/TC 122 "Ergonomics", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2009, and conflicting national standards shall be withdrawn at the latest by May 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANEndorsement notice VIEW

The text of ISO 9241-306:2008 has been approved by CEN as a EN ISO 9241-306:2008 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD

ISO 9241-306

First edition 2008-11-15

Ergonomics of human-system interaction —

Part 306:

Field assessment methods for electronic visual displays

iTeh STErgonomie de l'interaction homme-système —

Partie 306: Méthodes d'appréciation sur le terrain des écrans de visualisation électroniques

<u>SIST EN ISO 9241-306:2009</u> https://standards.iteh.ai/catalog/standards/sist/0da14584-9be4-427e-b60b-8782ac6382f4/sist-en-iso-9241-306-2009



Reference number ISO 9241-306:2008(E)

ISO 9241-306:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 9241-306:2009</u> https://standards.iteh.ai/catalog/standards/sist/0da14584-9be4-427e-b60b-8782ac6382f4/sist-en-iso-9241-306-2009



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Page

Forewo	ord	iv
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4 4.1 4.2	Preparation for assessment Cathode ray tube (CRT) displays Liquid crystal displays (LCD)	1
5 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 6 6.1 6.2 6.3 6.4 6.5 6.6	Assessment methods Viewing conditions Luminance Special physical environments Visual artefacts Legibility and readability Legibility of information coding Legibility of graphics Fidelity Other considerations Isotropic surface Anisotropic surfaces SISTEN ISO 9241-306:2009 Viewing angle range ands.iteh.ai/catalog/standards/sist/0da14584-9be4-427e-b60b- Adjustability	
Annex	A (informative) Overview of the ISO 9241 series	18
Annex	B (informative) Influences on ergonomics parameters of visual displays	22
Annex	C (informative) Unwanted reflections	25
Annex	D (informative) Display output linearization and evaluation of achromatic ISO/IEC test chart output for eight different ambient light reflections at office work places	28
Bibliog	graphy	45

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9241-306 was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 4, *Ergonomics of human-system interaction*.

ISO 9241 consists of the following parts, under the general title *Ergonomic requirements for office work with visual display terminals (VDTs)*: (standards.iteh.ai)

— Part 1: General introduction

SIST EN ISO 9241-306:2009

- Part 2: Guidance on task requirements 8/82ac6382f4/sist-en-iso-9241-306-2009
- Part 4: Keyboard requirements
- Part 5: Workstation layout and postural requirements
- Part 6: Guidance on the work environment
- Part 9: Requirements for non-keyboard input devices
- Part 11: Guidance on usability
- Part 12: Presentation of information
- Part 13: User guidance
- Part 14: Menu dialogues
- Part 15: Command dialogues
- Part 16: Direct manipulation dialogues
- Part 17: Form filling dialogues

ISO 9241-306:2008(E)

ISO 9241 also consists of the following parts, under the general title Ergonomics of human-system interaction:

- Part 20: Accessibility guidelines for information/communication technology (ICT) equipment and services
- Part 110: Dialogue principles
- Part 151: Guidance on World Wide Web user interfaces
- Part 171: Guidance on software accessibility
- Part 300: Introduction to electronic visual display requirements
- Part 302: Terminology for electronic visual displays
- Part 303: Requirements for electronic visual displays
- Part 304: User performance test methods for electronic visual displays
- Part 305: Optical laboratory test methods for electronic visual displays
- Part 306: Field assessment methods for electronic visual displays
- Part 307: Analysis and compliance test methods for electronic visual displays
- Part 308: Surface-conduction electron-emitter displays (SED) [Technical Report]
- Part 309: Organic light-emitting diode (OLED) displays [Technical Report]
- Part 400: Principles and requirements for physical input devices
- andards/sist/0da14584-9be4-427e-b60b-Part 410: Design criteria for physical input devices -9241-306-2009
- Part 920: Guidance on tactile and haptic interactions

For the other parts under preparation, see Annex A.

Introduction

This part of ISO 9241 is one of a group of standards in the ISO 9241 series that establish requirements for the ergonomic design of electronic visual displays. At the same time, this "300" subseries replaces either partially or fully certain previously published parts of ISO 9241 as well as several other International Standards (see the Forewords of the respective parts for the details).

- An introduction to the subseries is given by ISO 9241-300.
- Terms and definitions related to electronic visual displays have been transferred to, and collected in, ISO 9241-302.
- While the areas previously covered in ISO 9241 and by ISO 13406 remain essentially unchanged, test methods and requirements have been updated to account for advances in science and technology.
- All generic ergonomic requirements have been incorporated into ISO 9241-303.
- The application of those requirements to different display technologies, application areas and environmental conditions — including test methods and pass/fail criteria — are specified in ISO 9241-307.
- Methods for performing formal display measurements to determine display characteristics and verify technical specifications (tests that can be very costly and time-consuming and that are normally performed under rigorous test conditions with a new device), are given in ISO 9241-305 and ISO 9241-307.
- In addition, guidance on the design of SED (surface-conduction electron-emitter displays) and OLED (organic light-emitting diode) displays is given in ISO/TR 9241-308 and ISO/TR 9241-309.

The overall modular structure of the subseries will facilitate its revision and amendment, as ongoing technological development enables new forms of display interaction.

This part of ISO 9241 is concerned with ergonomic workplace assessment and is aimed at providing a means of assessing whether or not the visual ergonomic requirements specified in ISO 9241-303 are satisfied within a specified task setting. The intention is not necessarily to produce a perfect display with optimum visual characteristics, but rather to ensure that the needed qualities to perform the visual task satisfactorily are indeed present.

During the lifetime of a display, the context in which it is used can often vary; "ageing" normally takes place as the display is used and, as a result, the performance of the display may be reduced over time. The lighting conditions under which a display is used often also vary.

In actual VDT workstation use, the main ergonomic concerns are the visual task being performed and the input devices being used to accomplish the task.

There are several factors that make the performance of a visual task using a VDT different from that in many other non-VDT or paper tasks. These factors are related to the positioning of the various elements needed for performing the visual task.

The ergonomic goal is to be able to read the information on the display comfortably, easily, accurately and quickly (where necessary) — as when a paper "hardcopy" placed on the work desk is read.

One consideration is what might be called the *positional sensitivity* of the screen. If positioned poorly, displays are susceptible to external light sources: these can be reflected back to the viewer and can contribute to reduced legibility of the information on the screen. In more compelling environments, these light sources can give rise to glare. They can come from either natural light from windows or from artificial lighting systems such as overhead mounted luminaries in offices.

Given the size and dimensions of most displays, a display is typically oriented in a vertical rather than horizontal position. This orientation and position of the information to be read is considerably different than that when a book or paper placed on the desk is read. The line of sight from the eye to the visual task is raised up to 45°, giving rise to a quite different visual background, often with a varying luminous background arising from walls and other objects in the environment. These factors can affect the working posture of a user trying to compensate between the line of sight angle to the display needed to be maintained and the distance to the visual task.

These and other considerations demonstrate that the positioning of a display is much more important than the mere positioning of paper or other hardcopy reading materials. They gives rise to the need to be able to adjust the display for orientation and height and to have the flexibility to set up the workstation equipment so that the needs of a specific user can be realized. The combination of display, lighting environment and workstation equipment are the basics for an ergonomically well-designed workplace.

Unlike most visual task materials, displays are intended to be used for several years. Many other kinds of work materials are used only once or a few times, or are renewed or refreshed when visibility is too low or possibly too uncertain (e.g. safety instructions or warnings), or else simply remain unchanged over time.

The display assessment methods presented in this part of ISO 9241 do not, in most cases, require expensive measuring equipment and will in general be able to be carried out easily in a working field environment. In conducting these assessments, it ought to be possible to determine whether a problem is related to

- a) the display itself (or the display in combination with the graphic adapter),
- b) the application software, or

C)

iTeh STANDARD PREVIEW physical environmental conditions. (standards.iteh.ai)

In cases involving a), the display, it is beneficial that the workstation set-up be reviewed to determine whether it meets the supplier's recommendations; if it does not, another assessment will need to be performed to determine how it can be made to meet them. In cases involving b), the application software, it might be necessary to contact the software developers of the application product in order to ascertain possible corrective action. In cases involving c), conditions in the physical environment, simple re-orientations or the repositioning of the workstation and/or display can be a satisfactory solution; whereas, in more complex situations, arrangements might need to be made with the relevant interested parties in order to ascertain appropriate actions and their feasibility. For details, see Annex B.

ISO 9241 was originally developed as a 17-part International Standard on the ergonomics requirements for office work with visual display terminals. As part of the standards review process, a major restructuring of ISO 9241 was agreed to broaden its scope, to incorporate other relevant standards and to make it more usable. The general title of the revised ISO 9241, *Ergonomics of human-system interaction*, reflects these changes and aligns the standard with the overall title and scope of Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 4, *Ergonomics of human-system interaction*. The revised multipart standard is structured as a series of standards numbered in the "hundreds": the 100 series deals with software interfaces, the 200 series with human centred design, the 300 series with visual displays, the 400 series with physical input devices and so on.

See Annex A for an overview of the entire ISO 9241 series.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ergonomics of human-system interaction —

Part 306: Field assessment methods for electronic visual displays

1 Scope

This part of ISO 9241 establishes optical, geometrical and visual inspection methods for the assessment of a display in various contexts of use according to ISO 9241-303.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies A RD PREVIEW

ISO 9241-302, Ergonomics of human system interaction Part 302: Terminology for electronic visual displays

ISO 9241-303:2008, Ergonomics of human-system interaction Part 303: Requirements for electronic visual displays https://standards.iteh.ai/catalog/standards/sist/0da14584-9be4-427e-b60b-8782ac6382f4/sist-en-iso-9241-306-2009

ISO 9241-305, Ergonomics of human-system interaction — Part 305: Optical laboratory test methods for electronic visual displays

ISO 9241-307, Ergonomics of human-system interaction — Part 307: Analysis and compliance test methods for electronic visual displays

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9241-302 apply.

4 Preparation for assessment

4.1 Cathode ray tube (CRT) displays

4.1.1 Display warm-up

Allow sufficient time (at least 20 min) for the display luminance to stabilize.

4.1.2 Degaussing

If a monitor has a built-in degaussing device, activate it.