

SLOVENSKI STANDARD

SIST EN 60079-14:2014

01-september-2014

Nadomešča:

SIST EN 60079-14:2009

SIST EN 60079-14:2009/AC:2011

Eksplzivne atmosfere - 14. del: Načrtovanje, izbira in namestitve električnih inštalacij (IEC 60079-14:2013)

Explosive atmospheres - Part 14: Electrical installations design, selection and erection (IEC 60079-14:2013)

iTeh STANDARD PREVIEW

Explosionsgefährdete Bereiche - Teil 14: Projektierung, Auswahl und Errichtung elektrischer Anlagen (IEC 60079-14:2013)

[SIST EN 60079-14:2014](https://standards.iteh.ai/catalog/standards/sist/61684381-bcd7-4ac9-b40b-d81a8f94431/sist-en-60079-14-2014)

Atmosphères explosives - Partie 14: Conception, sélection et construction des installations électriques (IEC 60079-14:2013)

Ta slovenski standard je istoveten z: EN 60079-14:2014

ICS:

29.260.20	Električni aparati za eksplozivna ozračja	Electrical apparatus for explosive atmospheres
91.140.50	Sistemi za oskrbo z elektriko	Electricity supply systems

SIST EN 60079-14:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60079-14:2014

<https://standards.iteh.ai/catalog/standards/sist/61684281-bcd7-4ac9-b40b-db1a8f694431/sist-en-60079-14-2014>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60079-14

March 2014

ICS 29.260.20

Supersedes EN 60079-14:2008, EN 60079-14:2008/AC:2011

English version

**Explosive atmospheres -
Part 14: Electrical installations design, selection and erection
(IEC 60079-14:2013)**

Atmosphères explosives -
Partie 14: Conception, sélection et
construction des installations électriques
(CEI 60079-14:2013)

Explosionsgefährdete Bereiche -
Teil 14: Projektierung, Auswahl und
Errichtung elektrischer Anlagen
(IEC 60079-14:2013)

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2014-01-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 31J/225/FDIS, future edition 5 of IEC 60079-14, prepared by SC 31J "Classification of hazardous areas and installation requirements" of IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-14:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-10-02
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-01-02

This document supersedes EN 60079-14:2008.

EN 60079-14:2014 includes the following significant technical changes with respect to EN 60079-14:2008:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Introduction of initial inspection	Scope		X	
Introduction of definition "electrical equipment"	3.1.3	X		
Introduction of definition "hybrid mixture"	3.2.4		X	
Note added to the definition "associated apparatus"	3.5.2014	X		
Introduction of definition "radio frequency identification"	3.15	X		
List for documents improved and extended: site, equipment, installation and personnel	4.2	X		
New clause for initial inspection	4.3		X	
Specific requirements given in this standard based on the current edition of the EN standards in the EN 60079 series.	4.4.1.2	X		
New selection criteria for radiating equipment according to EN 60079-0	5.7		X	
New selection criteria for ultrasonic equipment according to EN 60079-0	5.8		X	
Specific requirements for cells and batteries used in transportable, portable and personal equipment aligned with EN 60079-11	5.10			C1
New structure for the selection of rotating electrical machines	5.11	X		
New selection criteria for cells and batteries	5.14		X	
New selection criteria for radio frequency identification tags	5.15		X	
New selection criteria for gas detection equipment	5.16		X	
The requirements for material composition of metallic installation material aligned with the requirements for light metal according to EN 60079-0	6.1		X	
Above hazardous area, the restriction of 3,5 m deleted	6.3.7	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
New structure of the requirements for static electricity according to EN 60079-0 added	6.5		X	
New requirements for electromagnetic radiation in accordance with EN 60079-0	6.7		X	
Improvement of the text for cables, cables for fixed and flexible cables for fixed installation for easier reading	9.3.1 9.3.2 9.3.3	X		
New structure of the requirements for cable entry system and blanking elements with subclauses - General - Connections of cables to equipment - Selection of cable glands with the new Table 10 - Additional requirements for cable glands other than Ex "d", Ex "t" or Ex "nR" - Additional requirements for Ex "d" - Additional requirements for Ex "t" - Additional requirements for Ex "nR"	10 10.1 10.2 10.3 10.4 10.5 10.6 10.7 10.8		X	
New structure for the requirements for rotating electrical machines for all types of protections	11		X	
New structure for the requirements for electric heating systems including temperature monitoring, limiting temperature, safety device and additional requirements for electrical heat tracing system	13		X	
New clause to limit the dissipation power of terminal boxes as a function of the numbers of wire in relation to the cross-section and the permissible continuous current with an example.	15.4		X	
Improvement of the text for simple apparatus with its definition, limits and the variation in maximum power dissipation based on the ambient temperature and an alternative equation to calculate the max. surface temperature.	16.4		X	
New requirements for terminal boxes if containing more than one intrinsically safe circuits to avoid short circuits between independent intrinsically safe circuits.	16.5			C2
Improvement of the text for terminal boxes with non-intrinsically and intrinsically safe circuits	16.5.4	X		
New subclause for pressurized rooms and analyser houses	17.4		X	
New clause for optical radiation	22		X	
New annex for initial inspection with the equipment specific inspection schedule for all type of protections	Annex C		X	
New annex for electrical installations in extremely low ambient temperature	Annex D		X	
New annex for the restricted migration of gas through cables	Annex E		X	
New annex for installation of electrical trace heating systems	Annex F		X	
New annex for the requirements for type of protection "op" – Optical radiation	Annex K		X	
New annex for hybrid mixtures	Annex M		X	

Explanation of the types of significant changes:	
A) Definitions	
1 Minor and editorial changes:	- Clarification - Decrease of technical requirements - Minor technical change - Editorial corrections
These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.	
2 Extension:	- Addition of technical options
These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing the requirements for the design, selection and erection of existing installations that are fully compliant with the previous standard. Therefore, these will not have to be considered for existing installations in conformity with the preceding edition.	
3 Major technical changes:	- addition of technical requirements - increase of technical requirements
These are changes to technical requirements (addition, increase of the level or removal) made in a way that an existing installation in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for existing installations in conformity with the preceding edition, for which additional information is provided in B) below.	
These changes represent the latest state-of-the-art technology. However, these changes should not normally have an influence on existing installations.	
B) Information about the background of "major technical changes"	
C1	Due to the risk of gassing producing hydrogen from all cell types, adequate provision for venting is required as the gassing can create an explosive condition in small enclosures. This condition would apply to torches, multi meters, pocket gas sensors and similar items. Alternatively, where the equipment meets the requirements for Equipment Group IIC, the requirement of degassing apertures or limitation of hydrogen concentration does not apply.
C2	An individual intrinsically safe circuit is also safe under short-circuit conditions. The short-circuit between two independent intrinsically safe circuits is not considered. Therefore the terminal boxes have to meet additional requirements for IP rating as well for the mechanical impact to make sure that the integrity of the enclosure is given also under worst case conditions.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60079-14:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-5	NOTE	Harmonized as EN 60034-5.
IEC/TS 60034-17	NOTE	Harmonized as CLC/TS 60034-17.
IEC/TS 60034-25	NOTE	Harmonized as CLC/TS 60034-25.
IEC 60079-2	NOTE	Harmonized as EN 60079-2.
IEC 60079-5	NOTE	Harmonized as EN 60079-5.
IEC 60079-29-2	NOTE	Harmonized as EN 60079-29-2.
IEC 60079-30-2	NOTE	Harmonized as EN 60079-30-2.
IEC 60079-31	NOTE	Harmonized as EN 60079-31.
IEC 60332-2-2	NOTE	Harmonized as EN 60332-2-2.
IEC 60332-3 Series	NOTE	Harmonized as EN 60332-3 Series (partly modified).
IEC 60529	NOTE	Harmonized as EN 60529.
IEC 60742	NOTE	Harmonized as EN 60742.

IEC 61008-1	NOTE	Harmonized as EN 61008-1.
IEC 61010-1	NOTE	Harmonized as EN 61010-1.
IEC 61241 Series	NOTE	Harmonized as EN 61241 Series (not modified).
IEC 61241-1	NOTE	Harmonized as EN 61241-1 ¹⁾ .
IEC 61241-4	NOTE	Harmonized as EN 61241-4.
IEC 61241-11	NOTE	Harmonized as EN 61241-11.
IEC 61439-1	NOTE	Harmonized as EN 61439-1.
ISO 10807	NOTE	Harmonized as EN ISO 10807.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60079-14:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/61684281-bcd7-4ac9-b40b-db1a8f694431/sist-en-60079-14-2014>

¹⁾ Superseded by EN 60079-31.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-1	-	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1	-
IEC 60060-1	-	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	-
IEC 60079	Series	Explosive atmospheres	EN 60079	Series
IEC 60079-0	-	Explosive atmospheres - Part 0: Equipment - General requirements	EN 60079-0	-
IEC 60079-1	-	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"	EN 60079-1	-
IEC 60079-6	-	Explosive atmospheres - Part 6: Equipment protection by oil immersion "o"	EN 60079-6	-
IEC 60079-7	-	Explosive atmospheres - Part 7: Equipment protection by increased safety "e"	EN 60079-7	-
IEC 60079-10-1	-	Explosive atmospheres - Part 10-1: Classification of areas - Explosive gas atmospheres	EN 60079-10-1	-
IEC 60079-10-2	-	Explosive atmospheres - Part 10-2: Classification of areas - Combustible dust atmospheres	EN 60079-10-2	-
IEC 60079-11	-	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60079-13	-	Explosive atmospheres - Part 13: Equipment protection by pressurized room "p"	EN 60079-13	-
IEC 60079-15	-	Explosive atmospheres - Part 15: Equipment protection by type of protection "n"	EN 60079-15	-
IEC/TR 60079-16	-	Electrical apparatus for explosive gas atmospheres - Part 16: Artificial ventilation for the protection of analyzer(s) houses	-	-
IEC 60079-17	-	Explosive atmospheres - Part 17: Electrical installations inspection and maintenance	EN 60079-17	-
IEC 60079-18	-	Explosive atmospheres - Part 18: Equipment protection by encapsulation "m"	EN 60079-18	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-19	-	Explosive atmospheres - Part 19: Equipment repair, overhaul and reclamation	EN 60079-19	-
IEC 60079-26	-	Explosive atmospheres - Part 26: Equipment with equipment protection level (EPL) Ga	EN 60079-26	-
IEC 60079-28	-	Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation	EN 60079-28	-
IEC 60079-29-1	-	Explosive atmospheres - Part 29-1: Gas detectors - Performance requirements of detectors for flammable gases	EN 60079-29-1	-
IEC 60079-29-4	-	Explosive atmospheres - Part 29-4: Gas detectors - Performance requirements of open path detectors for flammable gases	EN 60079-29-4	-
IEC 60079-30-1	-	Explosive atmospheres - Part 30-1: Electrical resistance trace heating - General and testing requirements	EN 60079-30-1	-
IEC 60243-1	-	Electric strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	-
IEC 60332-1-2	-	Tests on electric and optical fibre cables under fire conditions - Part 1-2: Test for vertical flame propagation for a single insulated wire or cable - Procedure for 1 kW pre-mixed flame	EN 60332-1-2	-
IEC 60364	Series	Low voltage electrical installations	HD 60364	Series
IEC 60364-4-41 (mod)	2005	Low-voltage electrical installations - Part 4-41: Protection for safety - Protection against electric shock	HD 60364-4-41 + corr. July	2007 2007
IEC 60950	Series	Information technology equipment - Safety	EN 60950	Series
IEC 61010-1	-	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 1: General requirements	EN 61010-1	-
IEC 61285	-	Industrial-process control - Safety of analyser houses	EN 61285	-
IEC 61558-2-6	-	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers	EN 61558-2-6	-
IEC 62305-3 (mod)	2010	Protection against lightning - Part 3: Physical damage to structures and life hazard	EN 62305-3	2011

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60079-14:2014

<https://standards.iteh.ai/catalog/standards/sist/61684281-bcd7-4ac9-b40b-db1a8f694431/sist-en-60079-14-2014>



IEC 60079-14

Edition 5.0 2013-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Explosive atmospheres –
Part 14: Electrical installations design, selection and erection

Atmosphères explosives –
Partie 14: Conception, sélection et construction des installations électriques

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XG**
CODE PRIX

ICS 26.260.20

ISBN 978-2-8322-1276-9

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	11
INTRODUCTION.....	16
1 Scope.....	18
2 Normative references	19
3 Terms and definitions	20
3.1 General.....	20
3.2 Hazardous areas.....	21
3.3 Flameproof enclosure	22
3.4 Increased safety	22
3.5 Intrinsic safety	23
3.6 Intrinsic safety parameters	24
3.7 Pressurization.....	24
3.8 Type of protection “n”	24
3.9 oil-immersion “o”	25
3.10 powder filling “q”	25
3.11 encapsulation “m”	25
3.12 protection by enclosure “t”	25
3.13 Electrical supply systems.....	25
3.14 Equipment.....	25
3.15 radio frequency identification (RFID).....	26
4 General.....	26
4.1 General requirements	26
4.2 Documentation.....	27
4.3 Initial inspection.....	28
4.4 Assurance of conformity of equipment.....	28
4.4.1 Equipment with certificates according to IEC standards	28
4.4.2 Equipment without certificates according to IEC standards	28
4.4.3 Selection of repaired, second hand or existing equipment.....	29
4.5 Qualifications of personnel.....	29
5 Selection of equipment	29
5.1 Information requirements	29
5.2 Zones	30
5.3 Relationship between equipment protection levels (EPLs) and zones.....	30
5.4 Selection of equipment according to EPLs	30
5.4.1 General	30
5.4.2 Relationship between EPLs and types of protection	30
5.4.3 Equipment for use in locations requiring EPL “Ga” or “Da”	32
5.4.4 Equipment for use in locations requiring EPL “Gb” or “Db”	32
5.4.5 Equipment for use in locations requiring EPL “Gc” or “Dc”	32
5.5 Selection according to equipment grouping	32
5.6 Selection according to the ignition temperature of the gas, vapour or dust and ambient temperature	33
5.6.1 General	33
5.6.2 Gas or vapour.....	33
5.6.3 Dust.....	34
5.7 Selection of radiating equipment.....	36
5.7.1 General	36

	5.7.2	Ignition process	36
5.8		Selection of ultrasonic equipment	36
	5.8.1	General	36
	5.8.2	Ignition process	37
5.9		Selection to cover external influences	37
5.10		Selection of transportable, portable and personal equipment	38
	5.10.1	General	38
	5.10.2	Transportable and portable equipment	39
	5.10.3	Personal equipment	39
5.11		Rotating electrical machines	39
	5.11.1	General	39
	5.11.2	Environmental Factors for “Ex” machine installation	40
	5.11.3	Power and accessory connections, grounding	40
	5.11.4	Motors fed from a converter supply	41
	5.11.5	Switching motors above 1kV	41
5.12		Luminaires	42
5.13		Plugs and socket outlets	42
	5.13.1	General	42
	5.13.2	Specific requirements for explosive dust atmospheres	42
	5.13.3	Location	42
5.14		Cells and batteries	42
	5.14.1	Charging of secondary cells and batteries	42
	5.14.2	Ventilation	43
5.15		RFID tags	43
	5.15.1	General	43
	5.15.2	Passive RFID tags	43
	5.15.3	Mounting RFID tags	43
5.16		Gas detection equipment	43
6		Protection from dangerous (incendive) sparking	44
6.1		Light metals as construction materials	44
6.2		Danger from live parts	44
6.3		Danger from exposed and extraneous conductive parts	44
	6.3.1	General	44
	6.3.2	TN type of system earthing	45
	6.3.3	TT type of system earthing	45
	6.3.4	IT type of system earthing	45
	6.3.5	SELV and PELV systems	45
	6.3.6	Electrical separation	45
	6.3.7	Non Ex electrical equipment above hazardous areas	45
6.4		Potential equalization	46
	6.4.1	General	46
	6.4.2	Temporary bonding	47
6.5		Static electricity	47
	6.5.1	General	47
	6.5.2	Avoidance of a build-up of electrostatic charge on construction and protecting parts for locations requiring EPL “Ga”, “Gb” and “Gc”	47
	6.5.3	Avoidance of a build-up of electrostatic charge on construction and protecting parts for locations requiring EPL “Da”, “Db” and “Dc”	49

6.6	Lightning protection	49
6.7	Electromagnetic radiation.....	49
	6.7.1 General	49
	6.7.2 Radio frequency received in hazardous areas.....	49
6.8	Cathodically protected metallic parts.....	50
6.9	Ignition by optical radiation	50
7	Electrical protection.....	51
8	Switch-off and electrical isolation.....	51
	8.1 General.....	51
	8.2 Switch-off.....	51
	8.3 Electrical isolation.....	51
9	Cables and wiring systems	52
	9.1 General.....	52
	9.2 Aluminium conductors	52
	9.3 Cables	52
	9.3.1 General	52
	9.3.2 Cables for fixed installations	52
	9.3.3 Flexible cables for fixed installations (excluding intrinsically safe circuits).....	53
	9.3.4 Flexible cables supplying transportable and portable equipment (excluding intrinsically safe circuits)	53
	9.3.5 Single insulated wires (excluding intrinsically safe circuits).....	54
	9.3.6 Overhead lines	54
	9.3.7 Avoidance of damage	54
	9.3.8 Cable surface temperature.....	54
	9.3.9 Resistance to flame propagation.....	54
	9.4 Conduit systems	55
	9.5 Additional requirements	56
	9.6 Installation requirements	56
	9.6.1 Circuits traversing a hazardous area.....	56
	9.6.2 Terminations.....	56
	9.6.3 Unused cores	56
	9.6.4 Openings in walls	56
	9.6.5 Passage and collection of flammables	56
	9.6.6 Accumulation of dust	57
10	Cable entry systems and blanking elements	57
	10.1 General.....	57
	10.2 Selection of cable glands	57
	10.3 Connections of cables to equipment.....	58
	10.4 Additional requirements for entries other than Ex “d”, Ex “t” or Ex “nR”	59
	10.5 Unused openings	59
	10.6 Additional requirements for type of protection “d” – Flameproof enclosures	59
	10.6.1 General	59
	10.6.2 Selection of cable glands.....	60
	10.7 Additional requirements for type of protection “t” – Protection by enclosure.....	60
	10.8 Additional requirements for type of protection “nR” – Restricted breathing enclosure.....	61

11	Rotating electrical machines	61
11.1	General	61
11.2	Motors with type of protection “d” – Flameproof enclosures	61
11.2.1	Motors with a converter supply	61
11.2.2	Reduced-voltage starting (soft starting)	62
11.3	Motors with type of protection “e” – Increased safety	62
11.3.1	Mains-operated	62
11.3.2	Winding temperature sensors	63
11.3.3	Machines with rated voltage greater than 1 kV	64
11.3.4	Motors with converter supply	64
11.3.5	Reduced-voltage starting (soft starting)	64
11.4	Motors with type of protection “p” and “pD” – Pressurized enclosures	64
11.4.1	Motors with a converter supply	64
11.4.2	Reduced-voltage starting (soft starting)	65
11.5	Motors with type of protection “t” – Protection by enclosures supplied at varying frequency and voltage	65
11.5.1	Motors with a converter supply	65
11.5.2	Reduced-voltage starting (soft starting)	66
11.6	Motors with type of protection “nA” – Non-sparking	66
11.6.1	Motors with converter supply	66
11.6.2	Reduced-voltage starting (soft starting)	66
11.6.3	Machines with rated voltage greater than 1 kV	66
12	Luminaires	67
13	Electric heating systems	67
13.1	General	67
13.2	Temperature monitoring	67
13.3	Limiting temperature	68
13.4	Safety device	68
13.5	Electrical trace heating systems	69
14	Additional requirements for type of protection “d” – Flameproof enclosures	69
14.1	General	69
14.2	Solid obstacles	70
14.3	Protection of flameproof joints	70
14.4	Conduit systems	71
15	Additional requirements for type of protection “e” – Increased safety	71
15.1	General	71
15.2	Maximum dissipated power of terminal box enclosures	72
15.3	Conductor terminations	72
15.4	Maximum number of conductors in relation to the cross-section and the permissible continuous current	73
16	Additional requirements for types of protection “i” – Intrinsic safety	73
16.1	General	73
16.2	Installations to meet the requirements of EPL “Gb” or “Gc” and “Db” or “Dc”	74
16.2.1	Equipment	74
16.2.2	Cables	75
16.2.3	Earthing of intrinsically safe circuits	79
16.2.4	Verification of intrinsically safe circuits	80
16.3	Installations to meet the requirements of EPL “Ga” or “Da”	81