

# SLOVENSKI STANDARD

## SIST EN 60809:2015

01-junij-2015

### Nadomešča:

SIST EN 60809:1996

SIST EN 60809:1996/A1:2002

SIST EN 60809:1996/A2:2004

SIST EN 60809:1996/A3:2005

SIST EN 60809:1996/A4:2009

SIST EN 60809:1996/A5:2013

---

**Sijalke za cestna vozila - Dimenzijske, električne in svetlobne zahteve (IEC 60809:2014)**

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Lamps for road vehicles - Dimensional, electrical and luminous requirements

[SIST EN 60809:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358->

Lampen für Straßenfahrzeuge - Maße, elektrische und lichttechnische Anforderungen

Lampes pour véhicules routiers - Exigences dimensionnelles, électriques et lumineuses

**Ta slovenski standard je istoveten z: EN 60809:2015**

---

### **ICS:**

29.140.20	Žarnice z žarilno nitko	Incandescent lamps
43.040.20	Naprave za osvetlitev, signalizacijo in opozarjanje	Lighting, signalling and warning devices

**SIST EN 60809:2015**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 60809:2015

<https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015>

EUROPEAN STANDARD

**EN 60809**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2015

ICS 43.040.20; 29.140.20

Supersedes EN 60809:1996

English Version

## Lamps for road vehicles - Dimensional, electrical and luminous requirements (IEC 60809:2014)

Lampes pour véhicules routiers - Exigences dimensionnelles, électriques et lumineuses  
(IEC 60809:2014)

Lampen für Straßenfahrzeuge - Maße, elektrische und lichttechnische Anforderungen  
(IEC 60809:2014)

This European Standard was approved by CENELEC on 2015-01-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

The text of document 34A/1798/FDIS, future edition 3 of IEC 60809, prepared by SC 34A "Lamps", of IEC/TC 34 "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60809:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-10-20
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-01-20

This document supersedes EN 60809:1996.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

### Endorsement notice

[SIST EN 60809:2015](#)

[https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-](https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015)

[11b0b5a243ca/sist-en-60809-2015](https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015)

The text of the International Standard IEC 60809:2014 was approved by CENELEC as a European Standard without any modification.

**Annex ZA**  
(normative)

**Normative references to international publications  
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050	series	International electrotechnical vocabulary	-	-
IEC 60051-1	-	Direct acting indicating analogue electrical measuring instruments and their accessories Part 1: Definitions and general requirements common to all parts	EN 60051-1	-
IEC 60061-1	-	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps	EN 60061-1	-
IEC 60810	2014	Lamps for road vehicles - Performance requirements	EN 60810	2015
IEC 60983	-	Miniature lamps	EN 60983	-
IEC 62504	-	General lighting - Light emitting diode (LED) products and related equipment - Terms and definitions	EN 62504	-
CIE 15	2004	Colorimetry	-	-
UNECE 1958 Agreement	-	Agreement concerning the adoption of uniform technical prescription for wheeled vehicles, equipment and parts which can be fitted and/or be used on wheeled vehicles and the conditions for reciprocal recognition of approvals granted on the basis of these prescriptions	-	-
UNECE 4	-	1958 Agreement, Addendum 3: Regulation No. 4: Uniform provisions concerning the approval of devices for the illumination of rear registration plates of power-driven vehicles and their trailers	-	-
UNECE 6	-	1958 Agreement, Addendum 5: Regulation No. 6: Uniform provisions concerning the approval of direction indicators for power-driven vehicles and their trailers	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
UNECE 7	-	1958 Agreement, Addendum 6: Regulation No. 7: Uniform provisions concerning the approval of front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles (except motor cycles) and their trailers	-	-
UNECE 23	-	1958 Agreement, Addendum 22: Regulation No. 23: Uniform provisions concerning the approval of reversing and manoeuvring lamps for power-driven vehicles and their trailers	-	-
UNECE 37	-	1958 Agreement, Addendum 36: Regulation No. 37: Uniform provisions concerning the approval of filament lamps for use in approved lamp units of power-driven vehicles and of their trailers	-	-
UNECE 38	-	1958 Agreement, Addendum 37: Regulation No. 38: Uniform provisions concerning the approval of rear fog lamps for power-driven vehicles and their trailers	-	-
UNECE 50	-	1958 Agreement, Addendum 49: Regulation No. 50: Uniform provisions concerning the approval of front position lamps, rear position lamps, stop lamps, direction indicators and rear-registration-plate illuminating devices for vehicles of category L	-	-
UNECE 77	-	1958 Agreement, Addendum 76: Regulation No. 77: Uniform provisions concerning the approval of parking lamps for power-driven vehicles	-	-
UNECE 87	-	1958 Agreement, Addendum 86: Regulation No. 87: Uniform provisions concerning the approval of daytime running lamps for power-driven vehicles	-	-
UNECE 91	-	1958 Agreement, Addendum 90: Regulation No. 91: Uniform provisions concerning the approval of side-marker lamps for motor vehicles and their trailers	-	-
UNECE 99	-	1958 Agreement, Addendum 98: Regulation No. 99: Uniform provisions concerning the approval of gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	-	-
UNECE 101	-	1958 Agreement, Addendum 100: Regulation No. 101: Uniform provisions concerning the approval of passenger cars powered by an internal combustion engine only, or powered by a hybrid electric power train with regard to the measurement of the emission of carbon dioxide and fuel consumption and/or the measurement of electric energy consumption and electric range, and of categories M <sub>1</sub> and N <sub>1</sub> vehicles powered by an electric power train only with regard to the measurement of electric energy consumption and electric range	-	-
UNECE 119	-	1958 Agreement, Addendum 118: Regulation No. 119: Uniform provisions concerning the approval of cornering lamps for power-driven vehicles	-	-
UNECE 128	-	1958 Agreement, Addendum 127: Regulation No. 128: Uniform provisions concerning the approval of light emitting diode (LED) light sources for use in approved lamp units on power-driven vehicles and their trailers	-	-

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

Lamps for road vehicles – Dimensional, electrical and luminous requirements

Lampes pour véhicules routiers – Exigences dimensionnelles, électriques et lumineuses

[SIST EN 60809:2015](https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015)

<https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE **XC**  
CODE PRIX

---

ICS 29.140.20; 43.040.20

ISBN 978-2-8322-1966-9

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions .....	11
4 Requirements and test conditions for filament lamps .....	14
4.1 General requirements.....	14
4.2 Lamp marking .....	14
4.3 Bulbs .....	14
4.4 Colour.....	15
4.4.1 Colour of light .....	15
4.4.2 Colour endurance .....	16
4.4.3 Coated bulb .....	16
4.5 Lamp dimensions .....	16
4.6 Caps and bases .....	16
4.7 Initial electrical and luminous requirements .....	17
4.8 Check on optical quality.....	17
4.8.1 General .....	17
4.8.2 12 V lamps emitting white light.....	17
4.8.3 6 V and 24 V lamps emitting white light .....	17
4.8.4 Lamps emitting selective-yellow light.....	17
4.9 UV radiation .....	18
4.10 Standard (étalon) filament lamps .....	18
4.11 Non-replaceable filament lamps.....	18
4.11.1 General .....	18
4.11.2 Fixation.....	19
4.11.3 Lifetime .....	19
4.11.4 Colour endurance .....	20
4.11.5 Luminous flux and colour maintenance.....	20
4.11.6 Vibration and shock resistance.....	20
5 Requirements and test conditions for discharge lamps .....	21
5.1 General requirements.....	21
5.2 Lamp marking .....	21
5.3 Bulbs .....	21
5.4 Caps .....	21
5.5 Position and dimensions of electrodes, arc and black stripes .....	22
5.5.1 Measurements .....	22
5.5.2 Electrodes .....	22
5.5.3 Arc .....	22
5.5.4 Black stripes .....	22
5.6 Starting, run-up and hot-restrike characteristics.....	22
5.6.1 Starting.....	22
5.6.2 Run-up .....	22
5.6.3 Hot-restrike.....	23
5.6.4 Compliance.....	23
5.7 Electrical and photometric characteristics .....	23
5.7.1 Voltage and wattage .....	23



5.7.2	Luminous flux .....	23
5.7.3	Compliance.....	23
5.8	Colour.....	23
5.9	UV radiation .....	24
5.10	Standard (étalon) discharge lamps .....	25
6	Requirements and test conditions for LED light sources .....	25
6.1	General requirements.....	25
6.2	Light source marking.....	25
6.3	Optical surfaces .....	26
6.4	Colour of light .....	26
6.5	Lamp dimensions .....	26
6.6	Caps and bases .....	26
6.7	Initial electrical and photometrical requirements.....	26
6.8	Red content .....	26
6.9	UV radiation .....	26
6.10	Standard (étalon) light sources .....	26
7	Sampling and conditions of compliance.....	27
8	Lamp data sheets .....	27
8.1	General.....	27
8.2	List of specific lamp types .....	27
Annex A (normative)	Filament shape, length and position.....	51
A.1	General.....	51
A.2	Filaments shown as points .....	51
A.3	Line filaments.....	51
A.4	Coiled-coil filaments.....	51
A.5	Extreme filament turns .....	51
A.6	Filament extremities .....	51
A.6.1	General .....	51
A.6.2	Axial filaments .....	51
A.6.3	Transverse filaments.....	51
A.7	Determination of filament length .....	52
A.8	Filament offsets .....	52
A.9	Lateral deviation.....	52
A.10	Filament location check system (box system) .....	52
Annex B (normative)	Measurement method of the colour of filament lamps .....	55
B.1	General.....	55
B.2	Colour.....	55
B.3	Measuring directions .....	55
B.3.1	General .....	55
B.3.2	Filament lamps used in headlamps .....	55
B.3.3	Filament lamps used in light signalling devices .....	56
Annex C (normative)	Test conditions for electrical and luminous characteristics.....	57
C.1	Filament lamps.....	57
C.1.1	Ageing .....	57
C.1.2	Test conditions .....	57
C.1.3	Electrical instrumentation .....	57
C.1.4	Photometry .....	57
C.2	LED light sources .....	57

C.2.1	Test conditions .....	57
C.2.2	Luminous flux .....	57
C.2.3	Normalized luminous intensity .....	58
C.2.4	Colour .....	58
C.2.5	Power consumption .....	58
Annex D (normative)	Method of measuring internal elements of R2 lamps .....	59
D.1	General test conditions .....	59
D.1.1	Measurement position .....	59
D.1.2	Ageing .....	59
D.1.3	Test condition .....	59
D.2	Reference axis, reference plane and planes for measurements .....	59
D.2.1	Reference axis .....	59
D.2.2	Reference plane .....	59
D.2.3	Plane V-V .....	59
D.2.4	Plane H-H .....	59
D.2.5	Plane X-X .....	59
D.2.6	Plane Y1-Y1 .....	59
D.2.7	Plane Y2-Y2 .....	59
D.3	Viewing directions (see Figure D.1) .....	60
D.3.1	Viewing direction ① .....	60
D.3.2	Viewing direction ② .....	60
D.3.3	Viewing direction ③ .....	60
D.4	Measuring points (MP) .....	60
D.5	Dimensions to be measured .....	61
Annex E (normative)	Method of measuring internal elements of H4 and HS1 lamps .....	64
E.1	General test conditions .....	64
E.1.1	Measurement position .....	64
E.1.2	Ageing .....	64
E.1.3	Test condition .....	64
E.2	Reference axis, reference plane and planes for measurements .....	64
E.2.1	Reference axis .....	64
E.2.2	Reference plane .....	64
E.2.3	Plane V-V .....	64
E.2.4	Plane H-H .....	64
E.2.5	Plane X-X .....	64
E.2.6	Plane Y1-Y1 .....	64
E.2.7	Plane Y2-Y2 .....	65
E.2.8	Plane Y3-Y3 .....	65
E.2.9	Plane Y4-Y4 .....	65
E.2.10	Plane Y5-Y5 .....	65
E.3	Viewing directions (see Figure E.1) .....	65
E.3.1	Viewing direction ① .....	65
E.3.2	Viewing direction ② .....	65
E.3.3	Viewing direction ③ .....	65
E.4	Measuring points (MP) .....	65
E.4.1	Shield and filaments (see Figure E.2) .....	65
E.4.2	Top obscuration (see Figure E.3) .....	66
E.5	Dimensions to be measured .....	66
Annex F (normative)	Method of measuring internal elements of HB1 lamps .....	70

F.1	General test conditions.....	70
F.1.1	Measurement position.....	70
F.1.2	Ageing.....	70
F.1.3	Test condition.....	70
F.2	Dipped beam filament location.....	70
F.2.1	Horizontal location.....	70
F.2.2	Vertical location.....	70
F.2.3	Axial location.....	70
F.3	Main beam filament location.....	70
F.3.1	Horizontal location.....	70
F.3.2	Vertical location.....	70
F.3.3	Axial location.....	71
Annex G (informative) Optical set-up for the measurement of the position and form of the arc and of the position of the electrodes of discharge lamps.....		72
Annex H (normative) Measurement method of electrical and photometric characteristics of discharge lamps.....		73
H.1	General.....	73
H.2	Ballast.....	73
H.3	Burning position.....	73
H.4	Ageing.....	73
H.5	Supply voltage.....	73
H.6	Starting test.....	73
H.7	Run-up test.....	73
H.8	Hot restrike test.....	74
H.9	Electrical and photometric test.....	74
H.10	Colour.....	74
Annex I (informative) Overview of lamp types and their applications.....		75
Annex J (normative) Test conditions for colour endurance measurements.....		77
J.1	General.....	77
J.2	Calibration and ageing.....	77
J.3	Test voltage.....	78
J.4	Operating position.....	78
J.5	Test rack.....	78
J.6	Operating cycles.....	78
J.7	Closure.....	81
Figure A.1 – Determination of apexes, filament length and filament offsets (A and B).....		53
Figure A.2 – Determination of filament centre.....		53
Figure A.3 – Determination of lateral deviations (A and B) and tolerance on the light centre length (C).....		54
Figure B.1 – Positions of the colorimetric receiver when measuring lamps used in headlamps.....		56
Figure B.2 – Positions of the colorimetric receiver when measuring lamps used in light signalling devices.....		56
Figure D.1 – Viewing directions, seen from the top of the lamp.....		62
Figure D.2 – Position of measuring points of R2 lamps.....		63
Figure E.1 – Viewing directions, seen from the top of the lamp.....		67
Figure E.2 – Position of measuring points of H4 and HS1 lamps.....		68

Figure E.3 – Top obscuration .....	69
Figure F.1 – Side view, view from ③ <sup>ab</sup> .....	71
Figure F.2 – Plan view, view from ④ <sup>a</sup> .....	71
Figure G.1 – Optical system .....	72
Figure J.1 – Side view of box.....	78
Figure J.2 – Front view of box .....	78
Figure J.3 – Temperature in the climate chamber during one operating cycle .....	79
Figure J.4 – Relative humidity in the climate chamber during one operating cycle .....	79
Figure J.5 – Switching modes of filament lamps for intermittent operation during one operating cycle.....	80
Figure J.6 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle .....	80
Figure J.7 – Switching modes of filament lamps for continuous operation during one operating cycle.....	81
Figure J.8 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle .....	81
Table 1 – Lifetime of non-replaceable filament lamps .....	20
Table 2 – Spectral weighting function .....	25
Table C.1 – Luminous flux tolerance limits .....	58
Table D.1 – Dimensions to be measured for R2 lamps .....	61
Table E.1 – Dimensions to be measured for H4 and HS1 lamps.....	67
Table J.1 – Applicable switching modes.....	77
Table J.2 – Applicable boxes of the test racks .....	77
Table J.3 – Dimensions of the applicable boxes and the relative position of the centre of the filament.....	78
Table J.4 – Timing during one operating cycle .....	79
Table J.5 – Switching modes of the filament lamps .....	80

STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 60809:2015

<https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015>

11b0b5a243ca/sist-en-60809-2015

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## LAMPS FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60809 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34, Lamps and related equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
34A/1798/FDIS	34A/1819/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This third edition cancels and replaces the second edition (1995), its Amendment 1 (1996), its Amendment 2 (2002), its Amendment 3 (2004), its Amendment 4 (2009) and its Amendment 5 (2012). This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the introduction of requirements for non-replaceable filament lamps;
- b) the introduction of requirements for LED light sources.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2. However, as the original editable data sheets and some figures from previous editions were not available, they have been reproduced in their old format which does not comply fully with the current drafting rules.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[SIST EN 60809:2015](https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015)

<https://standards.iteh.ai/catalog/standards/sist/5b4bbce6-e033-4133-a358-11b0b5a243ca/sist-en-60809-2015>

# LAMPS FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

## 1 Scope

This International Standard is applicable to replaceable and standardised lamps (filament lamps, discharge lamps and LED light sources) to be used in headlamps, fog-lamps and signalling lamps for road vehicles. In some applications, these lamps may be installed as non-replaceable.

This standard is especially applicable to those lamps which are the subject of legislation. In particular, it includes the lamps contained in Regulations No. 37, No. 99, No. 128 and its series of amendments of the Geneva Agreement of 20 March 1958 of the United Nations Economic Commission for Europe (UNECE). However, the standard may be used for other lamps falling under the scope of this standard, as well as lamps which are subject of legislation but not contained in Regulations No. 37, No. 99 and No. 128, e.g. the non-replaceable (filament) lamps and LED modules.

For replaceable and standardised lamps, the standard specifies the technical requirements with methods of tests and basic interchangeability (dimensional, electrical and luminous) for lamps of normal production and for standard (étalon) lamps.

For most of the requirements given in this standard, reference is made to the “relevant lamp data sheet”. For all lamps listed in Clause 8, data sheets are contained in this standard or included by reference. For other lamps, the relevant data are supplied by the lamp manufacturer or responsible vendor. It could be based on national legislation.

Other requirements to replaceable and standardised lamps such as lamp life, luminous flux maintenance, torsion strength and resistance to vibration and shock are specified in IEC 60810. Such requirements to non-replaceable lamps are given in this standard.

For some test methods, reference is made to IEC 60810.

Road vehicle lamps for supplementary purposes which are not the subject of legislation are specified in IEC 60983.

In countries which legislate for approval, for example under the terms of the aforementioned UN Regulations, it is suggested that reference is made to this standard for assessment of compliance. IEC 60810 and IEC 60983 are not intended for that purpose.

NOTE 1 In various vocabularies and standards, different terms are used for “incandescent lamp”, “discharge lamp” and “LED lamp”. In this standard “filament lamp”, “discharge lamp” and “LED light source” are used. However, where only “lamp” is written all three kinds of lamp are meant, unless the context clearly shows that it applies to one kind only.

NOTE 2 Wherever the term “device” is used, it is meant to designate equipment which is used as luminaire. It can take the form and purpose of a headlight or signal light.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.