

# SLOVENSKI STANDARD

## SIST EN 60728-1:2014

01-december-2014

Nadomešča:

SIST EN 60728-1:2008

SIST EN 60728-1-2:2009

---

**Kabelska omrežja za televizijske in zvokovne signale ter interaktivne storitve - 1. del: Lastnosti sistema za naprejšnje poti (IEC 60728-1:2014)**

Cable networks for television signals, sound signals and interactive services -- Part 1: System performance of forward paths (IEC 60728-1:2014)

**iTeh STANDARD PREVIEW**

Kabelnetze für Fernsehsignale, Tonsignale und interaktive Dienste - Teil 1: Systemanforderungen in Vorwärtsrichtung (IEC 60728-1:2014)

[SIST EN 60728-1:2014](https://standards.iTeh.ai/catalog/standards/sist/3547973-a06f-402b-ab07-3aa88e54d772/sist-en-60728-1-2014)

Réseaux de distribution par câbles pour signaux de télévision, signaux de radiodiffusion sonore et services interactifs - Partie 1: Caractéristiques des systèmes de voie directe (CEI 60728-1:2014)

**Ta slovenski standard je istoveten z: EN 60728-1:2014**

---

**ICS:**

33.060.40      Kabelski razdelilni sistemi      Cabled distribution systems

**SIST EN 60728-1:2014**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 60728-1:2014

<https://standards.iteh.ai/catalog/standards/sist/3547973e-a06f-402b-ab07-aaad8e54f272/sist-en-60728-1-2014>

EUROPEAN STANDARD

**EN 60728-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2014

ICS 33.060.40

Supersedes EN 60728-1:2008

English Version

**Cable networks for television signals, sound signals and  
interactive services - Part 1: System performance of forward  
paths  
(IEC 60728-1:2014)**

Réseaux de distribution par câbles pour signaux de  
télévision, signaux de radiodiffusion sonore et services  
interactifs - Partie 1: Caractéristiques des systèmes de voie  
directe  
(CEI 60728-1:2014)

Kabelnetze für Fernsehsignale, Tonsignale und interaktive  
Dienste - Teil 1: Systemanforderungen in Vorwärtsrichtung  
(IEC 60728-1:2014)

This European Standard was approved by CENELEC on 2014-06-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

The text of document 100/2269/FDIS, future edition 5 of IEC 60728-1, prepared by Technical Area 5 "Cable networks for television signals, sound signals and interactive services" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60728-1:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-03-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-06-27

This document supersedes EN 60728-1:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

For this European Standard the informative Annex K of IEC 60728-1:2014 shall be disregarded and has been replaced by the informative Annex ZB "A-deviations".

Annexes ZA and ZB have been added by CENELEC.

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)

### Endorsement notice

SIST EN 60728-1:2014

The text of the International Standard IEC 60728-1:2014 was approved by CENELEC as a European Standard without any modification. aaad8e54272/sist-en-60728-1-2014

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60728 Series	NOTE	Harmonized as EN 60728 Series (not modified).
IEC 61169-2	NOTE	Harmonized as EN 61169-2 (not modified).
IEC 61169-24	NOTE	Harmonized as EN 61169-24 (not modified).
CISPR 16-1 Series	NOTE	Harmonized as EN 55016-1 Series (not modified).
ISO/IEC 13818 Series	NOTE	Harmonized as EN ISO/IEC 13818 Series <sup>1)</sup> (not modified).
ISO/IEC 13818-3	NOTE	Harmonized as EN ISO/IEC 13818-3 <sup>1)</sup> (not modified).

---

<sup>1)</sup> Withdrawn.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
		Characteristics of DAB receivers	EN 50248	2001
IEC 60050-705	-	International Electrotechnical Vocabulary (IEV) - Chapter 705: Radio wave propagation	-	-
IEC 60050-712	1992	International Electrotechnical Vocabulary (IEV) - Chapter 712: Antennas	-	-
IEC 60050-725	-	International Electrotechnical Vocabulary (IEV) - Chapter 725: Space radiocommunications	-	-
IEC 60728-1-1	-	Cable networks for television signals, sound signals and interactive services - Part 1-1: RF cabling for two way home networks	EN 60728-1-1	-
IEC 60728-1-2	-	Cable networks for television signals, sound signals and interactive services - Part 1-2: Performance requirements or signals delivered at the system outlet in operation	EN 60728-1-2	-
IEC 60728-2	-	Cable networks for television signals, sound signals and interactive services - Part 2: Electromagnetic compatibility for equipment	EN 50083-2	-
IEC 60728-3	2010	Cable networks for television signals, sound signals and interactive services - Part 3: Active wideband equipment for cable networks	EN 60728-3	2011
IEC 60728-5	-	Cable networks for television signals, sound signals and interactive services - Part 5: Headend equipment	EN 60728-5	-
IEC 60728-10	-	Cable networks for television signals, sound signals and interactive services - Part 10: System performance of return paths	EN 60728-10	-

IEC 60728-11	-	Cable networks for television signals, sound signals and interactive services - Part 11: Safety	EN 60728-11	-
IEC 60728-12	-	Cabled distribution systems for television and sound signals - Part 12: Electromagnetic compatibility of systems	EN 50083-8	-
IEC 60966-2-4	-	Radio frequency and coaxial cable assemblies - Part 2-4: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 3 000 MHz, IEC 61169-2 connectors	EN 60966-2-4	-
IEC 60966-2-5	-	Radio frequency and coaxial cable assemblies - Part 2-5: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 1 000 MHz, IEC 61169-2 connectors	EN 60966-2-5	-
IEC 60966-2-6	-	Radio frequency and coaxial cable assemblies - Part 2-6: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 3 000 MHz, IEC 61169-24 connectors	EN 60966-2-6	-
ISO/IEC 13818-1	2007	Information technology - Generic coding of moving pictures and associated audio information - Systems		-
ISO/IEC 13818-4		Information technology - Generic coding of moving pictures and associated audio information - Part 4: Conformance testing		-
ISO/IEC 14496-1	-	Information technology - Coding of audio-visual objects - Part 1: Systems		-
ITU-R Recommendation BS.412-9	-	Planning standards for terrestrial FM sound-broadcasting at VHF		-
ITU-R Recommendation BT.417-4	-	Minimum field strengths for which protection may be sought in planning an analogue terrestrial television service		-
ITU-R Recommendation BT.470-7	-	Conventional analogue television systems		-
ITU-R Recommendation BT.500-11	-	Methodology for the subjective assessment-of the quality of television pictures		-
ITU-T Recommendation J.61	-	Transmission performance of television circuits designed for use in international connections		-

ITEN STANDARD PREVIEW  
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/3547973e-a06f-402b-ab07-ada1889412/2318-en-60728-1-2014>

ETSI EN 300 421	-	Digital Video Broadcasting (DVB): Framing - structure, channel coding and modulation for 11/12 GHz satellite services	-
ETSI EN 300 429	-	Digital Video Broadcasting (DVB): Framing - structure, channel coding and modulation for cable systems	-
ETSI EN 300 468	-	Digital Video Broadcasting (DVB); - Specification for Service Information (SI) in DVB systems	-
ETSI EN 300 473	-	Digital Video Broadcasting (DVB): Satellite - Master Antenna Television (SMATV) distribution systems	-
ETSI EN 300 744	-	Digital Video Broadcasting (DVB): Framing - structure, channel coding and modulation for digital terrestrial television	-
ETSI EN 302 307/V1.3.1	2013	Digital Video Broadcasting (DVB); Second - generation framing structure, channel coding and modulation systems for Broadcasting, Interactive Services, News Gathering and other broadband satellite applications (DVB-S2)	-
ETSI ETS 300 784	-	Satellite Earth Stations and Systems (SES); Television Receive-Only (TVRO) satellite earth stations operating in the 11/12 GHz frequency bands	-
ETSI TS 101 211	-	Digital Video Broadcasting (DVB); Guidelines on implementation and usage of Service Information (SI)	-
ETSI TS 102 831 V1.2.1	2012	Digital Video Broadcasting (DVB); Implementation guidelines for a second generation digital terrestrial television broadcasting system (DVB-T2)	-

iTeC STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 60728-1:2014  
<https://standards.iteh.ai/catalog/standards/sist/3547973e-a06f-402b-ab07-aaad8e54272/sist-en-60728-1-2014>

## Annex ZB (informative)

### A-deviations

**A-deviation:** National deviation due to regulations, the alteration of which is for the time being outside the competence of the CENELEC national member.

This European Standard does not fall under any Directive of the EC.

In the relevant CENELEC countries these A-deviations are valid instead of the provisions of the European Standard until they have been removed.

#### Clause Deviation

##### 3.1.58 Norway

According to Regulations on Electronic Communications Networks and Services (Ecom Regulations) laid down by the Norwegian Ministry of Transport and Communications on 16 February 2004, the following applies:

When installing coaxial cable-based networks, the part of the network to which the end-user is connected shall be placed in a star structure. It is not permitted to insert receiver connections into the connection between the star points.

##### 5.4.1 Netherlands

(Dutch Technical Regulations for CATV networks (Technische Voorschriften voor Centrale Antenne Inrichtingen, 3e uitgave), 21 December 1977, which are valid for CATV networks in accordance with Article 21 of the Dutch Telecommunications law (Stb. 1988, 520))

Replace by/add the following "minimum and maximum carrier levels" regulation as indicated in Table ZB.1.

**Table ZB.1 – Carrier signal levels at any system outlet**

FM sound mono:	80 dB( $\mu$ V) <sub>max</sub>
----------------	--------------------------------


(measured in accordance with CISPR 16-1 [4] (quasi-peak measurement within 120 kHz bandwidth))



### 5.6.2 Netherlands

(Dutch Technical Regulations for CATV networks (Technische Voorschriften voor Centrale Antenne Inrichtingen, 3e uitgave), 21 December 1977, which are valid for CATV networks in accordance with Article 21 of the Dutch Telecommunications law (Stb. 1988, 520))

Add the group delay response curve valid for PAL with FM-FM sound (Clause 5.4.1), as shown in Figure ZB.1.



**Figure ZB.1 – Mask group delay characteristic for PAL signals with FM-FM sound**

### 5.9.1 Netherlands

(Dutch Technical Regulations for CATV networks (Technische Voorschriften voor Centrale Antenne Inrichtingen, 3e uitgave), 21 December 1977, which are valid for CATV networks in accordance with Article 21 of the Dutch Telecommunications law (Stb. 1988, 520))

Replace by/add the following “single-frequency interference” regulation as indicated in Table ZB.2.


**Table ZB.2 – Single-frequency interference**

AM-VSB-PAL-signals:	$C/I \geq 60$ dB	(measured in a bandwidth of 300 kHz)
For signals outside used TV channels:	$C/I \geq 40$ dB	

### 5.10.2 Netherlands

(Dutch Technical Regulations for CATV networks (Technische Voorschriften voor Centrale Antenne Inrichtingen, 3e uitgave), 21 December 1977, which are valid for CATV networks in accordance with Article 21 of the Dutch Telecommunications law (Stb. 1988, 520))

Replace the requirements for “echoes in television channels, PAL-SECAM standards” by the “requirement for echo loss in relation to the time delay of the reflected signal for AM-PAL-TV and FM-radio” (Figure ZB.2).



**Figure ZB.2 – Requirement for echo loss in relation to the time delay of the reflected signal**

### 5.12.1 Denmark

(Danish technical regulations for CATV-networks, which are applicable to those networks in accordance with national legislation act. nr; 277 of June 1995, given by the Ministry of Research)

Add the requirement for “decoding margin” being “the decoding margin must be 40 %, when the margin is a minimum of 70 % at the receiving antenna”.

### 5.14.3 Netherlands

(Dutch Technical Regulations for CATV networks (Technische Voorschriften voor Centrale Antenne Inrichtingen, 3e uitgave), 21 December 1977, which are valid for CATV networks in accordance with Article 21 of the Dutch Telecommunications law (Stb. 1988, 520))

Add the requirement for “adjacent channel spacing” by  $\geq 400$  kHz.



IEC 60728-1

Edition 5.0 2014-05

# INTERNATIONAL STANDARD

---

**Cable networks for television signals, sound signals and interactive services –  
Part 1: System performance of forward paths**

**STANDARD PREVIEW**  
(standards.iteh.ai)

SIST EN 60728-1:2014  
<https://standards.iteh.ai/catalog/standards/sist/3547973e-a06f-402b-ab07-aaad8e54f272/sist-en-60728-1-2014>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XG**

---

ICS 33.060.40

ISBN 978-2-8322-1619-4

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	13
2 Normative references .....	13
3 Terms, definitions, symbols and abbreviations.....	15
3.1 Terms and definitions.....	15
3.2 Symbols.....	27
3.3 Abbreviations.....	29
4 Methods of measurement at system outlet.....	31
4.1 Performance limits .....	31
4.2 Mutual isolation between system outlets .....	33
4.2.1 Overview .....	33
4.2.2 Equipment required .....	33
4.2.3 Connection of the equipment .....	34
4.2.4 Measurement procedure .....	34
4.2.5 Presentation of the results .....	35
4.3 Amplitude response within a channel.....	35
4.3.1 Overview.....	35
4.3.2 Equipment required.....	35
4.3.3 Connection of the equipment .....	35
4.3.4 Measurement procedure.....	36
4.3.5 Presentation of the results.....	37
4.4 Chrominance-luminance gain and delay inequalities .....	38
4.4.1 Overview .....	38
4.4.2 Equipment required .....	39
4.4.3 Connection of the equipment .....	39
4.4.4 Measurement procedure .....	39
4.4.5 Presentation of the results .....	40
4.5 Non-linear distortion.....	41
4.5.1 General .....	41
4.5.2 Intermodulation.....	41
4.5.3 Composite beat .....	41
4.5.4 Composite crossmodulation .....	45
4.5.5 Intermodulation noise .....	46
4.5.6 Hum modulation of carriers.....	46
4.5.7 Differential gain and phase .....	51
4.6 Carrier-to-noise ratio.....	56
4.6.1 Overview .....	56
4.6.2 Equipment required .....	56
4.6.3 Connection of the equipment .....	56
4.6.4 Measurement set-up.....	57
4.6.5 Measurement procedure .....	57
4.6.6 Presentation of the results .....	58
4.7 Echoes .....	58
4.7.1 Overview .....	58
4.7.2 Equipment required .....	59

4.7.3	Connection of the equipment .....	59
4.7.4	Measurement procedure .....	59
4.7.5	Presentation of the results .....	60
4.8	AM-VSB television, FM radio and FM television signal level .....	60
4.8.1	General .....	60
4.8.2	Definitions for NTSC, PAL and SECAM systems .....	60
4.8.3	Equipment required .....	60
4.8.4	Measurement procedure .....	60
4.8.5	Presentation of the results .....	61
4.9	Data echo rating and data delay inequality .....	61
4.10	Interference in FM sound radio channels .....	61
4.11	Methods of measurement for digitally modulated signals .....	61
4.11.1	Overview .....	61
4.11.2	Basic assumptions and measurement interfaces .....	62
4.11.3	Signal level for digitally modulated signals .....	65
4.11.4	RF signal-to-noise ratio $S_{D,RF}/N$ for digitally modulated signals .....	66
4.11.5	Bit error ratio (BER) .....	68
4.11.6	BER versus $E_b/N_0$ or $C/N$ .....	69
4.11.7	Noise margin .....	73
4.11.8	Modulation error ratio (MER) .....	74
4.11.9	Phase jitter .....	76
4.11.10	Phase noise of an RF carrier .....	79
5	Performance requirements at system outlet .....	82
5.1	General .....	82
5.2	Impedance .....	82
5.3	Requirements at the terminal input .....	82
5.3.1	General .....	82
5.3.2	Signal level .....	83
5.3.3	Other parameters .....	83
5.4	Carrier levels at system outlets .....	83
5.4.1	Minimum and maximum carrier levels .....	83
5.4.2	Carrier level differences .....	85
5.5	Mutual isolation between system outlets .....	86
5.5.1	Isolation between two subscribers .....	86
5.5.2	Isolation between individual outlets in one household .....	86
5.5.3	Isolation between forward and return path .....	86
5.6	Frequency response within a television channel at any system outlet .....	87
5.6.1	Amplitude response .....	87
5.6.2	Group delay .....	87
5.7	Long-term frequency stability of distributed carrier signals at any system outlet .....	88
5.8	Random noise .....	89
5.9	Interference to television channels .....	91
5.9.1	Single-frequency interference .....	91
5.9.2	Single-channel intermodulation interference .....	92
5.9.3	Multiple frequency intermodulation interference .....	92
5.9.4	Intermodulation noise .....	92
5.9.5	Cross-modulation .....	93

ITOH STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 60728-1:2014

<https://standards.iteh.ai/catalog/standards/sist/3547973e-a06f-402b-ab07-aaad8e54272/sist-en-60728-1-2014>

5.10	Video baseband requirements.....	93
5.10.1	Differential gain and phase in any television channel.....	93
5.10.2	Echoes.....	93
5.11	Hum modulation of carriers in television channels.....	93
5.12	Requirements for data signal transmission.....	94
5.12.1	Data signals carried in the structure of a television signal.....	94
5.12.2	Data signals other than those carried within the structure of a television signal.....	94
5.13	Digitally modulated signals – Additional performance requirements.....	94
5.13.1	DVB (PSK, QAM, OFDM) performance.....	94
5.13.2	NICAM performance.....	96
5.13.3	DAB performance.....	96
5.14	FM sound radio – Additional performance requirements.....	97
5.14.1	Amplitude response within an FM channel.....	97
5.14.2	Phase response within an FM channel.....	97
5.14.3	Interference within an FM channel.....	97
5.14.4	AM hum modulation on FM sound carriers.....	97
5.14.5	Echoes within an FM channel.....	97
6	Performance requirements at receiving antennas.....	97
6.1	General.....	97
6.2	Method of measurement of field strength.....	98
6.2.1	Overview.....	98
6.2.2	Equipment required.....	98
6.2.3	Connection of the equipment.....	98
6.2.4	Measurement procedure.....	98
6.2.5	Presentation of the results.....	100
6.3	Requirements.....	100
6.3.1	General.....	100
6.3.2	Field strength requirements.....	100
6.3.3	Quality of received signals.....	102
6.3.4	Safety.....	106
6.3.5	Electromagnetic compatibility (EMC).....	107
6.4	Interference reduction.....	107
6.4.1	General.....	107
6.4.2	Active antennas.....	107
7	Performance requirements at home network interfaces of cable networks.....	107
7.1	General.....	107
7.2	Requirements at HNI1 for passive coaxial home networks.....	108
7.2.1	General.....	108
7.2.2	Carrier levels at the HNI1.....	109
7.2.3	Mutual isolation between two HNI1.....	112
7.2.4	Frequency response within any television channel at HNI1.....	112
7.2.5	Long-term frequency stability of distributed carrier signals at HNI1.....	113
7.2.6	Random noise at the HNI1.....	113
7.2.7	Interference to television channels at HNI1.....	113
7.2.8	Return path requirements at HNI1.....	114
7.3	Requirements at HNI2 for active coaxial home networks.....	114
7.3.1	General.....	114

7.3.2	Carrier levels at the HNI2 .....	114
7.3.3	Mutual isolation between two HNI2 .....	117
7.3.4	Frequency response within any television channel at HNI2 .....	117
7.3.5	Long-term frequency stability of distributed carrier signals at HNI2 .....	117
7.3.6	Random noise at HNI2 .....	118
7.3.7	Interference to television channels at the HNI2 .....	121
7.3.8	Return path requirements at HNI2 .....	122
7.4	Requirements at HNI3 and at system outlet or terminal input when the home network is mainly of balanced type .....	122
7.4.1	Overview .....	122
7.4.2	Requirements at HNI3 .....	122
7.4.3	Requirements at system output .....	123
7.4.4	Additional requirements at HNI3 for upstream transmission .....	123
7.5	Requirements at HNI3 (Case C) .....	124
7.6	Requirements at HNI3 (Case D) .....	124
Annex A (informative)	Reception of television signals .....	125
Annex B (normative)	Calibration of modulation depth .....	130
B.1	Equipment required .....	130
B.2	Connection of the equipment .....	130
B.3	Calibration procedure .....	130
Annex C (normative)	Equipment required – Additional items .....	131
C.1	Measuring receiver preamplifier .....	131
C.2	Measuring receiver input filter .....	131
Annex D (normative)	Preliminary checks on the measuring equipment for carrier-to-noise ratio .....	132
D.1	Noise .....	132
D.2	Intermodulation .....	132
D.3	Overload .....	132
Annex E (normative)	Correction factors .....	133
E.1	Level correction factor $C_m$ .....	133
E.2	Bandwidth correction factor $C_b$ .....	133
Annex F (normative)	Calibration of the measuring receiver .....	134
Annex G (normative)	Correction factors for noise .....	135
G.1	Signal level measurement .....	135
G.2	Noise level measurement .....	135
Annex H (normative)	Null packet and PRBS definitions .....	137
H.1	Null packet definition .....	137
H.2	PRBS definition .....	138
Annex I (normative)	Digital signal level and bandwidth .....	139
I.1	RF/IF power (carrier) .....	139
I.2	Bandwidth of a digital signal .....	139
I.2.1	Occupied bandwidth .....	139
I.2.2	Noise bandwidth .....	140
I.2.3	Equivalent signal bandwidth .....	140
I.3	Examples .....	141
Annex J (normative)	Correction factor for a spectrum analyser .....	142
Annex K (informative)	Differences in some countries .....	143