

### SLOVENSKI STANDARD SIST EN IEC 62677-2:2018

01-maj-2018

Toplotno skrčljive nizko- in srednjenapetostne ulite forme - 2. del: Metode preskušanja (IEC 62677-2:2017)

Heat shrinkable low and medium voltage moulded shapes - Part 2 Methods of test (IEC 62677-2:2017)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten SIST EN IEC 62677-2:2018 intps://standards.itei.av.catalog/st

44f68b55006c/sist-en-iec-62677-2-2018

ICS:

29.035.01 Izolacijski materiali na

splošno

Insulating materials in

general

SIST EN IEC 62677-2:2018

en

**SIST EN IEC 62677-2:2018** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62677-2:2018

https://standards.iteh.ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814-44f68b55006c/sist-en-iec-62677-2-2018

EUROPEAN STANDARD NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

**EN IEC 62677-2** 

February 2018

ICS 29.035.01; 29.035.20

### **English Version**

# Heat shrinkable low and medium voltage moulded shapes - Part 2 Methods of test (IEC 62677-2:2017)

Profilés thermorétractables basse et moyenne tensions -Partie 2: Méthodes d'essai (IEC 62677-2:2017)

en SIA

Wärmeschrumpfende Nieder- und Mittelspannungsformteile
- Teil 2: Prüfverfahren
(IEC 62677-2:2017)

This European Standard was approved by CENELEC on 2017-11-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### EN IEC 62677-2:2018 (E)

### **European foreword**

The text of document 15/807/FDIS, future edition 1 of IEC 62677-2, prepared by IEC/TC 15 "Solid electrical insulating materials", was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62677-2:2018.

The following dates are fixed:

- 2018-08-15 latest date by which the document has to be implemented at (dop) national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-11-15 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### iTeh STANDARD PKE

(standards.iteh.ai)
The text of the International Standard IEC 62677-2:2017 was approved by CENELEC as a European Standard without any modification. SIST EN IEC 62677-2:2018

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62677-1 NOTE Harmonized as EN IEC 62677-1.

### Annex ZA

(normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

| Publication<br>IEC 60212 | <u>Year</u><br>2010 | <u>Title</u> Standard conditions for use prior to andEN 60212 during the testing of solid electrical insulating materials  | <u>Year</u><br>2011 |
|--------------------------|---------------------|--|---------------------|
| IEC 60216-4-1            | 2006                | Electrical insulating materials - ThermalEN 60216-4-1 endurance properties Part 4-1: Ageing  | 2006                |
| IEC 60216-4-2            | 2000                | ovens - Single-chamber ovens Electrical insulating materials - ThermalEN 60216-4-2 endurance properties Part 4-2: Ageing ovens - Precision ovens for use up to 300 °C  | 2000                |
| IEC 60243-1              | 2013<br>https://sta | Electric strength of insulating materials -EN 60243-1 and test imethods of talk and the state of | 2013                |
| IEC 60250                | 1969                | frequencies 006c/sist-en-iec-62677-2-2018 Recommended methods for the- determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths  | -                   |
| IEC 60587                | 2007                | Electrical insulating materials used underEN 60587 severe ambient conditions - Test methods for evaluating resistance to tracking and erosion  | 2007                |
| IEC 60695-11-2           | 2013                | Fire hazard testing Part 11-2: TestEN 60695-11-2 flames - 1 kW nominal premixed flame: Apparatus, confirmatory test arrangement and guidance   | 2014                |
| IEC 60695-11-10          | 2013                | Fire hazard testing Part 11-10: TestEN 60695-11-10 flames - 50 W horizontal and vertical flame test methods  | 2013                |
| IEC 62631-3-1            | 2016                | Dielectric and resistive properties of solidEN 62631-3-1 insulating materials - Part 3-1 Determination of resistive properties (DC methods) - Volume resistance and volume resistivity, general method   | 2016                |
| IEC 62677-3              | series              | Heat-shrinkable low and medium voltage-<br>moulded shapes - Part 3: Specification for<br>individual materials  | series              |
| ISO 62                   | 2008                | Plastics - Determination of waterEN ISO 62 absorption  | 2008                |

### **SIST EN IEC 62677-2:2018**

### EN IEC 62677-2:2018 (E)

| ISO 846     | 1997 | Plastics - Evaluation of the action of EN ISO 846 microorganisms  | 1997 |
|-------------|------|---|------|
| ISO 4892-3  | 2016 | Plastics - Methods of exposure toEN ISO 4892-3 laboratory light sources - Part 3: Fluorescent UV lamps  | 2016 |
| ISO 11357-3 | 2011 | Plastics - Differential scanning calorimetryEN ISO 11357-3 (DSC) - Part 3: Determination of temperature and enthalpy of melting and crystallization | 2013 |
| ISO 11358-1 | 2014 | Plastics - Thermogravimetry (TG) of EN ISO 11358-1 polymers - Part 1: General principles  | 2014 |

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62677-2:2018

https://standards.iteh.ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814-44f68b55006c/sist-en-iec-62677-2-2018



IEC 62677-2

Edition 1.0 2017-10

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Heat shrinkable low and medium voltage moulded shapes Part 2: Methods of test (standards.iteh.ai)

Profilés thermorétractables basse et moyenne tensions –
Partie 2: Méthodes/daessaiteh.ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814-44f68b55006c/sist-en-iec-62677-2-2018

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.035.20; 29.035.01 ISBN 978-2-8322-4869-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

| FOF | REWO      | RD  | 5  |
|-----|-----------|---|----|
| INT | RODU      | ICTION  | 7  |
| 1   | Scop      | e   | 8  |
| 2   | Norm      | native references   | 8  |
| 3   | Term      | s and definitions   | 9  |
| 4   | Test      | conditions  | 9  |
| 5   |           | dard test specimens   |    |
| 6   |           | nsions  |    |
| •   | 56<br>6.1 | Number of test specimens  |    |
| _   | 5.2       | Procedure   |    |
| _   | 6.3       | Result  |    |
| 7   |           | shock   |    |
| 7   | 7.1       | Number of test specimens  |    |
|     | 7.2       | Form of test specimens  |    |
| 7   | 7.3       | Procedure   |    |
| 7   | 7.4       | Report  | 10 |
| 7   | 7.5       | Result  | 10 |
| 8   | Bend      | ing at low temperature .T.A.N.D.A.R.DP.R.F.V.I.F.W  | 10 |
| 8   | 3.1       |   |    |
| 8   | 3.2       | Number and form of test specimens (Standards.iteh.ai)  Procedure  | 10 |
| 8   | 3.3       | Result  | 10 |
| 9   | Dime      | Result SIST EN IEC 62677-2:2018 ensional stability on storage catalog/standards/sist/d87c8d4c-0ecc-42d2-b814- | 10 |
| 9   | 9.1       | Number of test specimens 55006c/sist-en-iec-62677-2-2018.   | 10 |
| 9   | 9.2       | Procedure   | 11 |
| 9   | 9.3       | Result  | 11 |
| 10  | Tens      | ile strength and elongation at break  | 11 |
| 1   | 10.1      | Number and form of test specimens   | 11 |
| 1   | 10.2      | Conditioning  | 12 |
| 1   | 10.3      | Test temperature  | 12 |
| 1   | 10.4      | Procedure   |    |
| 1   | 10.5      | Calculations  |    |
|     | 10.6      | Report  |    |
|     | 10.7      | Result  |    |
|     |           | nt modulus at 2 % elongation  |    |
|     | 11.1      | Number and form of test specimens   |    |
| -   | 11.2      | Procedure   |    |
|     | 11.3      | Calculation   |    |
|     | 11.4      | Report  |    |
|     | 11.5      | Result  |    |
|     |           | ric strength  |    |
|     | 12.1      | Number and form of test specimens   |    |
|     | 12.2      | Conditioning  |    |
|     | 12.3      | Electrodes  |    |
|     | 12.4      | Procedure   |    |
| 1   | 12.5      | Report  | 14 |

| 12.6   | Result   | 14 |
|--------|--|----|
| 13 Vol | ume resistivity  | 14 |
| 13.1   | Number and form of test specimens  | 14 |
| 13.2   | Electrodes   |    |
| 13.3   | Procedure  |    |
| 13.4   | Report   |    |
| 13.5   | Result   |    |
|        | mittivity and dissipation factor   |    |
| 14.1   | Number and form of test specimens  |    |
| 14.1   | Electrodes   |    |
| 14.3   | Procedure  |    |
| 14.4   | Calculation  |    |
| 14.5   | Result   |    |
|        | istance to tracking  |    |
|        | · · · · · · · · · · · · · · · · · · ·  |    |
| 15.1   | Procedure  |    |
| 15.2   | Report   |    |
| 15.3   | Result   |    |
| 16 Fla | mmability  |    |
| 16.1   | Method A   |    |
| 16.    | 1.1 Number and form of test specimens  | 15 |
| 16.    | 1.2 Procedure  | 15 |
| 16.    |  |    |
| 16.2   | Method B   |    |
| 16.    |  | 15 |
| 16.    | 2.2 Applatras ústandards. iteh. ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814- | 15 |
| 16.    | 2.3 Procedure  | 15 |
| 16.    | 2.4 Result   | 16 |
| 17 Cai | bon black content  | 16 |
| 17.1   | Number and form of test specimens  | 16 |
| 17.2   | Procedure  | 16 |
| 17.3   | Report   | 16 |
| 17.4   | Result   | 17 |
| 18 Res | istance to selected fluids   | 17 |
| 18.1   | Principle  | 17 |
| 18.2   | Choice of fluid  |    |
| 18.3   | Methods of assessment  |    |
| 18.4   | Number and form of test specimens  |    |
| 18.5   | Procedure  |    |
| 18.6   | Result   |    |
|        | g term heat ageing (3 000 h)   |    |
| 19.1   | Number and form of test specimens  |    |
|        | Procedure  |    |
| 19.2   |  |    |
| 19.3   | Report   |    |
| 19.4   | Result   |    |
|        | it ageing  |    |
| 20.1   | Number and form of test specimens  |    |
| 20.2   | Procedure  |    |
| 21 Wa  | er absorption  | 18 |

### - 4 - IEC 62677-2:2017 © IEC 2017

| 21.1       | Procedure   | 18 |
|------------|---|----|
| 21.2       | Report  | 18 |
| 21.3       | Result  |    |
| 22 Resis   | stance to mould growth  | 19 |
| 22.1       | Test in accordance with ISO 846   | 19 |
| 22.2       | Report  | 19 |
| 22.3       | Result  | 19 |
| 23 Peel    | adhesion  | 19 |
| 23.1       | Principle   | 19 |
| 23.2       | Apparatus   | 19 |
| 23.3       | Form and number of test specimens   | 19 |
| 23.4       | Procedure   | 19 |
| 23.5       | Calculation   | 20 |
| 23.6       | Report  |    |
| 23.7       | Result  |    |
| 24 Copp    | per corrosion (presence of corrosive volatiles)                                 | 20 |
| 24.1       | Principle   | 20 |
| 24.2       | Apparatus   | 20 |
| 24.3       | Number and form of test specimens   |    |
| 24.4       | Procedure 1Teh STANDARD PREVIEW   | 21 |
| 24.5       | Report THE STANDARD TREVY   | 21 |
| 24.6       | Result(standards.iteh.ai) gen content   | 21 |
| 25 Halo    |   |    |
| 25.1       | Method for the determination of low levels of chlorine and/or bromine and/or    |    |
|            | iodine https://standards.iteh.ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814 |    |
| 25.1.      | •   |    |
| 25.1.      | •   |    |
| 25.1.      |   |    |
| 25.2       | Determination of low levels of fluorine   |    |
| 25.2.      | '   |    |
| 25.2.      | •   |    |
| 25.2.      | 3   |    |
| 25.2.      |   |    |
| 25.3       | Resultsive temperature resistance   |    |
|            | ·   |    |
| 26.1       | Number and form of test specimens   |    |
| 26.2       | Procedure   |    |
| 26.3       | ReportResult  |    |
| 26.4       | stance to weathering  |    |
|            | -   |    |
| 27.1       | Number and form of test specimens   |    |
| 27.2       | Procedure   |    |
| 27.3       | Report  |    |
| Dibliograp | bhy   | 25 |
| Figure 1 - | - Dumb-bell specimen for tensile strength test                                  | 11 |
| -          | - Test arrangement for flammability to Clause 16 method B                       |    |
| _          |   |    |
| rigure 3 - | - Test arrangement for heat shrink moulded shape on metal tube or cable         | ∠0 |

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### HEAT SHRINKABLE LOW AND MEDIUM VOLTAGE MOULDED SHAPES –

#### Part 2: Methods of test

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- misinterpretation by any end user. (standards.iteh.ai)

  4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

  https://standards.iteh.ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814-
- 5) IEC itself does not provide any attestation of conformity: Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62677-2 has been prepared by committee TC15: Solid electrical insulating materials.

The text of this standard is based on the following documents:

| FDIS        | Report on voting |
|-------------|------------------|
| 15/807/FDIS | 15/811/RVD       |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62677 series, published under the general title *Heat shrinkable low and medium voltage moulded shapes*, can be found on the IEC website.

IEC 62677-2:2017 © IEC 2017

- 6 **-**

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62677-2:2018

https://standards.iteh.ai/catalog/standards/sist/d87c8d4c-0ecc-42d2-b814-44f68b55006c/sist-en-iec-62677-2-2018