

**SLOVENSKI STANDARD****SIST EN 60947-2:2017****01-december-2017****Nadomešča:****SIST EN 60947-2:2006****SIST EN 60947-2:2006/A1:2009****SIST EN 60947-2:2006/A2:2013****Nizkonapetostne stikalne naprave - 2. del: Odklopniki (IEC 60947-2:2016)**

Low-voltage switchgear and controlgear - Part 2: Circuit-breakers (IEC 60947-2:2016)

**iTeh STANDARD PREVIEW**

Niederspannungsschaltgeräte - Teil 2: Leistungsschalter (IEC 60947-2:2016)

**(standards.iteh.ai)**

Appareillage à basse tension - Partie 2: Disjoncteurs (IEC 60947-2:2016)

<https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-bb60d62f66aa/sist-en-60947-2-2017>**Ta slovenski standard je istoveten z: EN 60947-2:2017****ICS:**29.130.20 Nizkonapetostne stikalne in Low voltage switchgear and  
krmilne naprave controlgear**SIST EN 60947-2:2017****en**

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 60947-2:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-bb60d62f66aa/sist-en-60947-2-2017>

**EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM**

**EN 60947-2**

October 2017

ICS 29.130.20

Supersedes EN 60947-2:2006

English Version

**Low-voltage switchgear and controlgear -  
Part 2: Circuit-breakers  
(IEC 60947-2:2016 + COR1:2016)**

Appareillage à basse tension - Partie 2: Disjoncteurs  
(IEC 60947-2:2016 + COR1:2016)

Niederspannungsschaltgeräte - Teil 2: Leistungsschalter  
(IEC 60947-2:2016 + COR1:2016)

This European Standard was approved by CENELEC on 2016-07-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.  
**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom. [bb60d62f66aa/sist-en-60947-2-2017](#)



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European foreword

The text of document 121A/71/FDIS, future edition 5 of IEC 60947-2, prepared by SC 121A "Low-voltage switchgear and controlgear" of IEC/TC 121 "Switchgear and controlgear and their assemblies for low voltage" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60947-2:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-04-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-10-13

This document supersedes EN 60947-2:2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directives.

For the relationship with EU Directives and the standardization requests see informative Annex ZZA and Annex ZZB, which are integral parts of this document.

## THE STANDARD PREVIEW (standards.iteh.ai)

### Endorsement notice

SIST EN 60947-2:2017

The text of the International Standard IEC 60947-2:2016 + COR1:2016 was approved by CENELEC as a European Standard without any modification.  
<http://standards.iteh.ai/doc/en/60947-2:2017>

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60051 Series	NOTE	Harmonized as EN 60051 Series.
IEC 60112	NOTE	Harmonized as EN 60112.
IEC 60898 Series	NOTE	Harmonized as EN 60898 Series.
IEC 60934	NOTE	Harmonized as EN 60934.
IEC 60947-3	NOTE	Harmonized as EN 60947-3.
IEC 60947-5-1	NOTE	Harmonized as EN 60947-5-1.
IEC 61000-4-13	NOTE	Harmonized as EN 61000-4-13.
IEC 61008-1:2010	NOTE	Harmonized as EN 61008-1:2012 (modified).
IEC 61008-1:2010/A1:2012	NOTE	Harmonized as EN 61008-1:2012/A1:2014 (modified).
IEC 61008-1:2010/A2:2013	NOTE	Harmonized as EN 61008-1:2012/A2:2014 (modified).
IEC 61009-1:2010	NOTE	Harmonized as EN 61009-1:2012 (modified).
IEC 61009-1:2010/A1:2012	NOTE	Harmonized as EN 61009-1:2012/A1:2014 (modified).
IEC 61009-1:2010/A2:2013	NOTE	Harmonized as EN 61009-1:2012/A2:2014 (modified).
IEC 61131-1:2003	NOTE	Harmonized as EN 61131-1:2003 (not modified).
IEC 61439 Series	NOTE	Harmonized as EN 61439 Series.

## Annex ZA (normative)

### **Normative references to international publications with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	2009
IEC 60068-2-30	-	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60269-1	2006	Low-voltage fuses - Part 1: General requirements	EN 60269-1	2007
IEC 60364	Series	Low-voltage electrical installations	HD 60364	Series
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60947-1	2007	Low-voltage switchgear and controlgear - Part 1: General rules	EN 60947-1	2007
+A1	2010		+A1	2011
+A2	2014		+A2	2014
IEC 60947-4-1	-	Low-voltage switchgear and controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor- starters	EN 60947-4-1	2010
IEC 61000-3-2	-	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current $\leq 16 \text{ A}$ per phase)	EN 61000-3-2	2014
IEC 61000-3-3	-	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16 \text{ A}$ per phase and not subject to conditional connection	EN 61000-3-3	2013
IEC 61000-4-2	-	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009

**EN 60947-2:2017**

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
+A1	2007		+A1	2008
+A2	2010		+A2	2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2014
IEC 61000-4-11	-	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004
IEC 61140	-	Protection against electric shock - Common aspects for installation and equipment <a href="#">SIST EN 60947-2:2017</a>	EN 61140	2016
IEC 62475	2010	<a href="https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-09010b2100aa/sist-en-60947-2-2017">https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-09010b2100aa/sist-en-60947-2-2017</a> High-current test techniques - Definitions and requirements for test currents and measuring systems	EN 62475	2010
CISPR 11	-	Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement	EN 55011	2016
CISPR 22	-	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	EN 55022 + AC	2010 <sup>1)</sup> 2011 <sup>1)</sup>

**iTech STANDARD PREVIEW**  
**(standards.iteh.ai)**

<sup>1)</sup> Superseded by EN 50561-1:2013.

## Annex ZZA

(informative)

### **Relationship between this European standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered and the standardisation request M/552**

This European standard has been prepared under the European Commission standardisation request C(2016) 7641 final of 30.11.2016<sup>1</sup>, ('M/552'), as regards harmonised standards in support of Directive 2014/30/EU relating to electromagnetic compatibility, to provide one voluntary means of conforming to essential requirements of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

**Table ZZA.1 – Correspondence between this European standard and the Essential Requirements set out in Directive 2014/30/EU [2014 OJ L96]**

Essential requirements of Directive 2014/30/EU	Clause(s) / sub-clause(s) of this EN <i>(standard.iteh.ai)</i>	Remarks / Notes
Annex I. 1(a) (electromagnetic disturbances) <a href="https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-ea0-44a9-a157-bb60d62f66aa/sist-en-60947-2-2017">https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-ea0-44a9-a157-bb60d62f66aa/sist-en-60947-2-2017</a>	7.3, B.7.3, B.8.12.2, F.5, J.1, J.3, M.7.2.12, M.8.16.2, N.3, P.7.3 and no others.	
Annex I. 1(b) (electromagnetic immunity)	7.3, B.7.3, B.8.12.1, F.2.2, F.3, F.4, J.1, J.2, M.7.2.12, M.8.16.1, N.1, N.2, P.7.3 and no others.	Full coverage of requirements for conducted and radiated disturbances in the range 150 kHz to 2,7 GHz

**WARNING 1:** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2:** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

---

<sup>1</sup> COMMISSION IMPLEMENTING DECISION C(2016) 7641 final of 30.11.2016 on a standardisation request to the European Committee for Standardisation, to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards harmonised standards in support of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility.

**Annex ZZB**  
(informative)

**Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered**

This European Standard has been prepared under a Commission's standardization request relating to harmonized standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZB.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

**Table ZZB.1 – Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]**

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/note
1 a)	Foreword, 1.1, 4, 5, B.5, H.5, L.5, M.5, O.5, P.5, R.5	iTeh STANDARD REVIEW (standards.iteh.ai)
1 b)	5, L.5, M.5, O.4, P.5	
1 c)	5.3 <a href="https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-ea044a9_a157_">https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-ea044a9_a157_</a>	
2 a)	5.2, 5.3, 7.1.3, 7.1.4, 7.2.3, 7.3, 8.3, 8.4	
2 b)	7.2.2, 7.3, 8.3.2, F.1, J.3	
2 c)	5.3, 7.1, 7.1.2, 7.1.3, 7.1.5, 7.2.1, 7.3, 8.3.3 to 8.3.6, 8.4, 8.5, F.1, J.2, J.3	
2 d)	5.2, 7.1.3, 7.1.4, 7.2.3, 8.3.2, F.2.2	
3 a)	5.3, 7.1.2, 7.1.5, 7.2.1, 8.3.3 to 8.3.6, 8.4, 8.5	
3 b)	7.3, F.1, J.3	
3 c)	1.1, 7.2, 8.3	

**WARNING 1 —** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2 —** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.



# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Low-voltage switchgear and controlgear – STANDARD PREVIEW**  
**Part 2: Circuit-breakers (standards.iteh.ai)**

**Appareillage à basse tension – SIST EN 60947-2:2017**  
**Partie 2: Disjoncteurs** [standards.iteh.ai](http://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-bb60d62f66aa/sist-en-60947-2-2017)

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.130.20

ISBN 978-2-8322-3355-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	14
1 General .....	16
1.1 Scope and object .....	16
1.2 Normative references .....	17
2 Terms and definitions.....	18
3 Classification .....	22
4 Characteristics of circuit-breakers .....	23
4.1 Summary of characteristics .....	23
4.2 Type of circuit-breaker .....	23
4.3 Rated and limiting values of the main circuit .....	23
4.3.1 General.....	23
4.3.2 Rated voltages .....	23
4.3.3 Currents.....	24
4.3.4 Rated frequency.....	24
4.3.5 Rated duty .....	24
4.3.6 Short-circuit characteristics .....	24
4.4 Selectivity categories.....	27
4.5 Control circuits .....	27
4.5.1 Electrical control circuits .....	27
4.5.2 Air-supply control circuits (pneumatic or electro-pneumatic).....	27
4.6 Auxiliary circuits .....	27
4.7 Releases.....	28
<a href="https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-1bb00d6216aa/sist-en-60947-2-2017">https://standards.iteh.ai/catalog/standards/sist/fa68e1d1-eac0-44a9-a157-1bb00d6216aa/sist-en-60947-2-2017</a>	
4.7.1 Types .....	28
4.7.2 Characteristics .....	28
4.7.3 Current setting of over-current releases.....	28
4.7.4 Tripping time setting of over-current releases .....	29
4.8 Integral fuses (integrally fused circuit-breakers).....	29
5 Product information.....	29
5.1 Nature of the information.....	29
5.2 Marking.....	29
5.3 Instructions for installation, operation and maintenance .....	31
6 Normal service, mounting and transport conditions .....	31
7 Constructional and performance requirements.....	31
7.1 Constructional requirements .....	31
7.1.1 General.....	31
7.1.2 Withdrawable circuit-breakers .....	31
7.1.3 Additional requirements for circuit-breakers suitable for isolation .....	32
7.1.4 Clearances and creepage distances .....	32
7.1.5 Requirements for the safety of the operator .....	32
7.1.6 List of construction breaks.....	32
7.1.7 Additional requirements for circuit-breakers provided with a neutral pole.....	33
7.1.8 Digital inputs and outputs for use with programmable logic controllers (PLCs) .....	33
7.2 Performance requirements .....	33
7.2.1 Operating conditions .....	33
7.2.2 Temperature-rise .....	36

7.2.3	Dielectric properties .....	37
7.2.4	Ability to make and break under no load, normal load and overload conditions .....	37
7.2.5	Ability to make and break under short-circuit conditions .....	38
7.2.6	Vacant .....	38
7.2.7	Additional requirements for circuit-breakers suitable for isolation .....	38
7.2.8	Specific requirements for integrally fused circuit-breakers.....	39
7.2.9	Co-ordination between a circuit-breaker and another short-circuit protective device .....	39
7.3	Electromagnetic compatibility (EMC) .....	39
8	Tests .....	39
8.1	Kind of tests .....	39
8.1.1	General.....	39
8.1.2	Type tests .....	39
8.1.3	Routine tests.....	40
8.2	Compliance with constructional requirements .....	40
8.3	Type tests .....	40
8.3.1	Test sequences.....	40
8.3.2	General test conditions.....	48
8.3.3	Test sequence I: General performance characteristics.....	56
8.3.4	Test sequence II: Rated service short-circuit breaking capacity.....	65
8.3.5	Test sequence III: Rated ultimate short-circuit breaking capacity .....	66
8.3.6	Test sequence IV: Rated short-time withstand current .....	68
8.3.7	Test sequence V: Performance of integrally fused circuit-breakers.....	69
8.3.8	Test sequence VI: combined test sequence .....	71
8.3.9	Critical d.c. load current test..... <a href="http://standardsitchai.iectk.org/standards/sist/fa68e1d1-eac0-44a9-a157-bb60d62f66aa/sist-en-60947-2-2017">bb60d62f66aa/sist-en-60947-2-2017</a>	72
8.4	Routine tests .....	73
8.4.1	General.....	73
8.4.2	Mechanical operation tests .....	74
8.4.3	Verification of the calibration of overcurrent releases .....	74
8.4.4	Verification of the operation of undervoltage and shunt releases .....	75
8.4.5	Additional tests for CBRs .....	75
8.4.6	Dielectric tests .....	75
8.4.7	Test for the verification of clearances less than those corresponding to case A of Table 13 of IEC 60947-1:2007 .....	76
8.5	Special tests – Damp heat, salt mist, vibration and shock .....	76
Annex A (normative)	Co-ordination between a circuit-breaker and another short-circuit protective device associated in the same circuit.....	79
A.1	General.....	79
A.2	Scope and object .....	79
A.3	General requirements for the co-ordination of a circuit-breaker with another SCPD.....	80
A.3.1	General considerations .....	80
A.3.2	Take-over current.....	80
A.3.3	Behaviour of C <sub>1</sub> in association with another SCPD .....	80
A.4	Type and characteristics of the associated SCPD .....	80
A.5	Verification of selectivity.....	81
A.5.1	General.....	81
A.5.2	Consideration of selectivity by desk study .....	81
A.5.3	Selectivity determined by test .....	82

A.6	Verification of back-up protection .....	83
A.6.1	Determination of the take-over current.....	83
A.6.2	Verification of back-up protection .....	83
A.6.3	Tests for verification of back-up protection .....	83
A.6.4	Results to be obtained.....	84
Annex B (normative)	Circuit-breakers incorporating residual current protection .....	90
B.1	General.....	90
B.1.1	Preamble .....	90
B.1.2	Scope and object .....	90
B.2	Terms and definitions .....	91
B.2.1	Terms and definitions relating to currents flowing from live parts to earth .....	91
B.2.2	Terms and definitions relating to the energization of a CBR .....	91
B.2.3	Terms and definitions relating to the operation and the functions of a CBR.....	92
B.2.4	Terms and definitions relating to values and ranges of energizing quantities .....	93
B.3	Classification .....	94
B.3.1	Classification according to the method of operation of the residual current function .....	94
B.3.2	Classification according to the possibility of adjusting the residual operating current .....	94
B.3.3	Classification according to time-delay of the residual current function .....	94
B.3.4	Classification according to behaviour in presence of a d.c. component.....	94
B.4	Characteristics of CBRs concerning their residual current function .....	94
B.4.1	Rated values.....	94
B.4.2	Preferred and limiting values .....	95
B.4.3	Value of the rated residual short-circuit making and breaking capacity ( $I_{\Delta m}$ ) .....	96
B.4.4	Operating characteristics in case of an earth fault current in the presence or absence of a d.c. component .....	96
B.5	Marking.....	96
B.6	Normal service, mounting and transport conditions .....	97
B.7	Design and operating requirements .....	98
B.7.1	Design requirements .....	98
B.7.2	Operating requirements.....	98
B.7.3	Electromagnetic compatibility .....	100
B.8	Tests .....	100
B.8.1	General.....	100
B.8.2	Verification of the operating characteristic .....	103
B.8.3	Verification of dielectric properties.....	104
B.8.4	Verification of the operation of the test device at the limits of rated voltage.....	105
B.8.5	Verification of the limiting value of the non-operating current under over-current conditions.....	105
B.8.6	Verification of the resistance against unwanted tripping due to surge currents resulting from impulse voltages .....	106
B.8.7	Verification of the behaviour of CBRs of type A in the case of an earth fault current comprising a d.c. component .....	107
B.8.8	Verification of the behaviour of CBRs functionally dependent on line voltage classified under B.3.1.2.1 .....	108

B.8.9	Verification of the behaviour of CBRs functionally dependent on line voltage as classified under B.3.1.2.2 in the case of failure of line voltage.....	109
B.8.10	Verification of the residual short-circuit making and breaking capacity .....	110
B.8.11	Verification of the effects of environmental conditions.....	111
B.8.12	Verification of electromagnetic compatibility .....	111
B.8.13	Test for variations or interruptions of voltage and for voltage dips .....	113
Annex C (normative)	Individual pole short-circuit test sequence .....	120
C.1	General.....	120
C.2	Test of individual pole short-circuit breaking capacity.....	120
C.3	Verification of dielectric withstand.....	120
C.4	Verification of overload releases .....	120
Annex D Vacant .....		121
Annex E (informative)	Items subject to agreement between manufacturer and user.....	122
Annex F (normative)	Additional tests for circuit-breakers with electronic over-current protection.....	123
F.1	General.....	123
F.2	List of tests .....	123
F.2.1	General.....	123
F.2.2	Electromagnetic compatibility (EMC) tests .....	123
F.2.3	Suitability for multiple frequencies .....	124
F.2.4	Dry heat test .....	124
F.2.5	Damp heat test.....	124
F.2.6	Temperature variation cycles at a specified rate of change .....	124
F.3	General test conditions.....	124
F.3.1	General.....	124
F.3.2	Electromagnetic compatibility tests.....	124
F.4	Immunity tests .....	125
F.4.1	Harmonic currents.....	125
F.4.2	Electrostatic discharges .....	126
F.4.3	Radiated RF electromagnetic fields .....	126
F.4.4	Electrical fast transient/burst (EFT/B) .....	126
F.4.5	Surges .....	127
F.4.6	Conducted disturbances induced by RF fields (common mode).....	127
F.4.7	Current dips .....	127
F.5	Emission tests .....	128
F.5.1	Harmonics .....	128
F.5.2	Voltage fluctuations .....	128
F.5.3	Conducted RF disturbances (150 kHz to 30 MHz) .....	128
F.5.4	Radiated RF disturbances (30 MHz to 1 GHz) .....	128
F.6	Suitability for multiple frequencies .....	129
F.6.1	General.....	129
F.6.2	Test conditions.....	129
F.6.3	Test procedure .....	129
F.6.4	Test results .....	129
F.7	Dry heat test .....	129
F.7.1	Test procedure .....	129
F.7.2	Test results .....	130
F.7.3	Verification of overload releases .....	130
F.8	Damp heat test.....	130

F.8.1	Test procedure.....	130
F.8.2	Verification of overload releases.....	130
F.9	Temperature variation cycles at a specified rate of change .....	130
F.9.1	Test conditions.....	130
F.9.2	Test procedure.....	130
F.9.3	Test results.....	131
F.9.4	Verification of overload releases.....	131
Annex G (normative)	Power loss .....	144
G.1	General.....	144
G.2	Test methods .....	144
G.2.1	General case .....	144
G.2.2	AC circuit-breakers of rated current not exceeding 400 A.....	144
G.2.3	DC circuit-breakers .....	145
G.3	Test procedure.....	145
Annex H (normative)	Test sequence for circuit-breakers for IT systems .....	147
H.1	General.....	147
H.2	Individual pole short-circuit.....	147
H.3	Verification of dielectric withstand.....	148
H.4	Verification of overload releases.....	148
H.5	Marking.....	148
Annex J (normative)	<b>iTab STANDARD PREVIEW</b> <b>(standards.iteh.ai)</b>	
J.1	General.....	149
J.2	Immunity .....	150
J.2.1	General..... <a href="https://standards.iteh.ai/catalog/standards/sist/60947-2-2017-eac0-44a9-a157">https://standards.iteh.ai/catalog/standards/sist/60947-2-2017-eac0-44a9-a157</a>	150
J.2.2	Electrostatic discharges..... <a href="https://standards.iteh.ai/catalog/standards/sist/60947-2-2017-eac0-44a9-a157">https://standards.iteh.ai/catalog/standards/sist/60947-2-2017-eac0-44a9-a157</a>	152
J.2.3	Radiated RF electromagnetic fields .....	153
J.2.4	Electrical fast transients/bursts (EFT/B).....	153
J.2.5	Surges .....	153
J.2.6	Conducted disturbances induced by RF fields (common mode).....	154
J.3	Emission .....	154
J.3.1	General.....	154
J.3.2	Conducted RF disturbances (150 kHz to 30 MHz) .....	155
J.3.3	Radiated RF disturbances (30 MHz to 1 000 MHz) .....	155
Annex K (informative)	Glossary of symbols and graphical representation of characteristics.....	160
Annex L (normative)	Circuit-breakers not fulfilling the requirements for overcurrent protection.....	169
L.1	General.....	169
L.2	Terms and definitions .....	169
L.3	Classification .....	169
L.4	Rated values .....	169
L.4.1	Rated current ( $I_n$ ).....	169
L.4.2	Rated conditional short-circuit current ( $I_{cc}$ ).....	170
L.5	Product information .....	170
L.6	Constructional and performance requirements .....	170
L.7	Tests .....	170
L.7.1	General.....	170
L.7.2	Rated conditional short-circuit tests .....	171

Annex M (normative) Modular residual current devices (without integral current breaking device).....	174
M.1 General.....	174
M.1.1 Field of application .....	174
M.1.2 Field of application .....	174
M.2 Terms and definitions .....	174
M.2.1 Terms and definitions relating to the energization of an MRCD .....	174
M.2.2 Terms and definitions relating to the operation and the functions of an MRCD.....	175
M.3 Classification .....	175
M.3.1 Classification according to the configuration of the primary conductors .....	175
M.3.2 Classification according to the method of operation .....	176
M.3.3 Classification according to the possibility of adjusting the residual operating current.....	176
M.3.4 Classification according to time-delay of the residual current function .....	176
M.3.5 Classification according to behaviour in presence of a d.c. component.....	176
M.4 Characteristics of MRCDs .....	176
M.4.1 General characteristics .....	176
M.4.2 Characteristics of MRCDs concerning their residual current function .....	177
M.4.3 Behaviour under short-circuit conditions .....	178
M.4.4 Preferred and limiting values .....	178
M.5 Product information .....	179
M.6 Normal service, mounting and transport conditions .....	181
M.7 Design and operating requirements .....	181
M.7.1 Design requirements . <a href="#">SIST EN 60947-2-2017</a> .....	181
M.7.2 <a href="#">Operating requirements</a> <a href="http://log/standards/sist/fa68e1d1_eac0-44a9-a157_bb60d62f66aa/sist-en-60947-2-2017">log/standards/sist/fa68e1d1_eac0-44a9-a157_bb60d62f66aa/sist-en-60947-2-2017</a> .....	181
M.8 Tests .....	183
M.8.1 General.....	183
M.8.2 Compliance with constructional requirements .....	184
M.8.3 Verification of the operating characteristics .....	185
M.8.4 Verification of dielectric properties.....	187
M.8.5 Verification of the operation of the test device at the limits of the rated voltage.....	187
M.8.6 Verification of the limiting value of non-operating current under overcurrent conditions, in case of a single phase load .....	188
M.8.7 Resistance against unwanted tripping due to surge currents resulting from impulse voltages .....	188
M.8.8 Verification of the behaviour in case of an earth fault current comprising a d.c. component .....	188
M.8.9 Verification of the behaviour of MRCDs with separate sensing means in case of a failure of the sensing means connection .....	191
M.8.10 Verification of temperature-rise of terminal type MRCDs .....	191
M.8.11 Verification of mechanical and electrical endurance .....	191
M.8.12 Verification of the behaviour of MRCDs in case of failure of the voltage source for MRCDs classified under M.3.2.2.1 .....	192
M.8.13 Verification of the behaviour of MRCDs with voltage source as classified under M.3.2.2.2 in case of failure of the voltage source .....	193
M.8.14 Verification of the behaviour of the MRCD under short-circuit conditions .....	193
M.8.15 Verification of effects of environmental conditions .....	195
M.8.16 Verification of electromagnetic compatibility .....	195