

SLOVENSKI STANDARD SIST EN 60268-4:2014

01-december-2014

Nadomešča:

SIST EN 60268-4:2010

Elektroakustične naprave - 4. del: Mikrofoni (IEC 60268-4:2014)

Sound system equipment - Part 4: Microphones (IEC 60268-4:2014)

Elektroakustische Geräte - Teil 4: Mikrofone (IEC 60268-4:2014)

iTeh STANDARD PREVIEW

Equipements pour systèmes électroacoustiques - Partie 4: Microphones (CEI 60268-4:2014) (Standards.iteh.ai)

SIST EN 60268-4:2014

Ta slovenski standard/jenistoveten zbg/stan EN: 60268:41:20114-4bc4-b4b6-

b11b17696607/sist-en-60268-4-2014

ICS:

33.160.50 Pribor Accessories

SIST EN 60268-4:2014 en,fr,de

SIST EN 60268-4:2014

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60268-4:2014</u> https://standards.iteh.ai/catalog/standards/sist/2da4029e-a39b-4bc4-b4b6-b11b17696607/sist-en-60268-4-2014 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 60268-4

August 2014

ICS 33.160.50

Supersedes EN 60268-4:2010

English Version

Sound system equipment - Part 4: Microphones (IEC 60268-4:2014)

Equipements pour systèmes électroacoustiques - Partie 4: Microphones (CEI 60268-4:2014) Elektroakustische Geräte - Teil 4: Mikrofone (IEC 60268-4:2014)

This European Standard was approved by CENELEC on 2014-07-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

(standards.iteh.ai)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom Standards, Itel avcatalog/standards/sist/2da4029e-a39b-4bc4-b4b6-

b11b17696607/sist-en-60268-4-2014



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 100/2116/CDV, future edition 5 of IEC 60268-4, prepared by IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60268-4:2014.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by	(dop)	2015-04-24
•	publication of an identical national standard or by endorsement latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2017-07-24

This document supersedes EN 60268-4:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

iTeh STÄndersement notice VIEW

The text of the International Standard IEC 60268-4:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated: https://standards.itch.ai/catalog/standards/sist/2da4029e-a39b-4bc4-b4b6-

b11b17696607/sist-en-60268-4-2014

CISPR 22	NOTE	Harmonized as EN 55022.
IEC 60065:2001	NOTE	Harmonized as EN 60065:2002.
IEC 60065/A1:2005	NOTE	Harmonized as EN 60065/A1:2006.
IEC 60065/A2:2010	NOTE	Harmonized as EN 60065/A2:2010.
IEC 60958-4	NOTE	Harmonized as EN 60958-4.
IEC 61000-3-2	NOTE	Harmonized as EN 61000-3-2.
IEC 61000-3-3	NOTE	Harmonized as EN 61000-3-3.
IEC 61606 (Series)	NOTE	Harmonized as EN 61606 (Series).
IEC 61672-1	NOTE	Harmonized as EN 61672-1.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

www.cenelec.eu.				
<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60268-1	1985	Sound system equipment Part 1: General	HD 483.1 S2	1989
+A1	1988	, , ,	_	_
+A2	1988		_	_
IEC 60268-2	1987	Sound system equipment Part 2:	HD 483.2 S2	1993
120 00200-2	1307	Explanation of general terms and calculation		1990
			ı	
. A 4	1001	methods		
+A1	1991		_	-
IEC 60268-3	2013	Sound system equipment Part 3:	EN 60268-3	2013
		Amplifiers (GMT)		
IEC 60268-5	2003	Sound system equipment Part 5:	EN 60268-5	2003
		Loudspeakers	* *	
+A1	2007	(standards.iteh.ai)	+A1	2009
IEC 60268-11	1987	Sound system equipment Part 11:	HD 483.11 S3	1993
120 00200 11	1001	Application of connectors for the	112 100:11 00	1000
	https://stand	interconnection of sound system largs ten alcatalog/standards/sist/2da4029e-a39b-4bd	24-b4b6-	
	-	components b11b17696607/sist-en-60268-4-2014		
+A1	1989	011017070007/3Bt Cli 00200 + 2014	-	-
+A2	1991		-	-
IEC 60268-12	1987	Sound system equipment Part 12:	EN 60268-12	1995
		Application of connectors for broadcast and		
		similar use		
+A1	1991		_	_
+A2	1994		+A2	1995
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) Part		2009
120 0 1000 4-2	2000	4-2: Testing and measurement techniques -	LIV 01000-4-2	2000
IEO 04000 4 0	0000	Electrostatic discharge immunity test	EN 04000 4.0	0000
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) Part	EN 61000-4-3	2006
		4-3: Testing and measurement techniques -		
		Radiated, radio-frequency, electromagnetic		
		field immunity test		
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) Part	EN 61000-4-4	2012
		4-4: Testing and measurement techniques -		
		Electrical fast transient/burst immunity test		
IEC 61000-4-6	2008	Electromagnetic compatibility (EMC) Part	FN 61000-4-6	2009
120 01000 1 0	2000	4-6: Testing and measurement techniques -	21101000 1 0	2000
		Immunity to conducted disturbances,		
IEO 04000 4 0	0000	induced by radio-frequency fields	EN 04000 4.0	0040
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) Part	EN 61000-4-8	2010
		4-8: Testing and measurement techniques -		
		Power frequency magnetic field immunity		
		test		

IEC 61000-4-16	-	Electromagnetic compatibility (EMC) - Part 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz		-
IEC 61000-4-17	1999	Electromagnetic compatibility (EMC) - Part 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test	-	-
+A1	2001		+A1	2004
+A2	2008		+A2	2009
IEC 61260-1	2014	Electroacoustics - Octave-band and fractional-octave-band filters Part 1: Specifications	EN 61260-1	2014
IEC 61938	2013	Multimedia systems - Guide to the recommended characteristics of analogue interfaces to achieve interoperability	EN 61938	2013
CISPR 35	-	Electromagnetic compatibility of multimedia equipment - Immunity requirements	-	-
ITU-T Recommendation P.51	1996	Artificial mouth	-	-
EN 55103-2	2009	Electromagnetic compatibility – Product	-	-
		family standard for audio, video, audio-visua		
		and entertainment lighting control apparatus		
EN 300 422-2 V1.3.	₁₂₀ †Te	for professional use – Part 2: Immunity Electromagnetic compatibility and radio	\mathbf{W}	_
		spectrum matters (ERM) – Wireless microphones in the 25 MHz to 3 GHz		
		frequency range – Part 2: Harmonized EN		
		covering the essential requirements of		
	1-44 //-4	11: -1-1:0:0 -4:14-4-4-0:ETF-D:/0-1-40-0	. 1. 1. 11. 7	

b11b17696607/sist-en-60268-4-2014



IEC 60268-4

Edition 5.0 2014-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Sound system equipmen STANDARD PREVIEW
Part 4: Microphones (standards.iteh.ai)

Équipements pour systèmes électroacoustiques –

Partie 4: Microphones dards.iteh.ai/catalog/standards/sist/2da4029e-a39b-4bc4-b4b6-b11b17696607/sist-en-60268-4-2014

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 33.160.50 ISBN 978-2-8322-1586-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FC	REWO	RD	6
1	Scop	e	8
2	Norm	ative references	8
3	Term	s and definitions	9
4	Gene	ral conditions	10
	4.1	General	
	4.2	Measurement conditions	
	4.2.1	General	
	4.2.2		
5	Partio	cular conditions	11
	5.1	Pre-conditioning	11
	5.2	Sound source	
	5.3	Measurement of sound pressure	
	5.4	Voltage measuring system	12
	5.5	Acoustical environment	12
	5.5.1	General	12
	5.5.2	Free-field-conditionsDARD PREVIEW Diffuse field conditions	12
	5.5.3		14
	5.5.4	Microphone coupled to a sound source by means of a small cavity	
		coupler	
	5.6	Methods of measuring frequency (esponse 014	
	5.6.1	Point by point and continuous sweep frequency methods 4.6.	
	5.6.2 5.7		
	5.8	Overall accuracy	
6		description (acoustical behaviour)	
O	• •		
	6.1	Principle of the transducer	
	6.2 6.3	Type of microphone	
	6.4	Application profile	
7		inals and controls	
'	7.1	Marking	
	7.1	Connectors and electrical interface values	
8		ence point and axis	
Ü	8.1	Reference point	
	8.2	Reference axis	
9	_	d power supply	
J	9.1		
	9.1	Characteristics to be specified	
10		rical impedance	
10	10.1	•	
	10.1	Internal impedance	
	10.1.	·	
	10.1.	Rated impedance	
	10.2	Rated minimum permitted load impedance	
	10.5	Nated minimum permitted toad impedance	ıθ

11	Sensitivi	ty	19
	11.1 Ge	neral	19
	11.2 Sei	nsitivities with respect to acoustical environment	20
	11.2.1	Free-field sensitivity	20
	11.2.2	Diffuse-field sensitivity	20
	11.2.3	Close-talking or near-field sensitivity	21
	11.2.4	Pressure sensitivity	21
	11.3 Ra	ted sensitivity	22
12	Respons	e	22
	12.1 Fre	quency response	22
	12.1.1	Characteristic to be specified	22
	12.1.2	Method of measurement	23
	12.1.3	Graphical presentation of results	23
	12.2 Eff	ective frequency range	23
	12.2.1	Characteristic to be specified	23
	12.2.2	Method of measurement	23
13	Direction	al characteristics	23
	13.1 Dir	ectional pattern	23
	13.1.1	Characteristic to be specified	23
	13.1.2	·	
	13.1.3	Methods of measurement Graphical presentation of results	24
	13.2 Dir	ectivity index(standards.iteh.ai)	25
	13.2.1	Characteristic to be specified	25
	13.2.2	Method of measurements: New 2014 Method of measurements: New 2014 Method of measurements New 2014 Method of Method of Measurements New 2014 Method of Method of Measurements New 2014 Method N	
14	Amplitud	e non ^l lime'aritylards.iteh.ai/catalog/standards/sist/2da4029e-a39b-4bc4-b4b6-	
		neralb11b17696607/sist-en-60268-4-2014	
		al harmonic distortion	
	14.2.1	Characteristic to be specified	
	14.2.2	Method of measurement	
	14.3 Ha	rmonic distortion of the n^{th} order $(n = 2, 3,)$	
	14.3.1	Characteristic to be specified	
	14.3.2	Method of measurement	
	14.4 Diff	ference frequency distortion of second order	
	14.4.1	Characteristic to be specified	
	14.4.2	Method of measurement	
15	Limitina	characteristics	
	•	ted maximum permissible peak sound pressure	
		erload sound pressure	
	15.2.1	Characteristic to be specified	
	15.2.2	Method of measurement	
16	_		
		ance of the microphone output	
		ance under working conditions	
17		nt sound pressure level due to inherent noise	
1 /	•	·	
		aracteristic to be specified	
18		thod of measurementconditions	
	18 1 Ge		30

	18.2	Press	ure range	30
	18.3	Temp	erature range	30
	18.4	Relati	ve humidity range	30
19	Exter	nal inf	luences	30
	19.1	Genei	ral	30
	19.1.	1 S	Specification and methods of measurement	30
	19.1.		Other external interferences	
	19.2	Equiv	alent sound pressure due to mechanical vibration	31
	19.2.	•	Characteristic to be specified	
	19.2.		Method of measurement	
	19.3	Equiv	alent sound pressure due to wind	31
	19.3.	•	Characteristic to be specified	
	19.3.		Method of measurement	
	19.4		ient equivalent sound pressure due to "pop" effect	
	19.4.		Characteristic to be specified	
	19.4.		Method of measurement	
20	Elect		netic compatibility (EMC)	
	20.1	_	atory requirements	
	20.2	_	rements for preserving programme quality	
	20.3.	1 C	mance criteria Criterion Aen STANDARD PREVIEW	38
	20.3.		Criterion B(standards.iteh.ai)	
	20.4	Testin	ig for immunity to disturbances in the presence of acoustical noise	38
	20.5		nity to frequency-modulated radiated disturbances	
	20.6		nityntos magneticitields talog/standards/sist/2da4029e-a39b-4bc4-b4b6	
	20.7		nity to ripple on aldboower supply-60268-4-2014.	
	20.8		anent magnetic field	
	20.9	Evalu	ation and reporting of the test results	39
21	Physi	ical ch	aracteristics	40
	21.1	Dimer	nsions	40
	21.2	Weigh	nt	40
	21.3		s and connectors	
22	Class	ificatio	on of the characteristics to be specified	40
Ar	nex A (norma	tive) Additional characteristics	43
	A.1		acteristic sensitivity for speech	
	A.1.1		Characteristic to be specified	
	A.1.2		Method of measurement	
	A.2		to-rear sensitivity index (0° – 180°)	
	A.2.1		Characteristic to be specified	
	A.2.2		Method of measurement	
	A.3		-cancelling index	
	A.3.1		Characteristic to be specified	
	A.3.2		Method of measurement	
	A.4		al characteristics for stereo microphones	
	A.4.1		General	
	A.4.2		ncluded angle of an XY (left-right) microphone	
	A.4.3		cceptance angle	
Ar			ative) Sound insulation device	
	`		•	

Annex C (informative) Simplified procedure for "pop" measurements	47
C.1 General	47
C.2 Measurement set-up	47
C.3 Measurement procedure	47
C.4 Approximate inclusion of different frequency responses	48
Annex D (informative) Recommendations for professional digital microphones	50
D.1 General	50
D.2 Data sheets for digital microphones	
Bibliography	53
Figure 1 – Balance of the output	28
Figure 2 – Balance under working conditions	29
Figure 3 – Measurement set-up for wind influence	32
Figure 4 – Wind generators, type 1 (Figure 4a) and type 2 (Figure 4b)	33
Figure 5 – Electrical and mechanical set-up for the measuring of the "pop" effect	35
Figure B.1 – Sound insulation device	46
Figure C.1 – Measurement set-up	49
Figure C.2 – Test fixture for the sound field sensitivity	49
iTeh STANDARD PREVIEW	
Table 1 – Reverberation time of the empty room	14
Table 3 – Examples of EMC regulations and standards	37
Table 4 – Basic EMC standards and their application to microphones 4-b4b6	
Table 5 – Classification of characteristics 607/sist-en-60268-4-2014	41
Table A.1 – Speech power weighting factor at octave-band centre frequencies	43
Table D.1 – Classification of the characteristics recommended to be specified	50
Table D.2 – Additional digital characteristics to be specified	52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOUND SYSTEM EQUIPMENT -

Part 4: Microphones

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity. EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

 SIST EN 60268-42014
- 5) IEC itself does not provide any attestation of conformity independent certification bodies provide conformity assessment services and, in some areas access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60268-4 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This fifth edition cancels and replaces the fourth edition published in 2010, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- clarification of Table 5 of classification of characteristics:
- clarification of graphical representation;
- clarification of environmental influences;
- rewritten clause for EMC;
- tolerances and more specific values for noise measurements;

-7-

 inclusion of near-field response for sound source-to-microphone distances of the order of 30 cm

The text of this standard is based on the following documents:

CDV	Report on voting
100/2116/CDV	100/2186/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60268 series, under the general title *Sound system equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or ANDARD PREVIEW
- amended.

(standards.iteh.ai)

<u>SIST EN 60268-4:2014</u> https://standards.iteh.ai/catalog/standards/sist/2da4029e-a39b-4bc4-b4b6-b11b17696607/sist-en-60268-4-2014

SOUND SYSTEM EQUIPMENT -

Part 4: Microphones

1 Scope

This part of IEC 60268 specifies methods of measurement for the electrical impedance, sensitivity, directional response pattern, dynamic range and external influences of sound system microphones, and also details the characteristics to be specified by the manufacturer.

It applies to sound system microphones for all applications for speech and music. It does not apply to measurement microphones, but it does apply to each audio channel of microphones having more than one channel, for example for stereo or similar use. It is also applicable to flush-mounted microphones and to the analogue characteristics of microphones with digital audio output.

For the purposes of this International Standard, a microphone includes all such devices as transformers, pre-amplifiers, or other elements that form an integral part of the microphone, up to the output terminals specified by the manufacturer.

The major characteristics of a microphone are considered in Clauses 6 to 21. Additional characteristics are considered in Annex A, Annex C and Annex D. Standards.iten.al

NOTE The characteristics specified in this standard do not completely describe the subjective response of the microphone. Further work is necessary to find new definitions and measurement procedures for a later replacement by objective characteristics of at least some of the subjective descriptions used to describe microphone performance.

b11b17696607/sist-en-60268-4-2014

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 35:-, Electromagnetic compatibility of multimedia equipment – Immunity requirements¹

IEC 60268-1:1985, Sound system equipment – Part 1: General

Amendment 1:1988 Amendment 2:1988

IEC 60268-2:1987, Sound system equipment – Part 2: Explanation of general terms and calculation methods

Amendment 1:1991

IEC 60268-3:2013, Sound system equipment – Part 3: Amplifiers

IEC 60268-5:2003, Sound system equipment – Part 5: Loudspeakers

Amendment 1:2007 Amendment 1:2007

7 mendment 1.2007

¹ To be published.

IEC 60268-4:2014 © IEC 2014

-9-

IEC 60268-11:1987, Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components

Amendment 1:1989 Amendment 2:1991

IEC 60268-12:1987, Sound system equipment – Part 12: Application of connectors for broadcast and similar use

Amendment 1:1991 Amendment 2:1994

IEC 61000-4-2:2008, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

IEC 61000-4-3:2006, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test Amendment 1:2007
Amendment 2:2010

IEC 61000-4-4:2012, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-6:2008, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

Teh STANDARD PREVIEW

IEC 61000-4-8:2009, Electromágnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test

IEC 61000-4-16, Electromagnetic compatibility (EMC) - Part 4-16; Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz

IEC 61000-4-17:1999, Electromagnetic compatibility (EMC) – Part 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test
Amendment 1:2001
Amendment 2:2008

IEC 61260-1:2014, Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications

IEC 61938:2013, Multimedia systems – Guide to the recommended characteristics of analogue interfaces to achieve interoperability

ITU-T Recommendation P.51:1996, Artificial mouth

EN 55103-2:2009, Electromagnetic compatibility – Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use – Part 2: Immunity

EN 300 422-2 V1.3.1:2011, Electromagnetic compatibility and radio spectrum matters (ERM) – Wireless microphones in the 25 MHz to 3 GHz frequency range – Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60268-1 and the following apply.