

### SLOVENSKI STANDARD SIST EN 61290-3-3:2014

01-april-2014

### Optični ojačevalniki - Preskusne metode - 3-3. del: Parametri šumnega števila -Razmerje med močjo signala in celotno močjo ASE (IEC 61290-3-3:2013)

Optical amplifiers - Test methods - Part 3-3: Noise figure parameters - Signal power to total ASE power ratio

## iTeh STANDARD PREVIEW (standards.iteh.ai)

### Ta slovenski standard je istoveten z: Https://standards.tien.avcatalog/standards/sist/8413b/dc-5e2e-46c9-8cb0-324d69a1c1d4/sist-en-61290-3-3-2014

ICS:

33.180.30 Optični ojačevalniki Optic amplifiers

SIST EN 61290-3-3:2014

en

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61290-3-3:2014</u> https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-324d69a1c1d4/sist-en-61290-3-3-2014



## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 61290-3-3

February 2014

ICS 33.180.30

English version

Optical amplifiers -Test methods -Part 3-3: Noise figure parameters -Signal power to total ASE power ratio (IEC 61290-3-3:2013)

Amplificateurs optiques -<br/>Méthodes d'essais -<br/>Partie 3-3: Paramètres du facteur<br/>de bruit -<br/>Rapport puissance du signal sur<br/>puissance totale d'ESA<br/>(CEI 61290-3-3:2013)Lichtwellenleiter-Verstärker –<br/>Prüfverfahren -<br/>Teil 3-3: Rauschzahlparameter -<br/>Verhältnis der Signalleistung zur Gesamt-<br/>ASE-Leistung<br/>(IEC 61290-3-3:2013)(Standards.iteh.ai)Lichtwellenleiter-Verstärker –<br/>Prüfverfahren -<br/>Teil 3-3: Rauschzahlparameter -<br/>Verhältnis der Signalleistung zur Gesamt-<br/>ASE-Leistung

#### SIST EN 61290-3-3:2014

https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-

This European Standard was approved by CENELEC on 2013-12-12 CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

### CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2014 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 61290-3-3:2014 E

### Foreword

The text of document 86C/1121/CDV, future edition 1 of IEC 61290-3-3, prepared by SC 86C, "Fibre optic systems and active devices", of IEC/TC 86, "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61290-3-3:2014.

The following dates are fixed:

•	latest date by which the document has	(dop)	2014-09-12
	to be implemented at national level by		
	standard or by endorsement		
•	latest date by which the national	(dow)	2016-12-12
	standards conflicting with the document have to be withdrawn	(,	

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### Endorsement notice

The text of the International Standard IEC 61290-3-3:2013 was approved by CENELEC as a European Standard without any modification ards.iteh.ai)

In the official version, for Bibliography, the following notes have to be added for the standards <u>SISTEN 61290-3-3:2014</u> https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-

IEC 61290-3-1	NOTE3211afmohi2ed/as/EN-61290-3-1-2014
IEC 61290-3-2	NOTE Harmonized as EN 61290-3-2.

### Annex ZA

### (normative)

## Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	<u>EN/HD</u>	Year
IEC 61290-3	-	Optical amplifiers - Test methods - Part 3: Noise figure parameters	EN 61290-3	-
IEC 61291-1	2012	Optical amplifiers - Part 1: Generic specification	EN 61291-1	2012

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61290-3-3:2014</u> https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-324d69a1c1d4/sist-en-61290-3-3-2014

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61290-3-3:2014</u> https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-324d69a1c1d4/sist-en-61290-3-3-2014





Edition 1.0 2013-11

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Optical amplifiers **HTest methods DARD PREVIEW** Part 3-3: Noise figure parameters **-** Signal power to total ASE power ratio

Amplificateurs optiques – Méthodes d'essais <u>14</u> Partie 3-3: Paramètres du facteur de bruit – Rapport puissance du signal sur puissance totale d'ESA 324d69a1c1d4/sist-en-61290-3-3-2014

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 33.180.30

ISBN 978-2-8322-1173-1

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

### – 2 – 61290-3-3 © IEC:2013

### CONTENTS

FOF	REWORD	)	.3			
1	Scope a	nd object	.5			
2	Normativ	ve references	.5			
3	Terms, o	definitions and abbreviations	.5			
	3.1	Terms and definitions	.5			
	3.2	Abbreviations	.6			
4	Backgro	und	.7			
5	Apparate	us	. 8			
	5.1	Measurement using an OSA	.8			
	5.2	Measurement using a bandpass filter and an optical power meter	.9			
6	Test sar	nple1	1			
7	Procedu	re1	1			
	7.1	General1	1			
	7.2	Measurement using an OSA1	1			
		7.2.1 Calibration1	1			
		7.2.2 Measurement1	2			
	7.3	Measurement using a bandpass filter and an optical power meter1	3			
		7.3.1 iTGeneral TANDARD PREVIEW	3			
		7.3.2 Calibration1	3			
0	Coloulat	7.3.3 Measurementiluar.us.itcii.ar	3			
8		IONS	4			
9	lest res	https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-	4			
Ann	Annex A (informative) Signal power to total ASE power ratio Dependence on signal					
Dihli	iography		17			
ווטום	logi aprily	I	1			
	. <b>А</b> Т.					
source spontaneous emission power						
Figure 2 – Test set-up for measuring signal output power and ASE power using an OSA 8						
90						

Figure 3 – Test set-ups for filter calibration and measuring the signal input power	10
Figure 4 – Test set-ups for measuring output signal power and ASE power using a filter and an optical power meter	10
Figure A.1 – The dependence of <i>Sig_ASE</i> on signal input power	15
Figure A.2 – The ASE spectrum for two different signal wavelengths	16
Figure A.3 – <i>Sig</i> ASE as a function of output power for different signal wavelength	16

61290-3-3 © IEC:2013

### - 3 -

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### OPTICAL AMPLIFIERS – TEST METHODS –

### Part 3-3: Noise figure parameters – Signal power to total ASE power ratio

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- misinterpretation by any end user. (standards.iteh.ai)
  4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national on regional publication shall be clearly indicated in the latter. https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61290-3-3 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

CDV	Report on voting
86C/1121/CDV	86C/1184/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

61290-3-3 © IEC:2013

A list of all parts in the IEC 61290 series, published under the general title *Optical amplifiers* – *Test methods,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61290-3-3:2014 https://standards.iteh.ai/catalog/standards/sist/84f3b7dc-5e2e-46c9-8cb0-324d69a1c1d4/sist-en-61290-3-3-2014 61290-3-3 © IEC:2013

### OPTICAL AMPLIFIERS – TEST METHODS –

### Part 3-3: Noise figure parameters – Signal power to total ASE power ratio

### 1 Scope and object

This part of IEC 61290-3 applies to all commercially available single channel optical amplifiers (OAs), including OAs using optically pumped fibres (OFAs) based on either rare-earth doped fibres or on the Raman effect, semiconductor optical amplifier modules (SOA modules) and planar optical waveguide amplifiers (POWAs). More specifically, it applies to single channel OAs placed before optical receivers, where there are no optical bandpass filtering elements placed between the OA and the receiver.

The object of this part of IEC 61290-3 is to establish uniform requirements for accurate and reliable measurement of the ratio of the signal output power to the total ASE power generated by the OA in the optical bandwidth of the receiver. This quantity is a measure of the spontaneous-spontaneous beat noise at the receiver, and is correlated to the spontaneous-spontaneous noise factor of the OA,  $F_{sp-sp}$ , as defined in IEC 61290-3 and IEC 61291-1.

IEC 61290-3-1 describes a measurement method, using an optical spectrum analyzer, OSA, for the signal-spontaneous noise factor  $F_{sig-sp}$  but does not describe a method for measuring

 $F_{sp-sp}$ . IEC 61290-3-2 describes a measurement method, using an electrical spectrum analyzer (ESA), for the total noise factor  $F_{sp-sp}$  +  $F_{sig-sp}$ . However, this method does not allow  $F_{sp-sp}$  to be measured separately, and therefore does not provide a means of directly quantifying the effect of spontaneous-spontaneous beat noise at the receiver. This part of IEC 61290-3 complements IEC 61290-3-1 and IEC 61290-3-2 in that it provides such a means.

Two measurement methods are provided for the ratio of the signal output power to the total ASE power. The first method uses an OSA, while the second method uses a bandpass filter and an optical power meter.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61290-3, Optical amplifiers – Test methods – Part 3: Noise figure parameters

IEC 61291-1:2012, Optical fibre amplifiers – Part 1: Generic specification

### 3 Terms, definitions and abbreviations

### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.