# INTERNATIONAL STANDARD



First edition 1998-09-01

# Information technology — Computer graphics and image processing — Graphical Kernel System (GKS) —

Part 4: Picture part archive

Technologies de l'information — Infographie et traitement d'image — Système graphique Kernel (GKS) —

Partie 4: Archive de partie d'image

<u>ISO/IEC 79424:1998</u>

https://standards.iteh.ai/catalog/standards/sist/49507832e6e2-4b5d-a985-bac7b3fDd1de/isoiec-7942-4-1998



## Contents

Foreword		
Introduction	.iv	
1 Scope		
2 Normative references	2	
3 Definitions		
4 Concepts	4	
4.1 The structure of a GKS-94 picture part archive	4	
4.2 Metafile elements.	4	
4.3 Delimiter elements	4	
4.4 Functional capability	4	
4.4.1 Introduction	4	
<b>4.4.2</b> PPA-SET	5	
4.5 Representation of picture parts in the picture part archive		
5 Abstract specification of new element		
5.1 Data type definitions and abbreviations	7	
5.2 Delimiter element	7	
6 Encodings of the GKS-94 Picture Part Archive	8	
6.1 Introduction	8	
6.2 Character encoding	8	
6.3 Binary encoding		
6.4 Clear text encoding	8	
A Formal grammar B New element list	9	
<b>B</b> New element list	.10	
<b>B.1</b> Introduction		
B.2 Delimiter elements	.10	

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and micro-film, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland Printed in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and nongovernmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 7942-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, Information technology, Subcommittee SC 24, Computer graphics and image processing.

ISO/IEC 7942 consists of the following parts, under the general title Information technology - Computer graphics and image processing – Graphical Kernel System (GKS): STANDARD PREVIEW

Part 1: Functional description

Part 2: NDC metafile

Part 3: Audit trail

Part 4: Picture part archive

Annexes A and B form an integral part of this part of ISO/IEC 7942.

## Introduction

The GKS-94 picture part archive provides a file format and encodings suitable for the storage and retrieval of GKS-94 picture parts. The file format consists of a set of elements that can be used to describe the contents of picture parts. This part of ISO/IEC 7942 extends the provisions of ISO/IEC 8632:1992/Amd.2: 1995.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 7942-4:1998</u>

https://standards.iteh.ai/catalog/standards/sist/49507832-c6e2-4b5d-a985-bac7b3f0d1de/isoiec-7942-4-1998

## Information technology - Computer graphics and image processing -

# Graphical Kernel System (GKS) – Part 4: Picture part archive

1 Scope

This part of ISO/IEC 7942 provides a file format and encodings for the storage and retrieval of GKS-94 picture parts. It is based on Part 2 of ISO/IEC 7942, the NDC metafile, which is itself an extension of the Computer Graphics Metafile, Version 4 defined by ISO/IEC 8632:1992/Amd.2: 1995 (all parts).

## (standards.iteh.ai)

<u>ISO/IEC /9424:1998</u> https://standards.iteh.ai/catalog/standards/sist/49507832€6e2-4b5d-a985-bac7b310d1de/isoiec-79424-1998

## 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 7942. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/IEC 7942 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

**ISO/IEC** 7942-1:1994, Information technology - Computer graphics and image processing - Graphical Kernel System (GKS) - Part 1: Functional description

ISO/IEC 7942-2:1997, Information technology - Computer graphics and image processing - Graphical Kernel System (GKS) - Part 2: NDC metafile

**ISO/IEC** 8632:1992/Amd.2:1995, *Information technology - Computer graphics - Metafile for the storage and transfer of picture description information* (all parts). *AMENDMENT 2: Application Structuring extensions.* 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 7942-4:1998</u>

https://standards.iteh.ai/catalog/standards/sist/49507832e6e2-4b5d-a985-bac7b3f0d1de/isoiec-7942-4-1998

### **3** Definitions

For the purposes of this part of ISO/IEC 7942, the definitions given in ISO/IEC 7942-1 and ISO/IEC 8632-1/Amd.2 apply.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 7942-4:1998</u>

https://standards.iteh.ai/catalog/standards/sist/49507832e6e2-4b5d-a985-bac7b3f0d1de/isoiec-7942-4-1998

### 4 Concepts

#### 4.1 The structure of a GKS-94 picture part archive

The structure of a GKS-94 picture part archive follows the GKS-94 NDC metafile described in Part 2 of this International Standard. This in turn follows the structure of the Computer Graphics Metafile (CGM) standard (ISO/IEC 8632-1:1992). The structure of a picture part archive is shown in figure 1. PPA is used as an abbreviation for PICTURE PART ARCHIVE and MF for metafile

BEGIN PPA MF   MD   <picture part="">   END MF</picture>	BEGIN PPA MF	MD	<picture part=""></picture>	END MF
--	--------------	----	-----------------------------	--------

#### Figure 1: General form of a picture part archive

A Computer Graphics Metafile is a collection of elements from the standardized set. The BEGIN PICTURE PART ARCHIVE METAFILE element is followed by the METAFILE DESCRIPTOR (MD). After this the picture parts follow, each logically independent of each other. Finally the Metafile is ended with an END PIC-TURE PART ARCHIVE element.

Apart from the BEGIN PICTURE PART ARCHIVE METAFILE, END METAFILE and Metafile Descriptor elements, the metafile is partitioned into picture parts. All picture parts are mutually independent. A picture part consists of a BEGIN PICTURE element, a PICTURE DESCRIPTOR (PD) element, a BEGIN PICTURE BODY element, an arbitrary number of control, graphical and attribute elements and finally an END PICTURE element (see figure 2). PIC is used as an abbreviation for PICTURE and BEGIN BODY for BEGIN PICTURE BODY.

BEGIN PIC	PD	BEGIN BODY	<pre><element></element></pre>	END PIC
DEGINTIC	ID	DEGIN DOD I		LINDINC

# Figure 2: General form of picture parts

### 4.2 Metafile elements

### ISO/IEC 7942-4:1998

Picture part archives use the same metafile elements as the GKS-94 NDC metafile except that the delimiter element BEGIN PICTURE PART ARCHIVE METAFILE is used in place of BEGIN NDC METAFILE. The new CGM element is marked by a dagger (†) in the tables in this section.

### 4.3 Delimiter elements

The picture part archive metafile includes the following new delimiter element:

BEGIN PICTURE PART ARCHIVE METAFILE<sup> $\dagger$ </sup>

### 4.4 Functional capability

#### 4.4.1 Introduction

Following the provisions of ISO/IEC 8632-1:1992/Amd.2:1995, the contents of the Computer Graphics Metafile are defined by the METAFILE ELEMENT LIST element. The picture part archive set is designated PPA-SET.

#### **Functional capability**

#### Concepts

#### 4.4.2 **PPA-SET**

The PPA-SET includes the elements which can appear in the picture part archive. The elements which are not marked by daggers belong to the NDC-SET defined in Part 2 of this International Standard. The elements included in the picture part archive are:

<b><begin archive="" b="" metafiles<="" part="" picture=""><math>^{\dagger}</math></begin></b>	<shield indicator=""></shield>
<end metafile=""></end>	<global transformation=""></global>
<begin picture=""></begin>	<local transformation=""></local>
<begin body="" picture=""></begin>	<pattern size=""></pattern>
<end picture=""></end>	<gdp></gdp>
<metafile version=""></metafile>	<fill point="" reference=""></fill>
<vdc type=""></vdc>	<character height=""></character>
<metafile element="" list=""></metafile>	<character orientation=""></character>
<maximum colour="" index=""></maximum>	<text path=""></text>
<font list=""></font>	<text alignment=""></text>
<character list="" set=""></character>	<aspect flags="" source=""></aspect>
<character announcer="" coding=""></character>	<line bundle="" index=""></line>
<maximum extent="" vdc=""></maximum>	<line type=""></line>
<vdc extent=""></vdc>	<line width=""></line>
<clip indicator=""></clip>	<line colour=""></line>
<clip rectangle=""></clip>	<marker bundle="" index=""></marker>
<begin application="" structure=""></begin>	<marker type=""></marker>
<application attributes="" structure=""></application>	<marker size=""></marker>
<begin application="" body="" structure=""></begin>	<marker colour=""></marker>
<end application="" structure=""></end>	<fill bundle="" index=""></fill>
<pre><polyline> (standards.ife)</polyline></pre>	<interior style=""></interior>
<non-uniform b-spline="" rational=""></non-uniform>	<hatch index=""></hatch>
<conic section=""></conic>	<fill colour=""></fill>
<polymarker> ISO/IEC 79424:1998</polymarker>	<edge visibility=""></edge>
<polygon>a/catalog/standards/sist/49507832e6</polygon>	<edge type=""> -bac7b30d1deiso-</edge>
-FULIPTIC DISCN	<edge width=""></edge>
<pre><text> iec-79424-1998</text></pre>	<edge colour=""></edge>
<colour mode="" selection=""></colour>	<text bundle="" index=""></text>
<colour extent="" value=""></colour>	<character expansion="" factor=""></character>
<colour precision=""></colour>	<character spacing=""></character>
<colour model=""></colour>	<text font="" index=""></text>
<cell array=""></cell>	<text precision=""></text>
<pick identifier=""></pick>	<text colour=""></text>
<nameset></nameset>	<pattern size=""></pattern>
<scissor identifier=""></scissor>	

## 4.5 Representation of picture parts in the picture part archive

As described in 6.4.4 of Part 1 of this International Standard, GKS-94 picture part consists of a strict sequence of output primitives. Primitives in a picture part have attributes bound to them in the same way as primitives in the NDC picture. A picture part can be archived by invoking the function ARCHIVE PICTURE PART. Each archive consists of a set of picture parts, with names local to the archive. The name to be given to a picture part in the archive is specified as a parameter to the function ARCHIVE PICTURE PART. A picture part can be retrieved from the archive by invoking the function RETRIEVE PICTURE PART FROM ARCHIVE. On retrieval a picture part name is supplied.

Picture parts are represented in the picture part archive in the same way as NDC pictures in the GKS-94 NDC metafile. Each picture part is delimited by BEGIN PICTURE and END PICTURE metafile elements. The

#### Representation of picture parts in the picture part archive

#### Concepts

archival name of the picture part is stored in the picture identifier parameter of the BEGIN PICTURE element.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 79424:1998</u>

https://standards.iteh.ai/catalog/standards/sist/49507832e6e2-4b5d-a985-bac7b3Dd1de/isoiec-79424-1998