
# ETSI EN 303 213-1 V1.1.1 (2009-09)

European Standard (Telecommunications series)

Advanced Surface Movement Guidance and Control System (A-SMGCS);
Part 1: Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for A-SMGCS Level 1 including external interfaces



## Reference

### DEN/ERM-TG25-033-1

## Keywords

air traffic management, aeronautical, interoperability

### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

## Important notice

Individual copies of the present document can be downloaded from: <a href="http://www.etsi.org">http://www.etsi.org</a>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a>

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI\_support.asp

## **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009. All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup>, **TIPHON**<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP**<sup>™</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **LTE**<sup>™</sup> is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellect	ual Property Rights	5
Forewor	'd	5
Introduc	tion	6
1 Sc	cope	7
2 Re	eferences	7
2.1	Normative references	
2.2	Informative references	
3 D	efinitions and abbreviations	8
3.1	Definitions	
3.2	Abbreviations	10
4 Re	equirements for implementing A-SMGCS Level 1	10
4.1	Constituents of an A-SMGCS Level 1 System	
4.1.1	Constituent - Surface Movement Radar (SMR)	
4.1.1.1	Interfaces for SMR	
4.1.2		
4.1.2.1	Interfaces for MLAT	11
4.1.3	Interface for Data fusion	11
4.1.4	Human Machine Interface (HMI)	11
4.1.4.1	Interface for HMI	11
4.2	Design Requirements for A-SMGCS Level Systems	11
4.2.1	Design Requirements on System Level	11
4.2.1.1	Modularity	11
4.2.1.2	System Integrity	11
4.2.1.3	Constituent - Multilateration (MLAT)  Interfaces for MLAT  Interface for Data fusion  Human Machine Interface (HMI)  Interface for HMI  Design Requirements for A-SMGCS Level 1 Systems  Design Requirements on System Level  Modularity  System Integrity  Availability and Continuity of Service.  Identification	11
4.2.1.4	Identification	11
4.2.1.5	Identification Position Registration Accuracy Logical architecture	12
4.2.1.6	Logical architecture	12
4.2.1.7	Safety Failure effect	12
4.2.1.7.1	Failure effect.	12
4.2.1.7.2	Reliability	12
4.2.1.7.3	Human capabilities 12 20 20 20 20 20 20 20 20 20 20 20 20 20	
4.2.1.7.4	Safety Assessment	
4.2.1.8	Capacity and Quality	
4.2.1.8.1	Handle Traffic Movements	
4.2.1.8.2	System capacity	
4.2.1.8.3	Accuracy	
4.2.1.8.4	Resolution	
4.2.1.8.5	Update rate	
4.2.1.8.6	Coverage Volume	
4.2.1.8.7	Classification	
4.2.1.9 4.2.2	Evolution	
4.2.2 4.2.3	Design Requirements for Surface Movement Radar  Design Requirements for Multilateration	
4.2.3 4.2.4	Design Requirements for Data Fusion	
4.2. <del>4</del>		
4.2.3 4.3	Design Requirements for HMI	
4.3.1	Acceptance testing requirements on System Level	
4.3.1.1	General Tests.	
4.3.1.2	Tests on modularity and interchangeability	
4.3.1.3	Acceptance testing requirements for Data Fusion	
4.3.1.4	Acceptance testing requirements for HMI	
4.3.2	Acceptance testing requirements on Constituent Level	
4.3.2.1	Acceptance testing requirements for Constituent Surface Movement Radar	
	A	

Acceptance t	testing requirements for Constituent Multilateration	14
Maintenance Requir	rements for A-SMGCS Level 1 Systems	14
Requirements for o	peration of A-SMGCS Level 1 Systems	14
Requirements for	or operational responsibility	14
System perfo	ormance below specified minima	14
Testing		14
x SA (normative):	Standards Annex	15
		16
x A (normative):	Checklist	20
Interoperability Regu	ılation Annex II Essential Requirements; Part A: General requirements	21
Interoperability Regu	ulation Annex II Essential Requirements Part B: Specific requirements	25
communications	T AND AND	29
Navigation systems	and procedures	30
Surveillance system	ns and procedures	30
Systems and proced	lures for aeronautical information services	31
Systems and proced	lures for the use of meteorological information.	31
	Of ds. di. sara 3.1	
<b>x B</b> (informative):	The EN title in the official languages	32
x C (informative):	Bibliography And Market Stranger Strang	34
,	Tell Control of the c	25
y	, kell ald	33
	Maintenance Requirements for of Requirements for System performative):  Testing	Testing  X SA (normative): Standards Annex

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## **Foreword**

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to European Commission mandate M/390 for the Interoperability of the European Air Traffic Management Network.

The present document has been developed in cooperation with Eurocae for compliance with the Essential Requirements of the Single European Sky Interoperability Regulation [i.1] and/or requirements given in implementing rules for interoperability based on the Single European Sky Interoperability Regulation.

The presumption of conformity which is linked to the full application of EN 303 213 multi-part deliverable can only be claimed after it has been listed in the Official Journal of the European Union as Community Specification.

General and specific requirements for presumption of conformity to SES Interoperability Regulation 552/2004 are given in the normative annexes of the present document.

NOTE: Other requirements and other EU Regulations and/or Directives may be applicable to the product(s) falling within the scope of the present document.

The present document is part 1 of a multi-part deliverable covering Advanced Surface Movement Guidance and Control System (A-SMGCS), as identified below:

- Part 1: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for A-SMGCS Level 1 including external interfaces";
- Part 2: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for A-SMGCS Level 2 including external interfaces";
- Part 3: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed cooperative sensor including its interfaces";
- Part 4: "Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed non-cooperative sensor including its interfaces".

National transposition dates				
Date of adoption of this EN:	23 September 2009			
Date of latest announcement of this EN (doa):	31 December 2009			
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2010			
Date of withdrawal of any conflicting National Standard (dow):	30 June 2011			

# Introduction

The European Union launched the Legislation "Single European Sky" (SES) in 2002 which was adopted in 2004.

The SES legislation is based on a framework of 4 regulations, which includes the Interoperability Regulation [i.1]. The objective of the Interoperability Regulation is to ensure interoperability of the European Air Traffic Management Network (EATMN) consistent with air navigation services. Under this regulation, the use of a European Standard referenced in the Official Journal of the European Union as Community Specification (CS) is a means of compliance to the essential requirements of the Regulation and/or the relevant implementing rules for interoperability.

I CH SI AND ARD PREINTENANTALISIS SALIA CONTROL OF THE STANDARD SALIA CONTROL OF THE SALIA CO

# 1 Scope

The present document is applicable to Advanced Surface Movement Guidance and Control System (A-SMGCS) Level 1. This system provides enhanced surveillance functionalities, as well as a display to controllers with accurate and unambiguous identity and position information on the entire manoeuvring and movement area.

The present document provides a European Standard for Air Navigation Service Providers, who have to demonstrate and declare compliance of their systems and procedures to the IOP regulation.

Any software elements related to the software assurance level of an A-SMGCS are outside of the scope of the present document. As such the essential requirements of the Interoperability Regulation are not considered for software elements within the present document.

The present document does not give presumption of conformity related to the maintenance requirements, environmental constraints, procedure level, effect of harmful interference and civil/military coordination.

NOTE: For these ERs, please refer to the Air Navigation Service Provider procedures.

Requirements in this EN 303 213-1 which refer to "should" statements or recommendations in the normatively referenced material (clause 2.1) are to be interpreted as fully normative ("shall") for the purpose of compliance with the present document.

# 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
  - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
  - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="http://docbox.etsi.org/Reference">http://docbox.etsi.org/Reference</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

## 2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] EUROCAE ED-87B (01/2008): "MASPS for A-SMGCS Level 1 & 2".
- [2] EUROCONTROL (07/01/11-04 V2.0: 12/12/2006): "Operational Concept and Requirements for A-SMGCS Implementation Level 1".
- [3] EUROCONTROL (07/01/09-01 V2.0: 11/2006): "A-SMGCS Levels 1 & 2 Preliminary Safety Case".
- [4] EUROCONTROL (06/11/24-16 V1.0: 13/10/2006): "Final Report on the Generic Cost Benefit Analysis of A-SMGCS".

## 2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

[i.1]	Regulation (EC) No 552/2004 of the European Parliament and of the Council of 10 March 2004 on
	the interoperability of the European Air Traffic Management network (interoperability
	Regulation), OJ L 96, 31.03.2004.

- [i.2] ETSI EN 303 213-3: "Advanced Surface Movement Guidance and Control System (A-SMGCS) Part 3: Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed cooperative sensor including its interfaces".
- [i.3] ETSI EN 303 213-4: "Advanced Surface Movement Guidance and Control System (A-SMGCS) Part 4: Community Specification for application under the Single European Sky Interoperability Regulation EC 552/2004 for a deployed non-cooperative sensor including its interfaces".
- [i.4] Regulation (EC) No 549/2004 of the European Parliament and of the Council of 10 March 2004 laying down the framework for the creation of the single European sky (the framework Regulation), OJ L 96, 31.03.2004.
- [i.5] EUROCAE ED-128 (08/2007): "Guidelines for surveillance data fusion in advanced surface movement guidance and control systems (A-SMGCS) levels 1 and 2".

# 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

**A-SMGCS Level 1:** includes a comprehensive Surveillance element capable of the location and classification of all aircraft and vehicles within the area of interest and the identification of cooperative aircraft and vehicles




Figure 1: A-SMGCS Level 1 Functional Configuration

**A-SMGCS Level 2:** includes the capabilities of A-SMGCS Level 1 and uses the comprehensive surveillance data available to monitor the situation in the area of interest against a set of rules which will enable the system to alert the user to hazardous situations




Figure 2: A-SMGCS Level 2 Functional Configuration

Advanced Surface Movement Guidance and Control System (ASMGCS): systems providing routing, guidance, surveillance and control to aircraft and affected vehicles in order to maintain movement rate under all local weather conditions within the Aerodrome Visibility Operational Level (AVOL) whilst maintaining the required level of safety

**aerodrome:** defined area (including any buildings, installations, and equipment) intended to be used either wholly or in part for arrival, departure and surface movement of aircraft

**apron:** defined area on an aerodrome, intended to accommodate aircraft for purposes of loading or unloading passengers, mail or cargo, fuelling, parking or maintenance

NOTE: De-icing platforms, including remote de-icing areas, are considered as apron areas.

availability: probability that a system or an item is in a functioning state at a given point in time

classification: function which groups targets into various types (e.g. large, medium, small)

**constituents:** tangible objects such as hardware and intangible objects such as software upon which the interoperability of the EATMN depends

NOTE: This is the legally binding definition in the context of Single European Sky [i.4].

manoeuvring area: that part of an aerodrome to be used for take-off, landing and taxiing of aircraft, excluding aprons

**movement area:** part of an aerodrome to be used for take-off, landing and taxiing of aircraft, consisting of the manoeuvring area and aprons

**procedure:** standard method for either the technical or operational use of the system, in the context of agreed and validated concepts of operation requiring uniform implementation throughout the EATMN

NOTE: This is the legally binding definition in the context of Single European Sky [i.4].

**system:** aggregation of airborne and ground based constituents, as well as space-based equipment, that provides support for air navigation services for all phases of flight

NOTE: This is the legally binding definition in the context of Single European Sky [i.4].

**target:** any aircraft, vehicle or obstacle, whether stationary or moving, which is located within the coverage area of the SMR and which is of sufficient size to be operationally significant

**test targets:** form of either fixed reflectors or active devices transponders, mounted at fixed positions within the Coverage Volume

update: renewal of target reports relating to all targets under surveillance

## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-SMGCS Advanced Surface Movement Guidance and Control Systems

ATC Air Traffic Control
ATM Air Traffic Management

AVOL Aerodrome Visibility Operational Level CEN Comité Européen de Normalization

CS Community Specification
DFP Data Fusion Processor
doa date of announcement
dow date of withdrawal

EATMN European Air Traffic Management Network

EC European Communities
EN European Norm - (standard)
ER Essential Requirement

ESO European Standardization Organization

EUROCAE EUROpean organization for Civil Aviation Equipment EUROCONTROL EUROpean organization for the safety of air navigation

HMI Human Machine Interface

ICAO International Civil Aviation Organization

IOP Regulation InterOPerability Regulation

MASPS Minimum Aviation Systems Performance Specification

MLAT MultiLATeration

PRA Position Registration Accuracy

SES Single European Sky SMR Surface Movement Radar

# 4 Requirements for implementing A-SMGCS Level 1

An A-SMGCS Level 1 System shall consist of the following constituents as a minimum for the implementation, operation and maintenance:

- 1) Surface Movement Radar.
- 2) Multilateration (MLAT).

Data Fusion and HMI are considered as part of the System but are not at this time defined as constituents.

NOTE 1: Guidance for the Data Fusion can be found in ED-128 [i.5].

NOTE 2: The Data fusion could be part of a larger data fusion processor providing other ATS functions.

NOTE 3: The Data fusion may be a separate part of the cs in the future.

# 4.1 Constituents of an A-SMGCS Level 1 System

The following clauses identify the constituents of an A-SMGCS.

NOTE: Data Fusion and HMI are currently defined at System level, however they have been included here, since they may become constituents in the future.

# 4.1.1 Constituent - Surface Movement Radar (SMR)

The Surface Movement Radar constituent of an A-SMGCS is covered in EN 303 213-4 [i.3] (non-cooperative sensors).

#### 4.1.1.1 Interfaces for SMR

The interfaces for SMR constituents shall comply with the requirements as defined in ED-87B [1], clause 2.5.1.1.

### 4.1.2 Constituent - Multilateration (MLAT)

The Multilateration constituent of an A-SMGCS is covered in EN 303 213-3 [i.2] (cooperative sensors).

#### 4.1.2.1 Interfaces for MLAT

The interfaces for MLAT constituents shall comply with the requirements as defined in ED-87B [1], clause 2.5.1.1.

#### 4.1.3 Interface for Data fusion

The interfaces for the data fusion in an A-SMGCS shall comply with the requirements as defined in ED-87B [1], clause 2.5.1.1.

NOTE: Guidance for the Data Fusion can be found in ED-128 [i.5].

### 4.1.4 Human Machine Interface (HMI)

The requirements for the HMI are further described in clauses 4.2.5 Design Requirements for HMI and 4.3.1.4 Acceptance testing requirements for HMI of the present document.

NOTE 1: The HMI could be part of a lager HMI, providing other ATS functions.

NOTE 2: The HMI could be a separate part of the cs in the future.

4.1.4.1 Interface for HMI

The interface for the HMI shall be capable to exchange data with the data fusion processor.

### Design Requirements for A-SMGCS Level 1 Systems 4.2

### 4.2.1 Design Requirements on System Level

#### 4.2.1.1 Modularity

The System shall comply with the design requirements as defined in ED-87B [1], clause 1.8.2.

#### 4.2.1.2 System Integrity

The System integrity shall comply with the design requirements as defined in ED-87B [1], clause 3.1.1.1, second and fifth paragraphs.

#### 4.2.1.3 Availability and Continuity of Service

The Availability and continuity of service for A-SMGCS shall comply with the requirements as defined in ED-87B [1], clause 3.1.1.2 and Operational Concept and Requirements for A-SMGCS Implementation Level 1 [2], Op Perf-10-Availability and Op Perf-12-Continuity of Service 1.

#### 4.2.1.4 Identification

The functional requirement for identification shall comply with the requirements as defined in ED-87B [1], clause 3.2.2.1.