



SLOVENSKI STANDARD
oSIST prEN 303 213-1 V1.1.1:2009
01-marec-2009

9`Y_fca U[bYfbUnXfi y`fj cgh]b`nUXYj Yj`nj Yn]`nfUX]`g_`ja `gdY_fca `fDFAŁ!
GdYWZ_UM`UG_i dbcgh]`nU`bUdfYXb]`g]ghYa `nUj cXYb`Y]b`bUXncf`[]VUb`Udc`nYa `f
f5!GA; 7GL`j`i fYXV]`97`))&\$\$(`c`a YXcVfUc] Ubcgh]`bUYbclbYa `Yj fcdg_Ya
bYVi `!`%`XY.`FUj Yb`%Zj`_`f` bc`n`ni bUb]a]]a Ygb]_]

Electromagnetic compatibility and Radio spectrum Matters (ERM) - Community Specification Advanced Surface Movement Guidance and Control System (A-SMGCS) for application under the Single European Sky Interoperability Regulation EC 552/2004 - Part 1: Level 1 including external interfaces

[SIST EN 303 213-1 V1.1.1:2009
https://standards.iteh.ai/catalog/standards/sist/34e77468-f7ce-4255-881f-7102007717dd/sist-en-303-213-1-v1-1-1-2009](https://standards.iteh.ai/catalog/standards/sist/34e77468-f7ce-4255-881f-7102007717dd/sist-en-303-213-1-v1-1-1-2009)

Ta slovenski standard je istoveten z: EN 303 213-1 Version 1.1.1

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

oSIST prEN 303 213-1 V1.1.1:2009 **sl**

Draft ETSI EN 303 213-1 V1.1.1 (2008-12)

European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Community Specification
Advanced Surface Movement Guidance
and Control System (A-SMGCS)
for application under the Single European Sky
Interoperability Regulation EC 552/2004
Part 1: Level 1 including external interfaces**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 303 213-1 V1.1.1:2009

<https://standards.iteh.ai/catalog/standards/sist/34e77468-f7ce-4255-881f-7102007717dd/sist-en-303-213-1-v1-1-1-2009>



Reference

DEN/ERM-TG25-033-1

Keywords

aeronautical, interoperability

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 303 213-1 V1.1.1:2009

<https://standards.iteh.ai/catalog/standards/sist/en-303-213-1-v1-1-1-2009>
Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions and abbreviations.....	9
3.1 Definitions.....	9
3.2 Abbreviations	10
4 Requirements for implementing A-SMGCS Level 1	11
4.1 Constituents of an A-SMGCS Level 1 System.....	11
4.1.1 Constituent - Surface Movement Radar (SMR).....	11
4.1.1.1 System Interfaces for SMR	11
4.1.2 Constituent - Multilateration (MLAT).....	11
4.1.2.1 System Interfaces for MLAT	11
4.1.3 Constituent - Data fusion processor	11
4.1.3.1 System Interface for Data fusion processor	11
4.1.4 Constituent - Human Machine Interface (HMI).....	11
4.1.4.1 System Interface for HMI	11
4.2 Design Requirements for A-SMGCS Level 1 Systems	12
4.2.1 Design Requirements on System Level	12
4.2.1.1 Modularity.....	12
4.2.1.2 System Integrity	12
4.2.1.3 Availability and Continuity of Service.....	12
4.2.1.4 Identification	12
4.2.1.5 Position Registration Accuracy.....	12
4.2.1.6 System Availability and Continuity of Service.....	12
4.2.1.7 Safety	12
4.2.1.7.1 Objectives.....	12
4.2.1.7.2 Benefits.....	12
4.2.1.7.3 ATC Controllers	12
4.2.1.7.4 Failure effect.....	12
4.2.1.7.5 Reliability	13
4.2.1.7.6 Human capabilities	13
4.2.1.7.7 Safety Case	13
4.2.1.8 Capacity and Quality.....	13
4.2.1.8.1 Handle Traffic Movements.....	13
4.2.1.8.2 System capacity	13
4.2.1.8.3 Accuracy.....	13
4.2.1.8.4 Resolution.....	13
4.2.1.8.5 Update rate	13
4.2.1.8.6 Coverage Volume	13
4.2.1.8.7 Classification	13
4.2.1.9 Evolution.....	13
4.2.2 Design Requirements for Surface Movement Radar	14
4.2.3 Design Requirements for Multilateration	14
4.2.4 Design Requirements for Data Fusion Processor.....	14
4.2.5 Design Requirements for Human Machine Interface.....	14
4.2.5.1 Void.....	14
4.2.5.2 HMI.....	14
4.2.5.3 General	14
4.2.5.4 Capabilities, Label operations, dynamic configuration data and unambiguous presentation.....	14

4.3	Build Requirements for A-SMGCS Level 1 Systems	14
4.3.1	Build Requirements on System Level.....	14
4.3.1.1	General Tests.....	14
4.3.1.2	System and data integrity	14
4.3.1.3	Tests on modularity and interchangeability	15
4.3.2	Build Requirements on Constituent Level	15
4.3.2.1	Build Requirements for Constituent Surface Movement Radar	15
4.3.2.2	Build Requirements for Constituent Multilateration	15
4.3.2.3	Build Requirements for Constituent Data Fusion Processor	15
4.3.2.4	Build Requirements for Constituent Human Machine Interface	15
4.4	Maintenance Requirements for A-SMGCS Level 1 Systems	15
4.5	Requirements for operation of A-SMGCS Level 1 Systems	15
4.5.1	Requirements for operation on System Level.....	15
4.5.1.1	System performance below specified minima.....	15
5	Testing	15
Annex A (informative): Bibliography		16
Annex B (normative): Checklist		17
B.1	Interoperability Regulation Annex II Essential Requirements; Part A: General requirements	17
B.2	Interoperability Regulation Annex II Essential Requirements Part B: Specific requirements.....	25
B.2.1	Systems and procedures for airspace management.....	25
B.2.2	Systems and procedures for air traffic flow management	26
B.2.3	Systems and procedures for air traffic services	27
B.2.3.1	Flight data processing systems.....	27
B.2.3.2	Surveillance data processing systems	29
B.2.3.3	Human-machine interface systems	30
B.2.4	Communications systems and procedures for ground-to-ground, air-to-ground and air-to-air communications	31
B.2.5	Navigation systems and procedures	32
B.2.6	Surveillance systems and procedures	33
B.2.7	Systems and procedures for aeronautical information services	33
B.2.8	Systems and procedures for the use of meteorological information	34
Annex SA (normative): Standards Annex System Level		35
Annex SB (normative): Standards Annex Constituent Data Fusion Processor		40
Annex SC (normative): Standards Annex Constituent HMI		43
History		46

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.2] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Community Specification, the reference of which will be published in the Official Journal of the European Communities referencing the Regulation 552/2004 [i.1] of the European Parliament and of the Council relating to the interoperability of the European Air Traffic Management network ("Interoperability Regulation EC 552/2004").

NOTE: Other requirements and other EU Regulations and/or Directives may be applicable to the product(s) falling within the scope of the present document.

The present document is part 1 of a multi-part deliverable covering Community Specification Advanced Surface Movement Guidance and Control System (A-SMGCS) Level 1 and 2, as identified below:

- Part 1: "Level 1 including external interfaces";
- Part 2: "Level 2 including external interfaces";
- Part 3: "Specification for a deployed cooperative sensor including its interfaces";
- Part 4: "Specification for a deployed non-cooperative sensor including its interfaces".

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The European Union launched the Legislation "Single European Sky" (SES) in 2002 which was adopted in 2004.

The SES legislation is based on a framework of 4 regulations, which includes "the Interoperability Regulation" (EC 552/2004 [i.1]). According to the "First Report on the implementation of the Single Sky legislation" issued on the 20th of December 2007, the EC will adopt a new proposal for a second Single Sky package. Depending on the content of this package, there will be an impact on the development work of the present document.

The objective of the Interoperability Regulation is to ensure interoperability of the European Air Traffic Management Network (EATMN) consistent with air navigation services. Under this regulation, the use of a Community Specification (CS) is a means of compliance to the essential requirements of the Regulation and/or the relevant implementing rules for interoperability.

This European Standard has been prepared under a mandate given to the ESOs by the European Commission and developed in cooperation with Eurocae to support Essential Requirements of the Single European Sky Interoperability Regulation [i.1] and/or requirements given in implementing rules for interoperability based on the Single European Interoperability Regulation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 303 213-1 V1.1.1:2009

<https://standards.iteh.ai/catalog/standards/sist/34e77468-f7ce-4255-881f-7102007717dd/sist-en-303-213-1-v1-1-1-2009>

1 Scope

The present document specifies a European Standard for an Advanced Surface Movement Guidance and Control System, A-SMGCS Level 1. This system provides enhanced surveillance functionalities, as well as a display to controllers with accurate and unambiguous identity and position information on the entire manoeuvring and movement area.

The present document provides a European Standard for Air Navigation Service Providers, who have to demonstrate and declare compliance of their systems and procedures to the IOP regulation.

Furthermore, the present document provides a European Standard for manufacturers of the HMI constituents and the Data Fusion Processor constituent, who have to demonstrate and declare conformity for their constituent to the IOP regulation.

Any software elements related to software assurance level of an A-SMGCS System are outside of the scope of the present document and should be subjected to the [i.3] Community Specification for Software Assurance Level, developed by CEN under the Mandate M/390. The essential requirements of the Interoperability Regulation [i.1] are not considered for software elements within the present document.

The present document does not give presumption of conformity related to the maintenance requirements, environmental constraints, procedure level and effect of harmful interference.

Requirements in the present document which refer to "should" statements or recommendations in the normatively referenced material (clause 2.1) are to be interpreted as fully normative ("shall") for the purpose of compliance with the present document.

iTeh STANDARD PREVIEW

2 References (standards.iteh.ai)

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] EUROCAE ED-87B (01/2008): "MASPS for A-SMGCS Level 1 and 2".

- [2] EUROCAE ED-116 (01/2004): "MOPS for Surface Movement RADAR Sensor Systems for Use in A-SMGCS".
- [3] EUROCAE ED-117 (11/2003): "MOPS for Mode S Multilateration Systems for Use in A-SMGCS".
- [4] EUROCAE ED-128 (08/2007): "Guidelines for surveillance data fusion in advanced surface movement guidance and control systems (A-SMGCS) levels 1 and 2".
- [5] EUROCONTROL (07/01/11-04 V2.0: 12/12/2006): "Operational Concept and Requirements for A-SMGCS Implementation Level 1".
- [6] EUROCONTROL (07/01/09-01 V2.0: 11/2006): "A-SMGCS Levels 1 & 2 Preliminary Safety Case".
- [7] EUROCONTROL (06/11/24-16 V1.0: 13/10/2006): "Final Report on the Generic Cost Benefit Analysis of A-SMGCS".
- [8] COMMISSION REGULATION (EC) No 2150/2005 of 23 December 2005 laying down common rules for the flexible use of airspace.
- [9] Directive 2002/96/EC of the European Parliament and of the Council of 27 January 2003 on waste electrical and electronic equipment (WEEE).

2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Regulation (EC) No 552/2004 of the European Parliament and of the Council of 10 March 2004 on the interoperability of the European Air Traffic Management network (interoperability Regulation), OJ L 96, 31.03.2004.
- [i.2] <http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32000L0204> Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations, OJ L 204, 21.07.1998 (modified by Directive 98/48/EC, OJ L 217, 05.08.1998).
- [i.3] Community Specification Software Assurance Levels (SWAL) for application under the Single European Sky Interoperability Regulation EC 552/2004 (Ground-based systems and constituents only).
- [i.4] ETSI EN 303 213-3: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Advanced Surface Movement Guidance and Control System (A-SMGCS) for application under the Single European Sky Interoperability Regulation EC 552/2004; Part 3: Specification for a deployed cooperative sensor including its interfaces".
- [i.5] ETSI EN 303 213-4: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic compatibility and Radio spectrum Matters (ERM); Advanced Surface Movement Guidance and Control System (A-SMGCS) for application under the Single European Sky Interoperability Regulation EC 552/2004; Part 4: Specification for a deployed non-cooperative sensor including its interfaces".
- [i.6] Regulation (EC) No 549/2004 of the European Parliament and of the Council of 10 March 2004 laying down the framework for the creation of the single European sky (the framework Regulation), OJ L 96, 31.03.2004.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

A-SMGCS Level 1: includes a comprehensive Surveillance element capable of the location and classification of all aircraft and vehicles within the area of interest and the identification of cooperative aircraft and vehicles




Figure 1: A-SMGCS Level 1 Functional Configuration

A-SMGCS Level 2: includes the capabilities of A-SMGCS Level 1 and uses the comprehensive surveillance data available to monitor the situation in the area of interest against a set of rules which will enable the system to alert the user to hazardous situations




Figure 2: A-SMGCS Level 2 Functional Configuration

Advanced Surface Movement Guidance and Control System (ASMGCS): systems providing routing, guidance, surveillance and control to aircraft and affected vehicles in order to maintain movement rate under all local weather conditions within the Aerodrome Visibility Operational Level (AVOL) whilst maintaining the required level of safety

aerodrome: defined area (including any buildings, installations, and equipment) intended to be used either wholly or in part for arrival, departure and surface movement of aircraft

apron: defined area on an aerodrome, intended to accommodate aircraft for purposes of loading or unloading passengers, mail or cargo, fuelling, parking or maintenance

availability: probability that a system or an item is in a functioning state at a given point in time

classification: function which groups targets into various types (e.g. large, medium, small)

constituents: tangible objects such as hardware and intangible objects such as software upon which the interoperability of the EATMN depends

NOTE: This is the legally binding definition in the context of Single European Sky [i.6].

manoeuvring area: that part of an aerodrome to be used for take-off, landing and taxiing of aircraft, excluding aprons

movement area: part of an aerodrome to be used for take-off, landing and taxiing of aircraft, consisting of the manoeuvring area and aprons

procedure: standard method for either the technical or operational use of the system, in the context of agreed and validated concepts of operation requiring uniform implementation throughout the EATMN

NOTE: This is the legally binding definition in the context of Single European Sky [i.6].

system: aggregation of airborne and ground based constituents, as well as space-based equipment, that provides support for air navigation services for all phases of flight

NOTE: This is the legally binding definition in the context of Single European Sky [i.6].

target: any aircraft, vehicle or obstacle, whether stationary or moving, which is located within the coverage area of the SMR and which is of sufficient size to be operationally significant

update: renewal of target reports relating to all targets under surveillance

NOTE: Further legally binding definitions in the context of Single European Sky are given in [i.6].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-SMGCS	Advanced Surface Movement Guidance and Control Systems
ATC	Air Traffic Control
ATM	Air Traffic Management
AVOL	Aerodrome Visibility Operational Level
CEN	Comité Européen de Normalization
CS	Community Specification
DFP	Data Fusion Processor
doa	date of announcement
dow	date of withdrawal
EATMN	European Air Traffic Management Network
EC	European Communities
EN	European Norm - (standard)
ER	Essential Requirement
ESO	European Standardization Organization
EUROCAE	EUROpean organization for Civil Aviation Equipment
EUROCONTROL	EUROpean organization for the safety of air navigation
HMI	Human Machine Interface
ICAO	International Civil Aviation Organization
IOP Regulation	InterOPERability Regulation
MASPS	Minimum Aviation Systems Performance Specification
MLAT	MultiLATeration
PRA	Position Registration Accuracy
SES	Single European Sky
SMR	Surface movement radar

4 Requirements for implementing A-SMGCS Level 1

An A-SMGCS Level 1 System shall consist of the following constituents as a minimum for the implementation, operation and maintenance:

- 1) Surface Movement Radar
- 2) Multilateration (MLAT)
- 3) Data fusion processor
- 4) Human Machine Interface

4.1 Constituents of an A-SMGCS Level 1 System

The following clauses identify the constituents of an A-SMGCS system.

4.1.1 Constituent - Surface Movement Radar (SMR)

The Surface Movement Radar constituent of an A-SMGCS System is covered in EN 303 213-4 [i.5] (non-cooperative sensors).

4.1.1.1 System Interfaces for SMR

The system interfaces to SMR constituents shall comply with the requirements as defined in ED-116 [2], clause 2.11.

4.1.2 Constituent - Multilateration (MLAT)

The Multilateration constituent of an A-SMGCS System is covered in EN 303 213-3 [i.4] (cooperative sensors).

4.1.2.1 System Interfaces for MLAT

The system interfaces to MLAT constituents shall comply with the requirements as defined in ED-117 [3], clause 2.10.5.

4.1.3 Constituent - Data fusion processor

The data fusion processor of an A-SMGCS System shall comply with the requirements and recommendations as defined in ED-128 [4], clause 3.

4.1.3.1 System Interface for Data fusion processor

The data fusion processor of an A-SMGCS System shall comply with the requirements as defined in ED-87B [1], clause 2.5.1.1.

4.1.4 Constituent - Human Machine Interface (HMI)

The requirements for the Human Machine Interface are further described in clauses 4.2.5 and 4.3.2.4 of the present document.

4.1.4.1 System Interface for HMI

The system interface for the HMI shall be capable to exchange data with the data fusion processor.