

SLOVENSKI STANDARD

SIST EN 61076-2-104:2014

01-december-2014

Nadomešča:

SIST EN 61076-2-104:2008

Konektorji za elektronsko opremo - Zahteve za izdelek - 2-104. del: Okrogli konektorji - Podrobna specifikacija za okrogle konektorje z vijačnim M8 ali zaskočnim zaklepanjem (IEC 61076-2-104:2014)

Connectors for electronic equipment - Product requirements -- Part 2-104: Circular connectors - Detail specification for circular connectors with M8 screw-locking or snap-locking

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Steckverbinder für elektronische Einrichtungen - Produktanforderungen -- Teil 2-104: Rundsteckverbinder - Bauartspezifikation für Rundsteckverbinder M8 mit Schraub- oder Rastverriegelung

[SIST EN 61076-2-104:2014](https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014)

<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>

Connecteurs pour équipements électroniques - Exigences de produit -- Partie 2-104: Connecteurs circulaires - Spécification particulière pour les connecteurs circulaires M8 à vis ou à encliquetage

Ta slovenski standard je istoveten z: EN 61076-2-104:2014

ICS:

31.220.10 Vtiči in vtičnice, konektorji Plug-and-socket devices.
Connectors

SIST EN 61076-2-104:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61076-2-104:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>

EUROPEAN STANDARD

EN 61076-2-104

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2014

ICS 31.220.10

Supersedes EN 61076-2-104:2008

English Version

**Connectors for electronic equipment - Product requirements -
Part 2-104: Circular connectors - Detail specification for circular
connectors with M8 screw-locking or snap-locking
(IEC 61076-2-104:2014)**

Connecteurs pour équipements électroniques - Exigences
de produit - Partie 2-104: Connecteurs circulaires -
Spécification particulière pour les connecteurs circulaires
M8 à vis ou à encliquetage
(CEI 61076-2-104:2014)

Steckverbinder für elektronische Einrichtungen -
Produktanforderungen - Teil 2-104: Rundsteckverbinder -
Bauartspezifikation für Rundsteckverbinder M8 mit
Schraub- oder Rastverriegelung
(IEC 61076-2-104:2014)

This European Standard was approved by CENELEC on 2014-10-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 48B/2384/FDIS, future edition 2 of IEC 61076-2-104, prepared by SC 48B "Connectors" of IEC/TC 48 "Electromechanical components and mechanical structures for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61076-2-104:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-07-14
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-10-14

This document supersedes EN 61076-2-104:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61076-2-104:2014 was approved by CENELEC as a European Standard without any modification.

STANDARD PREVIEW
(standards.iteh.ai)
SIST EN 61076-2-104:2014
<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050	Series	International Electrotechnical Vocabulary	-	-
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60068-2-60	-	Environmental testing - Part 2: Tests - Test Ke: Flowing mixed gas corrosion test	EN 60068-2-60	-
IEC 60352	Series	Solderless connections	EN 60352	Series
IEC 60512	Series	Connectors for electronic equipment - Tests and measurements	EN 60512	Series
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 corr. May	1991 1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60998-2-1	-	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units	EN 60998-2-1	-
IEC 60999	Series	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units	EN 60999	Series
IEC 61076-1	2006	Connectors for electronic equipment - Product requirements - Part 1: Generic specification	EN 61076-1	2006

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61984	-	Connectors - Safety requirements and tests	EN 61984	-
ISO 1302	-	Geometrical Product Specifications (GPS) - Indication of surface texture in technical product documentation	EN ISO 1302	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61076-2-104:2014](https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014)

<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>



IEC 61076-2-104

Edition 2.0 2014-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Product requirements –
Part 2-104: Circular connectors – Detail specification for circular connectors
with M8 screw-locking or snap-locking**

**Connecteurs pour équipements électroniques – Exigences de produit –
Partie 2-104: Connecteurs circulaires – Spécification particulière pour les
connecteurs circulaires M8 à vis ou à encliquetage**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

W

ICS 31.220.10

ISBN 978-2-8322-9670-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	5
1 Scope	8
2 Normative references	8
3 Technical information	9
3.1 Terms and definitions	9
3.2 Recommended method of termination	9
3.3 Number of contacts, ratings and characteristics	9
3.4 Creepage and clearance distances	9
3.5 Marking	10
3.6 Safety aspects	10
4 Dimensional information	10
4.1 General	10
4.2 Survey of styles and variants	10
4.2.1 General	10
4.2.2 Fixed connectors	10
4.2.3 Free connectors	12
4.3 Interface dimensions	17
4.3.1 Pin front and side view A-coding	17
4.3.2 Pin front view B-coding	19
4.4 Engagement (mating) information	20
4.5 Gauges	21
4.5.1 Sizing gauges and retention force gauges	21
5 Characteristics	22
5.1 Climatic category	22
5.2 Electrical characteristics	22
5.2.1 Rated voltage – Rated impulse voltage – Pollution degree	22
5.2.2 Voltage proof	23
5.2.3 Current-carrying capacity	23
5.2.4 Contact resistance	23
5.2.5 Insulation resistance	23
5.3 Mechanical characteristics	24
5.3.1 Mechanical operation	24
5.3.2 Insertion and withdrawal forces	24
5.3.3 Contact retention in insert	24
5.3.4 Polarizing method	24
5.3.5 Vibration (sinusoidal)	24
5.4 Other characteristics	25
5.4.1 IP degree of protection	25
6 Test schedule	25
6.1 General	25
6.1.1 Introductory remarks	25
6.1.2 Arrangement for contact resistance measurements	25
6.1.3 Arrangement for dynamic stress tests (vibration)	26
6.2 Test schedule	28
6.2.1 Test group P – Preliminary	28
6.2.2 Test group AP – Dynamic/ Climatic	29

6.2.3	Test group BP – Mechanical endurance.....	31
6.2.4	Test group CP – Electrical load	33
6.2.5	Test group DP – Chemical resistivity	34
6.2.6	Test group EP – Connection method tests	34
Annex A (informative) Diameter of the female connector body		35
Figure 1	– Tube insert, male contacts dip solder mounting, long version	11
Figure 2	– Tube insert, male contacts dip solder mounting, short version.....	11
Figure 3	– Fixed connector with wire ends, male contacts, single hole mounting.....	11
Figure 4	– Fixed connector with wire ends, female contacts, single hole mounting.....	12
Figure 5	– Rewireable connector, male contacts, straight version, with locking nut	13
Figure 6	– Rewireable connector, male contacts, right angled version, with locking nut	13
Figure 7	– Non-rewireable connector, male contacts, straight version, snap-locking	14
Figure 8	– Non-rewireable connector, male contacts, straight version, with locking nut	14
Figure 9	– Non-rewireable connector, male contacts, right angled version, with locking nut ..	14
Figure 10	– Rewireable connector, female contacts, straight version, with locking nut	15
Figure 11	– Rewireable connector, female contacts, right angled version, with locking nut...	15
Figure 12	– Non-rewireable connector, female contacts, straight version, snap-locking.....	15
Figure 13	– Non-rewireable connector, female contacts, right angled version, snap-locking	16
Figure 14	– Non-rewireable connector, female contacts, straight version, with locking nut	16
Figure 15	– Non-rewireable connector, female contacts, right angled version, with locking nut	16
Figure 16	– Pin front view A-coding.....	17
Figure 17	– Pin side view A-coding	18
Figure 18	– Contact position A-coding – Front view	19
Figure 19	– Pin front view B-coding	19
Figure 20	– Contact position – B-coding – Front view.....	20
Figure 21	– Engagement (mating) information.....	20
Figure 22	– Gauge dimensions	22
Figure 23	– Contact resistance arrangement.....	26
Figure 24	– Dynamic stress test arrangement	27
Figure A.1	– Diameter of the female connector body, coding variant A.....	35
Figure A.2	– Shape of the female connector body, coding variant B	35
Table 1	– Connector ratings related to coding and number of contacts.....	9
Table 2	– Creepage and clearance distances.....	9
Table 3	– Styles of fixed connectors	10
Table 4	– Styles of free connectors	12
Table 5	– Connector dimensions in mated and locked position.....	21
Table 6	– Gauges	22
Table 7	– Climatic category.....	22
Table 8	– Rated voltage – Rated impulse voltage – Voltage proof.....	23
Table 9	– Voltage proof.....	23

Table 10 – Number of mechanical operations	24
Table 11 – Insertion and withdrawal forces	24
Table 12 – Number of test specimens	25
Table 13 – Test group P	28
Table 14 – Test group AP	29
Table 15 – Test group BP	31
Table 16 – Test group CP	33
Table 17 – Test group DP	34
Table 18 – Test group EP	34

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61076-2-104:2014](https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014)

<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –****Part 2-104: Circular connectors –
Detail specification for circular connectors
with M8 screw-locking or snap-locking**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-2-104 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- three new type ways have been added to the A-coding, including new gauges and contact diameters;
- the type designation has been removed.

A list of all parts of the IEC 61076 series, under the general title *Connectors for electronic equipment – Product requirements*, can be found on the IEC website.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/2384/FDIS	48B/2399/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.


The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61076-2-104:2014](https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014)

<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>

<p>International Electrotechnical Commission IEC SC 48B – Connectors Specification available from: IEC General secretariat or from the addresses shown on the inside cover.</p>	IEC 61076-2-104
ELECTRONIC COMPONENTS detail specification in accordance with IEC 61076-1	
 <p style="text-align: center;">iTeh STANDARD PREVIEW (standards.iteh.ai)</p>	<p>Circular connectors M8/ diameter 8 mm 3 to 8 way Male and female contacts Male and female connectors Rewireable – Non-rewireable</p>
	<p>Free cable connectors Straight and right angle connectors Fixed connectors Flange mounting Single hole mounting</p>

SIST EN 61076-2-104:2014

<https://standards.iteh.ai/catalog/standards/sist/13bd913a-22f5-467c-8589-2a0b88f54d5c/sist-en-61076-2-104-2014>