

SLOVENSKI STANDARD
SIST EN ISO 14419:2000/AC:2006
01-julij-2006

Tekstilije - Oleofobnost - Preskus odpornosti z ogljikovodiki (ISO 14419:1998/Cor.1:2004)

Textiles - Oil repellency - Hydrocarbon resistance test (ISO 14419:1998/Cor.1:2004)

Textilien - Oleophobie - Prüfung der Ölbeständigkeit mit Hilfe von Kohlenwasserstoffen (ISO 14419:1998/Cor.1:2004)

iTeh STANDARD PREVIEW
Textiles - Oléofugation - Essai de résistance aux hydrocarbures (ISO 14419:1998/Cor.1:2004) [\(standards.iteh.ai\)](http://standards.iteh.ai)

SIST EN ISO 14419:2000/AC:2006
EN ISO 14419:1999/AC:2006
<https://standards.iteh.ai/catalog/standards/SIS/374c3402-18a3-4975-ac0a-3ba157308dcd/sist-en-iso-14419-2000-ac-2006>

ICS:

59.080.01

SIST EN ISO 14419:2000/AC:2006 **en**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 14419:2000/AC:2006

<https://standards.iteh.ai/catalog/standards/sist/574e3462-f8a3-4576-ae0a-3ba157308dcd/sist-en-iso-14419-2000-ac-2006>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 14419:1999/AC

April 2006
Avril 2006
April 2006

ICS 59.080.01

English version
Version Française
Deutsche Fassung

Textiles - Oil repellency - Hydrocarbon resistance test (ISO
14419:1998/Cor.1:2004)

Textiles - Oléofugation - Essai de
résistance aux hydrocarbures (ISO
14419:1998/Cor.1:2004)

Textilien - Oleophobie - Prüfung der
Ölbeständigkeit mit Hilfe von
Kohlenwasserstoffen (ISO
14419:1998/Cor.1:2004)

This corrigendum becomes effective on 19 April 2006 for incorporation in the three official language
versions of the EN.

iTeh STANDARD PREVIEW

Ce corrigendum prendra effet le 19 avril 2006 pour incorporation dans les trois versions linguistiques
officielles de la EN.

Die Berichtigung tritt am 19. April 2006 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN
in Kraft.

[https://standards.iteh.ai/catalog/standards/sist/574e3462-f8a3-4576-ae0a-
3ba157308dcd/sist-en-iso-14419-2000-ac-2006](https://standards.iteh.ai/catalog/standards/sist/574e3462-f8a3-4576-ae0a-3ba157308dcd/sist-en-iso-14419-2000-ac-2006)



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2006 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux
membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern
von CEN vorbehalten.

Ref. No.:EN ISO 14419:1999/AC:2006 D/E/F

English version

Endorsement Notice

The text of ISO 14419:1998/Cor.1:2004 has been approved by CEN as EN ISO 14419:1999/AC:2006 without any modifications.

Version française

Notice d'entérinement

Le texte de l'ISO 14419:1998/Cor.1:2004 a été approuvé par le CEN comme EN ISO 14419:1999/AC:2006 sans aucune modification.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN ISO 14419:2000/AC:2006

<https://standards.iteh.ai/catalog/standards/sist/574e3462-f8a3-4576-ae0a-3ba157308dcd/sist-en-iso-14419-2000-ac-2006>



INTERNATIONAL STANDARD ISO 14419:1998
TECHNICAL CORRIGENDUM 1

Published 2004-09-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Textiles — Oil repellency — Hydrocarbon resistance test

TECHNICAL CORRIGENDUM 1

Textiles — Oléofugation — Essai de résistance aux hydrocarbures

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO 14419:1998 was prepared by Technical Committee ISO/TC 38, *Textiles*, Subcommittee 2, *Cleansing, finishing and water resistance tests*.
**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN ISO 14419:2000/AC:2006
<https://standards.iteh.ai/catalog/standards/sist/574e3462-f8a3-4576-ae0a-3ba157308dcd/sist-en-iso-14419-2000-ac-2006>

Page 2, Clause 6

Add to the end of the first paragraph:

“All reagents and standard test liquids have a maximum shelf life of 3 years.”

Page 2, Table 1

Change 0,014 8 (fourth column, last line), to 0,019 8.

Page 3, 7.2

Delete existing text for subclause and replace with:

“White textile blotting paper, textile blotting paper is an absorbent textile blotting paper with a thickness of 0,71 mm and an approximate grammage of $(385 \pm 4,5) \text{ g/m}^2$ and absorbent capacity of $(200 \pm 30) \%$ ¹.”