



SLOVENSKI STANDARD SIST EN ISO 14044:2006

01-september-2006

Nadomešča:

SIST EN ISO 14040:2000

SIST EN ISO 14041:2000

SIST EN ISO 14042:2001

SIST EN ISO 14043:2001

Ravnanje z okoljem - Ocenjevanje življenjskega cikla – Zahteve in smernice (ISO 14044:2006)

Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006)

Umweltmanagement - Ökobilanz - Anforderungen und Anleitungen (ISO 14044:2006)

Management environnemental - Analyse du cycle de vie - Exigences et lignes directrices (ISO 14044:2006)

Ta slovenski standard je istoveten z: EN ISO 14044:2006

ICS:

13.020.10	Ravnanje z okoljem	Environmental management
13.020.60	Življenjski ciklusi izdelkov	Product life-cycles

SIST EN ISO 14044:2006

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14044:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 14044

July 2006

ICS 13.020.60; 13.020.10

Supersedes EN ISO 14040:1997, EN ISO 14041:1998,
EN ISO 14042:2000, EN ISO 14043:2000

English Version

Environmental management - Life cycle assessment - Requirements and guidelines (ISO 14044:2006)

Management environnemental - Analyse du cycle de vie -
Exigences et lignes directrices (ISO 14044:2006)

Umweltmanagement - Ökobilanz - Anforderungen und
Anleitungen (ISO 14044:2006)

This European Standard was approved by CEN on 19 June 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 14044:2006](https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006)

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 14044:2006 (E)**Foreword**

This document (EN ISO 14044:2006) has been prepared by Technical Committee ISO/TC 207 "Environmental management" in collaboration with CMC.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2007, and conflicting national standards shall be withdrawn at the latest by January 2007.

This document supersedes EN ISO 14040:1997, EN ISO 14041:1998, EN ISO 14042:2000, EN ISO 14043:2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 14044:2006 has been approved by CEN as EN ISO 14044:2006 without any modifications.

iteh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14044:2006](https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006)

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>

INTERNATIONAL STANDARD

ISO 14044

First edition
2006-07-01

Environmental management — Life cycle assessment — Requirements and guidelines

*Management environnemental — Analyse du cycle de vie — Exigences
et lignes directrices*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14044:2006](https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006)

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>



Reference number
ISO 14044:2006(E)

© ISO 2006

ISO 14044:2006(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 14044:2006](https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006)

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	1
4 Methodological framework for LCA.....	6
4.1 General requirements.....	6
4.2 Goal and scope definition.....	7
4.3 Life cycle inventory analysis (LCI).....	11
4.4 Life cycle impact assessment (LCIA)	16
4.5 Life cycle interpretation	23
5 Reporting	27
5.1 General requirements and considerations	27
5.2 Additional requirements and guidance for third-party reports.....	28
5.3 Further reporting requirements for comparative assertion intended to be disclosed to the public.....	30
6 Critical review.....	31
6.1 General.....	31
6.2 Critical review by internal or external expert.....	31
6.3 Critical review by panel of interested parties	31
Annex A (informative) Examples of data collection sheets.....	33
Annex B (informative) Examples of life cycle interpretation	36
Bibliography	46

ISO 14044:2006(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14044 was prepared by Technical Committee ISO/TC 207, *Environmental management*, Subcommittee SC 5, *Life cycle assessment*.

This first edition of ISO 14044, together with ISO 14040:2006, cancels and replaces ISO 14040:1997, ISO 14041:1998, ISO 14042:2000 and ISO 14043:2000, which have been technically revised.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 14044:2006
<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>

Introduction

The increased awareness of the importance of environmental protection, and the possible impacts associated with products¹⁾, both manufactured and consumed, has increased interest in the development of methods to better understand and address these impacts. One of the techniques being developed for this purpose is life cycle assessment (LCA).

LCA can assist in

- identifying opportunities to improve the environmental performance of products at various points in their life cycle,
- informing decision-makers in industry, government or non-government organizations (e.g. for the purpose of strategic planning, priority setting, product or process design or redesign),
- the selection of relevant indicators of environmental performance, including measurement techniques, and
- marketing (e.g. implementing an ecolabelling scheme, making an environmental claim, or producing an environmental product declaration).

LCA addresses the environmental aspects and potential environmental impacts²⁾ (e.g. use of resources and environmental consequences of releases) throughout a product's life cycle from raw material acquisition through production, use, end-of-life treatment, recycling and final disposal (i.e. cradle-to-grave).

There are four phases in an LCA study: [SIST EN ISO 14044:2006](https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006)

- a) the goal and scope definition phase,
- b) the inventory analysis phase,
- c) the impact assessment phase, and
- d) the interpretation phase.

The scope, including system boundary and level of detail, of an LCA depends on the subject and the intended use of the study. The depth and the breadth of LCA can differ considerably depending on the goal of a particular LCA.

The life cycle inventory analysis phase (LCI phase) is the second phase of LCA. It is an inventory of input/output data with regard to the system being studied. It involves the collection of the data necessary to meet the goals of the defined study.

The life cycle impact assessment phase (LCIA) is the third phase of the LCA. The purpose of LCIA is to provide additional information to help assess a product system's LCI results so as to better understand their environmental significance.

1) In this International Standard, the term "product" includes services.

2) The "potential environmental impacts" are relative expressions, as they are related to the functional unit of a product system.

ISO 14044:2006(E)

Life cycle interpretation is the final phase of the LCA procedure, in which the results of an LCI or an LCIA, or both, are summarized and discussed as a basis for conclusions, recommendations and decision-making in accordance with the goal and scope definition.

There are cases where the goal of an LCA may be satisfied by performing only an inventory analysis and an interpretation. This is usually referred to as an LCI study.

This International Standard covers two types of studies: life cycle assessment studies (LCA studies) and life cycle inventory studies (LCI studies). LCI studies are similar to LCA studies but exclude the LCIA phase. LCI are not to be confused with the LCI phase of an LCA study.

Generally, the information developed in an LCA or LCI study can be used as part of a much more comprehensive decision process. Comparing the results of different LCA or LCI studies is only possible if the assumptions and context of each study are equivalent. Therefore this International Standard contains several requirements and recommendations to ensure transparency on these issues.

LCA is one of several environmental management techniques (e.g. risk assessment, environmental performance evaluation, environmental auditing, and environmental impact assessment) and might not be the most appropriate technique to use in all situations. LCA typically does not address the economic or social aspects of a product, but the life cycle approach and methodologies described in this International Standard may be applied to these other aspects.

This International Standard, like other International Standards, is not intended to be used to create non-tariff trade barriers or to increase or change an organization's legal obligations.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN ISO 14044:2006](https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006)

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>

Environmental management — Life cycle assessment — Requirements and guidelines

1 Scope

This International Standard specifies requirements and provides guidelines for life cycle assessment (LCA) including

- a) the goal and scope definition of the LCA,
- b) the life cycle inventory analysis (LCI) phase,
- c) the life cycle impact assessment (LCIA) phase,
- d) the life cycle interpretation phase,
- e) reporting and critical review of the LCA,
- f) limitations of the LCA,
- g) relationship between the LCA phases, and
- h) conditions for use of value choices and optional elements.

This International Standard covers life cycle assessment (LCA) studies and life cycle inventory (LCI) studies.

The intended application of LCA or LCI results is considered during the goal and scope definition, but the application itself is outside the scope of this International Standard.

This International Standard is not intended for contractual or regulatory purposes or registration and certification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14040:2006, *Environmental management — Life cycle assessment — Principles and framework*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE These terms and definitions are taken from ISO 14040:2006 and are repeated for the convenience of users of this International Standard.

ISO 14044:2006(E)**3.1****life cycle**

consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to final disposal

3.2**life cycle assessment****LCA**

compilation and evaluation of the inputs, outputs and the potential environmental impacts of a product system throughout its life cycle

3.3**life cycle inventory analysis****LCI**

phase of life cycle assessment involving the compilation and quantification of inputs and outputs for a product throughout its life cycle

3.4**life cycle impact assessment****LCIA**

phase of life cycle assessment aimed at understanding and evaluating the magnitude and significance of the potential environmental impacts for a product system throughout the life cycle of the product

3.5**life cycle interpretation**

phase of life cycle assessment in which the findings of either the inventory analysis or the impact assessment, or both, are evaluated in relation to the defined goal and scope in order to reach conclusions and recommendations

3.6**comparative assertion**

environmental claim regarding the superiority or equivalence of one product versus a competing product that performs the same function

SIST EN ISO 14044:2006

<https://standards.iteh.ai/catalog/standards/sist/399c433c-2c9e-4e37-acd1-6ae86da64f63/sist-en-iso-14044-2006>

3.7**transparency**

open, comprehensive and understandable presentation of information

3.8**environmental aspect**

element of an organization's activities, products or services that can interact with the environment

[ISO 14001:2004; definition 3.6]

3.9**product**

any goods or service

NOTE 1 The product can be categorized as follows:

- services (e.g. transport);
- software (e.g. computer program, dictionary);
- hardware (e.g. engine mechanical part);
- processed materials (e.g. lubricant);

NOTE 2 Services have tangible and intangible elements. Provision of a service can involve, for example, the following:

- an activity performed on a customer-supplied tangible product (e.g. automobile to be repaired);
- an activity performed on a customer-supplied intangible product (e.g. the income statement needed to prepare a tax return);
- the delivery of an intangible product (e.g. the delivery of information in the context of knowledge transmission);
- the creation of ambience for the customer (e.g. in hotels and restaurants).

Software consists of information and is generally intangible and can be in the form of approaches, transactions or procedures.

Hardware is generally tangible and its amount is a countable characteristic. Processed materials are generally tangible and their amount is a continuous characteristic.

NOTE 3 Adapted from ISO 14021:1999 and ISO 9000:2005.

3.10

co-product

any of two or more products coming from the same unit process or product system

3.11

process

set of interrelated or interacting activities that transform inputs into outputs

[ISO 9000:2005, definition 3.4.1 (without notes)]

3.12

elementary flow

material or energy entering the system being studied that has been drawn from the environment without previous human transformation, or material or energy leaving the system being studied that is released into the environment without subsequent human transformation

3.13

energy flow

input to or output from a unit process or product system, quantified in energy units

NOTE Energy flow that is an input may be called an energy input; energy flow that is an output may be called an energy output.

3.14

feedstock energy

heat of combustion of a raw material input that is not used as an energy source to a product system, expressed in terms of higher heating value or lower heating value

NOTE Care is necessary to ensure that the energy content of raw materials is not counted twice.

3.15

raw material

primary or secondary material that is used to produce a product

NOTE Secondary material includes recycled material.

3.16

ancillary input

material input that is used by the unit process producing the product, but does not constitute part of the product

ISO 14044:2006(E)**3.17****allocation**

partitioning the input or output flows of a process or a product system between the product system under study and one or more other product systems

3.18**cut-off criteria**

specification of the amount of material or energy flow or the level of environmental significance associated with unit processes or product system to be excluded from a study

3.19**data quality**

characteristics of data that relate to their ability to satisfy stated requirements

3.20**functional unit**

quantified performance of a product system for use as a reference unit

3.21**input**

product, material or energy flow that enters a unit process

NOTE Products and materials include raw materials, intermediate products and co-products.

3.22**intermediate flow**

product, material or energy flow occurring between unit processes of the product system being studied

3.23**intermediate product**

output from a unit process that is input to other unit processes that require further transformation within the system

3.24**life cycle inventory analysis result****LCI result**

outcome of a life cycle inventory analysis that catalogues the flows crossing the system boundary and provides the starting point for life cycle impact assessment

3.25**output**

product, material or energy flow that leaves a unit process

NOTE Products and materials include raw materials, intermediate products, co-products, and releases.

3.26**process energy**

energy input required for operating the process or equipment within a unit process, excluding energy inputs for production and delivery of the energy itself

3.27**product flow**

products entering from or leaving to another product system

3.28**product system**

collection of unit processes with elementary and product flows, performing one or more defined functions, and which models the life cycle of a product

3.29**reference flow**

measure of the outputs from processes in a given product system required to fulfil the function expressed by the functional unit

3.30**releases**

emissions to air and discharges to water and soil

3.31**sensitivity analysis**

systematic procedures for estimating the effects of the choices made regarding methods and data on the outcome of a study

3.32**system boundary**

set of criteria specifying which unit processes are part of a product system

NOTE The term "system boundary" is not used in this International Standard in relation to LCIA.

3.33**uncertainty analysis**

systematic procedure to quantify the uncertainty introduced in the results of a life cycle inventory analysis due to the cumulative effects of model imprecision, input uncertainty and data variability

NOTE Either ranges or probability distributions are used to determine uncertainty in the results.

3.34**unit process**

smallest element considered in the life cycle inventory analysis for which input and output data are quantified

3.35**waste**

substances or objects which the holder intends or is required to dispose of

NOTE The definition is taken from the *Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal* (22 March 1989) but is not confined in this International Standard to hazardous waste.

3.36**category endpoint**

attribute or aspect of natural environment, human health, or resources, identifying an environmental issue giving cause for concern

3.37**characterization factor**

factor derived from a characterization model which is applied to convert an assigned life cycle inventory analysis result to the common unit of the category indicator

NOTE The common unit allows calculation of the category indicator result.

3.38**environmental mechanism**

system of physical, chemical and biological processes for a given impact category, linking the life cycle inventory analysis results to category indicators and to category endpoints

3.39**impact category**

class representing environmental issues of concern to which life cycle inventory analysis results may be assigned