

---

**Funkcijski bloki (FB) za nadzor procesov in opisni jezik za elektronske naprave (EDDL) - 5. del: Vgrajena knjižnica EDDL (IEC 61804-5:2015)**

Function blocks (FB) for process control and electronic device description language (EDDL) - Part 5: EDDL Built-in library (IEC 61804-5:2015)

Funktionsbausteine für die Prozessautomation und elektronische Gerätebeschreibungssprache - Teil 5: Bibliothek vorgefertigter Unterprogramme (IEC 61804-5:2015)

**(standards.iteh.ai)**

Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) - Partie 5: Bibliothèque de Built-in EDDL (IEC 61804-5:2015)

**Ta slovenski standard je istoveten z: EN 61804-5:2015**

---

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.060	Jeziki, ki se uporabljajo v informacijski tehniki in tehnologiji	Languages used in information technology
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

**SIST EN 61804-5:2016**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61804-5:2016

<https://standards.iteh.ai/catalog/standards/sist/faf18881-65a3-4c02-985c-7077c01a9626/sist-en-61804-5-2016>

EUROPEAN STANDARD

**EN 61804-5**

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2015

ICS 25.040.40; 35.240.50

English Version

**Function blocks (FB) for process control and electronic device  
description language (EDDL) - Part 5: EDDL Built-in library  
(IEC 61804-5:2015)**

Blocs fonctionnels (FB) pour les procédés industriels et le  
langage de description électronique de produit (EDDL) -  
Partie 5: Bibliothèque de Built-in EDDL  
(IEC 61804-5:2015)

Funktionsbausteine für die Prozessautomation und  
elektronische Gerätebeschreibungssprache - Teil 5:  
Bibliothek vorgefertigter Unterprogramme  
(IEC 61804-5:2015)

This European Standard was approved by CENELEC on 2015-07-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN 61804-5:2016](#)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN 61804-5:2015****European foreword**

The text of document 65E/450/FDIS, future edition 1 of IEC 61804-5, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61804-5:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-04-14
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-07-14

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 61804-5:2015 was approved by CENELEC as a European Standard without any modification.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61804-5:2016](https://standards.iteh.ai/catalog/standards/sist/faf18881-65a3-4c02-985c-7077c01a9626/sist-en-61804-5-2016)

<https://standards.iteh.ai/catalog/standards/sist/faf18881-65a3-4c02-985c-7077c01a9626/sist-en-61804-5-2016>

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61804-3	2015	Function blocks (FB) for process control and EDDL - Part 3: EDDL specification and communication profiles	-	-
IEEE 754	-	IEEE Standard for Binary Floating-Point Arithmetic	-	-

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61804-5:2016](https://standards.iteh.ai/catalog/standards/sist/fa18881-65a3-4c02-985c-7077c01a9626/sist-en-61804-5-2016)

<https://standards.iteh.ai/catalog/standards/sist/fa18881-65a3-4c02-985c-7077c01a9626/sist-en-61804-5-2016>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61804-5:2016

<https://standards.iteh.ai/catalog/standards/sist/faf18881-65a3-4c02-985c-7077c01a9626/sist-en-61804-5-2016>



IEC 61804-5

Edition 1.0 2015-06

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Function blocks (FB) for process control and electronic device description  
language (EDDL) –  
Part 5: EDDL Built-in library

Blocs fonctionnels (FB) pour les procédés industriels et le langage de  
description électronique de produit (EDDL) –  
Partie 5: Bibliothèque de Built-in EDDL

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 25.040.40; 35.240.50

ISBN 978-2-8322-2702-2

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	19
INTRODUCTION.....	21
1 Scope.....	22
2 Normative references.....	22
3 Terms, definitions, acronyms and abbreviated terms .....	22
3.1 Terms and definitions .....	22
3.2 Acronyms and abbreviated terms.....	22
4 EDDL Builtin library .....	23
4.1 General.....	23
4.2 Conventions for Builtin descriptions .....	23
4.3 Builtin categories .....	24
4.3.1 Overview .....	24
4.3.2 User interface Builtins .....	25
4.3.3 Communication Builtins .....	26
4.3.4 Action Builtins .....	28
4.4 Builtin _ERROR .....	28
4.5 Builtin _TRACE .....	29
4.6 Builtin _WARNING .....	29
4.7 Builtin abort .....	29
4.8 Builtin abort_on_all_comm_errors .....	30
4.9 Builtin ABORT_ON_ALL_COMM_STATUS.....	30
4.10 Builtin ABORT_ON_ALL_DEVICE_STATUS.....	31
4.11 Builtin ABORT_ON_ALL_RESPONSE_CODES .....	31
4.12 Builtin abort_on_all_response_codes.....	32
4.13 Builtin ABORT_ON_COMM_ERROR.....	32
4.14 Builtin abort_on_comm_error.....	33
4.15 Builtin ABORT_ON_COMM_STATUS.....	33
4.16 Builtin ABORT_ON_DEVICE_STATUS.....	34
4.17 Builtin ABORT_ON_NO_DEVICE.....	34
4.18 Builtin ABORT_ON_RESPONSE_CODE .....	35
4.19 Builtin abort_on_response_code.....	36
4.20 Builtin abortTransferPort .....	36
4.21 Builtin abs.....	37
4.22 Builtin ACKNOWLEDGE .....	37
4.23 Builtin acknowledge .....	37
4.24 Builtin acos .....	38
4.25 Builtin add_abort_method (version A) .....	38
4.26 Builtin add_abort_method (version B) .....	38
4.27 Builtin AddTime.....	39
4.28 Builtin asin .....	39
4.29 Builtin assign .....	40
4.30 Builtin assign_double .....	40
4.31 Builtin assign_float .....	41
4.32 Builtin assign_int.....	41
4.33 Builtin assign_var.....	41
4.34 Builtin assign2 .....	42
4.35 Builtin atan.....	42



4.36	Builtin atof .....	43
4.37	Builtin atoi.....	43
4.38	Builtin browselidentity .....	43
4.39	Builtin BUILD_MESSAGE .....	44
4.40	Builtin ByteToDouble.....	44
4.41	Builtin ByteToFloat.....	45
4.42	Builtin ByteToLong .....	45
4.43	Builtin ByteToShort .....	45
4.44	Builtin cbrt .....	46
4.45	Builtin ceil .....	46
4.46	Builtin closeTransferPort .....	46
4.47	Builtin cos .....	47
4.48	Builtin cosh .....	47
4.49	Builtin dassign .....	47
4.50	Builtin DATE_AND_TIME_VALUE_to_string.....	48
4.51	Builtin Date_to_DayOfMonth.....	48
4.52	Builtin DATE_to_days.....	49
4.53	Builtin Date_to_Month .....	49
4.54	Builtin DATE_to_string .....	49
4.55	Builtin Date_To_Time .....	50
4.56	Builtin Date_to_Year .....	50
4.57	Builtin days_to_DATE .....	50
4.58	Builtin DELAY .....	51
4.59	Builtin delay .....	51
4.60	Builtin DELAY_TIME .....	52
4.61	Builtin delayfor .....	52
4.62	Builtin delayfor2 .....	53
4.63	Builtin DICT_ID .....	53
4.64	Builtin dictionary_string .....	54
4.65	Builtin DiffTime .....	54
4.66	Builtin discard_on_exit .....	55
4.67	Builtin DISPLAY .....	55
4.68	Builtin display.....	56
4.69	Builtin display_bitenum.....	56
4.70	Builtin display_builtin_error .....	57
4.71	Builtin display_comm_error .....	57
4.72	Builtin display_comm_status.....	58
4.73	Builtin display_device_status.....	58
4.74	Builtin display_dynamics .....	58
4.75	Builtin display_dynamics2 .....	59
4.76	Builtin display_message .....	60
4.77	Builtin display_message2 .....	61
4.78	Builtin display_response_code .....	61
4.79	Builtin display_response_status.....	62
4.80	Builtin display_xmtr_status .....	62
4.81	Builtin DoubleToByte.....	63
4.82	Builtin drand.....	63
4.83	Builtin dseed .....	64
4.84	Builtin edit_device_value .....	64

STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 61804-5:2016

<https://standards.iteh.ai/catalog/standards/sist/faf18881-65a3-4c02-985c-7077e01a9626/sist-en-61804-5-2016>

4.85	Builtin edit_device_value2 .....	65
4.86	Builtin edit_local_value .....	66
4.87	Builtin edit_local_value2 .....	67
4.88	Builtin exp .....	68
4.89	Builtin ext_send_command .....	68
4.90	Builtin ext_send_command_trans .....	69
4.91	Builtin fail_on_all_comm_errors .....	70
4.92	Builtin fail_on_all_response_codes .....	70
4.93	Builtin fail_on_comm_error .....	71
4.94	Builtin fail_on_response_code .....	71
4.95	Builtin fassign .....	72
4.96	Builtin fGetByte .....	72
4.97	Builtin fgetval .....	72
4.98	Builtin float_value .....	73
4.99	Builtin FloatToByte .....	73
4.100	Builtin floor .....	74
4.101	Builtin fmod .....	74
4.102	Builtin fpclassify .....	74
4.103	Builtin From_DATE_AND_TIME_VALUE .....	75
4.104	Builtin From_TIME_VALUE .....	75
4.105	Builtin fsetval .....	76
4.106	Builtin ftoa .....	76
4.107	Builtin fvar_value .....	76
4.108	Builtin get_acknowledgement .....	77
4.109	Builtin get_acknowledgement2 .....	77
4.110	Builtin get_block_instance_by_object_index .....	78
4.111	Builtin get_block_instance_by_tag .....	78
4.112	Builtin get_block_instance_count .....	79
4.113	Builtin get_comm_error .....	79
4.114	Builtin get_comm_error_string .....	80
4.115	Builtin get_date .....	80
4.116	Builtin get_date_lelem .....	81
4.117	Builtin get_date_lelem2 .....	81
4.118	Builtin get_date_value .....	82
4.119	Builtin get_date_value2 .....	82
4.120	Builtin GET_DD_REVISION .....	83
4.121	Builtin get_dds_error .....	83
4.122	Builtin GET_DEV_VAR_VALUE .....	84
4.123	Builtin get_dev_var_value .....	84
4.124	Builtin GET_DEVICE_REVISION .....	85
4.125	Builtin GET_DEVICE_TYPE .....	85
4.126	Builtin get_dictionary_string .....	86
4.127	Builtin get_double .....	86
4.128	Builtin get_double_lelem .....	86
4.129	Builtin get_double_lelem2 .....	87
4.130	Builtin get_double_value .....	87
4.131	Builtin get_double_value2 .....	88
4.132	Builtin get_enum_string .....	89
4.133	Builtin get_float .....	89

4.134	Builtin get_float_lelem .....	89
4.135	Builtin get_float_lelem2 .....	90
4.136	Builtin get_float_value .....	90
4.137	Builtin get_float_value2 .....	91
4.138	Builtin GET_LOCAL_VAR_VALUE .....	91
4.139	Builtin get_local_var_value .....	92
4.140	Builtin GET_MANUFACTURER .....	92
4.141	Builtin get_more_status .....	93
4.142	Builtin get_resolve_status .....	93
4.143	Builtin get_response_code .....	94
4.144	Builtin get_response_code_string .....	94
4.145	Builtin get_rspcode_string .....	95
4.146	Builtin get_rspcode_string_by_id .....	95
4.147	Builtin get_signed .....	96
4.148	Builtin get_signed_lelem .....	96
4.149	Builtin get_signed_lelem2 .....	97
4.150	Builtin get_signed_value .....	97
4.151	Builtin get_signed_value2 .....	98
4.152	Builtin get_status_code_string .....	98
4.153	Builtin get_status_string .....	99
4.154	Builtin get_stddef_string .....	99
4.155	Builtin get_string .....	100
4.156	Builtin get_string_lelem .....	101
4.157	Builtin get_string_lelem2 .....	101
4.158	Builtin get_string_value .....	102
4.159	Builtin get_string_value2 .....	102
4.160	Builtin GET_TICK_COUNT .....	103
4.161	Builtin get_transfer_status .....	103
4.162	Builtin get_unsigned .....	104
4.163	Builtin get_unsigned_lelem .....	104
4.164	Builtin get_unsigned_lelem2 .....	105
4.165	Builtin get_unsigned_value .....	105
4.166	Builtin get_unsigned_value2 .....	106
4.167	Builtin get_variable_string .....	107
4.168	Builtin GetCurrentDate .....	107
4.169	Builtin GetCurrentDateAndTime .....	108
4.170	Builtin GetCurrentTime .....	108
4.171	Builtin iassign .....	108
4.172	Builtin igetval .....	109
4.173	Builtin IGNORE_ALL_COMM_STATUS .....	109
4.174	Builtin IGNORE_ALL_DEVICE_STATUS .....	109
4.175	Builtin IGNORE_ALL_RESPONSE_CODES .....	110
4.176	Builtin IGNORE_COMM_ERROR .....	110
4.177	Builtin IGNORE_COMM_STATUS .....	111
4.178	Builtin IGNORE_DEVICE_STATUS .....	111
4.179	Builtin IGNORE_NO_DEVICE .....	112
4.180	Builtin IGNORE_RESPONSE_CODE .....	112
4.181	Builtin int_value .....	113
4.182	Builtin is_NaN .....	113

4.183	Builtin isetval .....	114
4.184	Builtin isOffline.....	114
4.185	Builtin ITEM_ID.....	114
4.186	Builtin itoa (version A).....	115
4.187	Builtin itoa (version B).....	115
4.188	Builtin ivar_value.....	115
4.189	Builtin lassign.....	116
4.190	Builtin lgetval .....	116
4.191	Builtin ListDeleteElementAt .....	116
4.192	Builtin ListDeleteElementAt2 .....	117
4.193	Builtin ListInsert .....	117
4.194	Builtin ListInsert2 .....	118
4.195	Builtin log.....	118
4.196	Builtin LOG_MESSAGE .....	119
4.197	Builtin log10.....	119
4.198	Builtin log2.....	119
4.199	Builtin long_value.....	120
4.200	Builtin LongToByte .....	120
4.201	Builtin lsetval .....	121
4.202	Builtin lvar_value.....	121
4.203	Builtin MakeTime.....	121
4.204	Builtin MEMBER_ID .....	122
4.205	Builtin MenuDisplay.....	122
4.206	Builtin method_abort .....	123
4.207	Builtin nan.....	123
4.208	Builtin NaN_value .....	124
4.209	Builtin nanf.....	124
4.210	Builtin ObjectReference.....	125
4.211	Builtin openTransferPort.....	125
4.212	Builtin pop_abort_method.....	126
4.213	Builtin pow .....	126
4.214	Builtin process_abort.....	126
4.215	Builtin push_abort_method .....	127
4.216	Builtin put_date .....	127
4.217	Builtin put_date_value .....	127
4.218	Builtin put_date_value2 .....	128
4.219	Builtin put_double .....	129
4.220	Builtin put_double_value .....	129
4.221	Builtin put_double_value2 .....	130
4.222	Builtin put_float.....	130
4.223	Builtin put_float_value .....	131
4.224	Builtin put_float_value2 .....	131
4.225	Builtin PUT_MESSAGE .....	132
4.226	Builtin put_message.....	133
4.227	Builtin put_signed.....	134
4.228	Builtin put_signed_value.....	134
4.229	Builtin put_signed_value2.....	135
4.230	Builtin put_string .....	135
4.231	Builtin put_string_value .....	136

4.232	Builtin put_string_value2 .....	136
4.233	Builtin put_unsigned .....	137
4.234	Builtin put_unsigned_value .....	138
4.235	Builtin put_unsigned_value2 .....	138
4.236	Builtin re_read_file .....	139
4.237	Builtin re_write_file .....	139
4.238	Builtin read_value .....	140
4.239	Builtin read_value2 .....	140
4.240	Builtin ReadCommand .....	141
4.241	Builtin readItemFromDevice .....	141
4.242	Builtin remove_abort_method (version A) .....	142
4.243	Builtin remove_abort_method (version B) .....	142
4.244	Builtin remove_all_abort_methods .....	142
4.245	Builtin resolve_array_ref .....	143
4.246	Builtin resolve_array_ref2 .....	143
4.247	Builtin resolve_block_ref .....	144
4.248	Builtin resolve_block_ref2 .....	145
4.249	Builtin resolve_list_ref .....	145
4.250	Builtin resolve_local_ref .....	146
4.251	Builtin resolve_local_ref2 .....	146
4.252	Builtin resolve_param_list_ref .....	147
4.253	Builtin resolve_param_ref .....	147
4.254	Builtin resolve_param_ref2 .....	148
4.255	Builtin resolve_record_ref .....	148
4.256	Builtin resolve_record_ref2 .....	149
4.257	Builtin ret_double_value .....	149
4.258	Builtin ret_double_value2 .....	150
4.259	Builtin ret_float_value .....	150
4.260	Builtin ret_float_value2 .....	151
4.261	Builtin ret_signed_value .....	151
4.262	Builtin ret_signed_value2 .....	152
4.263	Builtin ret_unsigned_value .....	152
4.264	Builtin ret_unsigned_value2 .....	152
4.265	Builtin retry_on_all_comm_errors .....	153
4.266	Builtin RETRY_ON_ALL_COMM_STATUS .....	153
4.267	Builtin RETRY_ON_ALL_DEVICE_STATUS .....	154
4.268	Builtin RETRY_ON_ALL_RESPONSE_CODES .....	154
4.269	Builtin retry_on_all_response_codes .....	155
4.270	Builtin RETRY_ON_COMM_ERROR .....	155
4.271	Builtin retry_on_comm_error .....	156
4.272	Builtin RETRY_ON_COMM_STATUS .....	156
4.273	Builtin RETRY_ON_DEVICE_STATUS .....	157
4.274	Builtin RETRY_ON_NO_DEVICE .....	157
4.275	Builtin RETRY_ON_RESPONSE_CODE .....	158
4.276	Builtin retry_on_response_code .....	158
4.277	Builtin round .....	159
4.278	Builtin save_on_exit .....	159
4.279	Builtin save_values .....	160
4.280	Builtin seconds_to_TIME_VALUE .....	160

4.281	Builtin seconds_to_TIME_VALUE8 .....	160
4.282	Builtin SELECT_FROM_LIST .....	161
4.283	Builtin select_from_list .....	161
4.284	Builtin select_from_menu .....	162
4.285	Builtin select_from_menu2 .....	163
4.286	Builtin send .....	163
4.287	Builtin send_all_values .....	164
4.288	Builtin send_command .....	164
4.289	Builtin send_command_trans .....	165
4.290	Builtin send_on_exit .....	165
4.291	Builtin send_trans .....	166
4.292	Builtin send_value .....	166
4.293	Builtin send_value2 .....	167
4.294	Builtin SET_NUMBER_OF_RETRIES .....	168
4.295	Builtin sgetval .....	168
4.296	Builtin ShortToByte .....	168
4.297	Builtin sin .....	169
4.298	Builtin sinh .....	169
4.299	Builtin sqrt .....	169
4.300	Builtin ssetval .....	170
4.301	Builtin strcmp .....	170
4.302	Builtin strleft .....	170
4.303	Builtin strlen .....	171
4.304	Builtin strlwr .....	171
4.305	Builtin strmid .....	171
4.306	Builtin strright .....	172
4.307	Builtin strstr .....	172
4.308	Builtin strtrim .....	172
4.309	Builtin strupr .....	173
4.310	Builtin tan .....	173
4.311	Builtin tanh .....	173
4.312	Builtin Time_To_Date .....	174
4.313	Builtin TIME_VALUE_to_Hour .....	174
4.314	Builtin TIME_VALUE_to_Minute .....	174
4.315	Builtin TIME_VALUE_to_Second .....	175
4.316	Builtin TIME_VALUE_to_seconds .....	175
4.317	Builtin TIME_VALUE_to_string .....	176
4.318	Builtin timet_to_string .....	176
4.319	Builtin timet_to_TIME_VALUE .....	177
4.320	Builtin timet_to_TIME_VALUE8 .....	177
4.321	Builtin To_Date .....	177
4.322	Builtin To_Date_and_Time .....	178
4.323	Builtin To_Time .....	178
4.324	Builtin To_TIME_VALUE .....	179
4.325	Builtin To_TIME_VALUE8 .....	179
4.326	Builtin trunc .....	180
4.327	Builtin VARID .....	180
4.328	Builtin vassign .....	181
4.329	Builtin WriteCommand .....	181

STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 61804-5:2016

<https://standards.iteh.ai/catalog/standards/sist/en-61804-5-2016>

7077c01a9626/sist-en-61804-5-2016

4.330	Builtin writeltemToDevice .....	181
4.331	Builtin XMTR_ABORT_ON_ALL_COMM_STATUS .....	182
4.332	Builtin XMTR_ABORT_ON_ALL_DATA .....	182
4.333	Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS .....	183
4.334	Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES .....	183
4.335	Builtin XMTR_ABORT_ON_COMM_ERROR .....	184
4.336	Builtin XMTR_ABORT_ON_COMM_STATUS .....	184
4.337	Builtin XMTR_ABORT_ON_DATA .....	185
4.338	Builtin XMTR_ABORT_ON_DEVICE_STATUS .....	185
4.339	Builtin XMTR_ABORT_ON_NO_DEVICE .....	186
4.340	Builtin XMTR_ABORT_ON_RESPONSE_CODE .....	186
4.341	Builtin XMTR_IGNORE_ALL_COMM_STATUS .....	187
4.342	Builtin XMTR_IGNORE_ALL_DATA .....	187
4.343	Builtin XMTR_IGNORE_ALL_DEVICE_STATUS .....	188
4.344	Builtin XMTR_IGNORE_ALL_RESPONSE_CODES .....	188
4.345	Builtin XMTR_IGNORE_COMM_ERROR .....	189
4.346	Builtin XMTR_IGNORE_COMM_STATUS .....	189
4.347	Builtin XMTR_IGNORE_DATA .....	190
4.348	Builtin XMTR_IGNORE_DEVICE_STATUS .....	190
4.349	Builtin XMTR_IGNORE_NO_DEVICE .....	191
4.350	Builtin XMTR_IGNORE_RESPONSE_CODE .....	191
4.351	Builtin XMTR_RETRY_ON_ALL_COMM_STATUS .....	192
4.352	Builtin XMTR_RETRY_ON_ALL_DATA .....	192
4.353	Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS .....	193
4.354	Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODE (removed) .....	193
4.355	Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES .....	193
4.356	Builtin XMTR_RETRY_ON_COMM_ERROR .....	194
4.357	Builtin XMTR_RETRY_ON_COMM_STATUS .....	194
4.358	Builtin XMTR_RETRY_ON_DATA .....	195
4.359	Builtin XMTR_RETRY_ON_DEVICE_STATUS .....	195
4.360	Builtin XMTR_RETRY_ON_NO_DEVICE .....	196
4.361	Builtin XMTR_RETRY_ON_RESPONSE_CODE .....	196
5	Builtins return codes .....	197
Annex A	(normative) Profiles of Builtins .....	199
A.1	Conventions for profiles of Builtins .....	199
A.2	Profiles for PROFIBUS and PROFINET .....	199
A.3	Profiles for FOUNDATION™ Fieldbus .....	208
A.4	Profiles for HART® .....	216
A.5	Profiles for Communication Servers .....	225
Table 1	– Format for the Builtins lexical element tables .....	23
Table 2	– Contents of the lexical element table .....	24
Table 3	– Usage of Builtins .....	24
Table 4	– User interface Builtins .....	25
Table 5	– Communication Builtins .....	26
Table 6	– Action Builtins .....	28
Table 7	– Builtin _ERROR .....	28
Table 8	– Builtin _TRACE .....	29