



SLOVENSKI STANDARD

SIST EN 61753-081-2:2014

01-oktober-2014

**Optični spojni elementi in pasivne komponente - Tehnični standard - 081-2. del:
Električno krmiljeni spremenljivi optični atenuator srednje obsežne naprave 1 x N
DWDM brez konektorjev za enorodovna vlakna kategorije C - Nadzorovana okolja
(IEC 61753-081-2:2014)**

Fibre optic interconnecting devices and passive components - Performance standard -
Part 081-2: Non-connectorized single-mode fibre optic middle-scale 1 x N DWDM
devices for category C - Controlled environments

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61753-081-2:2014](https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014)

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014>

Ta slovenski standard je istoveten z: EN 61753-081-2:2014

ICS:

33.180.20	Povezovalne naprave za optična vlakna	Fibre optic interconnecting devices
-----------	---------------------------------------	-------------------------------------

SIST EN 61753-081-2:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61753-081-2:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014>

EUROPEAN STANDARD

EN 61753-081-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2014

ICS

English Version

Fibre optic interconnecting devices and passive components -
Performance standard - Part 081-2: Non-connectorized single-
mode fibre optic middle-scale 1 x N DWDM devices for category
C - Controlled environments
(IEC 61753-081-2:2014)

Dispositifs d'interconnexion et composants passifs à fibres
optiques - Norme de performance - Partie 081-2: Dispositifs
DWDM 1 x N de milieu d'échelle à fibres optiques
unimodales, non connectorisés, pour catégorie C -
Environnements contrôlés
(CEI 61753-081-2:2014)

Lichtwellenleiter - Verbindungselemente und passive
Bauteile - Betriebsverhalten - Teil 081-2: Nicht mit
Steckverbinder versehene mittelgroße Einmoden-
Lichtwellenleiter-1-x-N-DWDM-Bauteile für die Kategorie C
- Kontrollierte Umgebung
(IEC 61753-081-2:2014)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This European Standard was approved by CENELEC on 2014-05-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-61753-081-2>

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 86B/3646/CDV, future edition 2 of IEC 61753-081-2, prepared by SC 86B "Fibre optic interconnecting devices and passive components" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61753-081-2:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-03-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-05-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

iTeh **Endorsement notice** **PREVIEW** (standards.iteh.ai)

The text of the International Standard IEC 61753-081-2:2014 was approved by CENELEC as a European Standard without any modification.

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-2-50	2012	Optical fibres -- Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	2013
IEC 60794-2-50	-	Optical fibre cables -- Part 2-50: Indoor cables - Family specification for simplex and duplex cables for use in terminated cable assemblies	EN 60794-2-50	-
IEC 61300-2-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-1: Tests - Vibration (sinusoidal)	EN 61300-2-1	-
IEC 61300-2-4	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-4: Tests - Fibre/cable retention	EN 61300-2-4	-
IEC 61300-2-9	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-9: Tests - Shock	EN 61300-2-9	-
IEC 61300-2-14	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-14: Tests - High optical power	EN 61300-2-14 +AC	2011
IEC 61300-2-17	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-17: Tests - Cold	EN 61300-2-17	-
IEC 61300-2-18	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-18: Tests - Dry heat - High temperature endurance	EN 61300-2-18	-
IEC 61300-2-19	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-19: Tests - Damp heat (steady state)	EN 61300-2-19	-

IEC 61300-2-22	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-22: Tests - Change of temperature	and EN 61300-2-22	-
IEC 61300-2-42	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-42: Tests - Static side load for strain relief	and EN 61300-2-42	-
IEC 61300-3-2	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-2: Examinations and measurements - Polarization dependent loss in a single-mode fibre optic device	and EN 61300-3-2	-
IEC 61300-3-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-6: Examinations and measurements - Return loss	and EN 61300-3-6	-
IEC 61300-3-20	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-20: Examinations and measurements - Directivity of fibre optic branching devices	and EN 61300-3-20	-
			+EN 61300-3-2002 20:2001/corrigendum Mar. 2002	
IEC 61300-3-29	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-29: Examinations and measurements - Spectral transfer characteristics of DWDM devices	and EN 61300-3-29	-
IEC 61300-3-32	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-32: Examinations and measurements - Polarisation mode dispersion measurement for passive optical components	and EN 61300-3-32	-
IEC 61300-3-38	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-38: Examinations and measurements - Group delay, chromatic dispersion and phase ripple	and EN 61300-3-38	-
IEC 61753-021-2	-	Fibre optic interconnecting devices and passive components performance standard -- Part 021-2: Grade C/3 single-mode fibre optic connectors for category C - Controlled environment	and EN 61753-021-2	-
IEC 62074-1	-	Fibre optic interconnecting devices and passive components - Fibre optic WDM devices -- Part 1: Generic specification	and EN 62074-1	-
ITU	series	Pulse code modulation (PCM) of voice-frequencies		series



IEC 61753-081-2

Edition 2.0 2014-04

INTERNATIONAL STANDARD

Fibre optic interconnecting devices and passive components – Performance standard –

Part 081-2: Non-connectorized single-mode fibre optic middle-scale 1 × N DWDM devices for category C – Controlled environments

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE



ICS 33.180.10

ISBN 978-2-8322-1531-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	6
4 Test conditions – General.....	7
5 Test report.....	7
6 Reference components.....	7
7 Performance requirements	8
7.1 Dimensions	8
7.2 Test details and requirements	8
Annex A (normative) Sample size	16
Bibliography.....	17
Table 1 – Spectral bands for single-mode systems ^a	7
Table 2 – Test and requirements for type A (Gaussian passband profile).....	8
Table 3 – Test and requirements for type B (Flat-top passband profile).....	11
Table 4 – Environmental test for all types.....	14
Table A.1 – Sample size	16

SIST EN 61753-081-2:2014

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

—————

**FIBRE OPTIC INTERCONNECTING DEVICES
AND PASSIVE COMPONENTS –
PERFORMANCE STANDARD –**
**Part 081-2: Non-connectorized single-mode fibre optic middle-scale
1 × N DWDM devices for category C – Controlled environments**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61753-081-2 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2009 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- to add passband ripple as a test item;
- to revise details to be specified and the formats of Tables 2, 3 and 4;
- to add IEC 61300-3-38 as a normative reference.

The text of this standard is based on the following documents:

CDV	Report on voting
86B/3646/CDV	86B/3720/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61753 series, under the general title *Fibre optic interconnecting devices and passive components performance standards*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

A bilingual version of this publication may be issued at a later date.

[SIST EN 61753-081-2:2014](https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014)

<https://standards.iteh.ai/catalog/standards/sist/7c2106ba-47f1-4af7-a618-1513a000f17c/sist-en-61753-081-2-2014>

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –

Part 081-2: Non-connectorized single-mode fibre optic middle-scale 1 × N DWDM devices for category C – Controlled environments

1 Scope

This part of IEC 61753 contains the minimum initial test and measurement requirements and severities which a fibre optic middle-scale 1 × N ($16 \leq N \leq 64$) DWDM (dense wavelength division multiplexing) device with channel spacing of 50 GHz, 100 GHz or 200 GHz needs to satisfy in order to be categorized as meeting the requirements of category C – Controlled environment. The requirements are given for the DWDM devices with Gaussian passband profile and flat-top passband profile. The requirements cover devices with single-mode non-connectorized pigtails and no circuit board.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

SIST EN 61753-081-2:2014
<https://standards.itec.org/standards/61753-081-2>

IEC 60793-2-50:2012, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-2-50, *Optical fibre cables – Part 2-50: Indoor cables – Family specification for simplex and duplex cables for use in terminated cable assemblies*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-9, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock*

IEC 61300-2-14, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-14: Tests – High optical power*

IEC 61300-2-17, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-17: Tests – Cold*

IEC 61300-2-18, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-18: Tests – Dry heat – High temperature endurance*

IEC 61300-2-19, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Damp heat (steady state)*