

SLOVENSKI STANDARD SIST EN 61837-3:2016

01-marec-2016

Nadomešča: SIST EN 61837-3:2001

Površinsko nameščeni piezoelektrični elementi za regulacijo frekvence in filtriranje - Standardni okrovi in žični priključki - 3. del: Kovinski okrov

Surface mounted piezoelectric devices for frequency control and selection - Standard outlines and terminal lead connections - Part 3: Metal enclosure

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61837-3:2016 https://standards.iteh.ai/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-Ta slovenski standard je istovétén fztb26f/sis**EN-6f1837-3:2015**

<u>ICS:</u>

31.140 Piezoelektrične in dielektrične naprave Piezoelectric and dielectric devices

SIST EN 61837-3:2016

en



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61837-3:2016</u> https://standards.iteh.ai/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-63174f11b26f/sist-en-61837-3-2016

SIST EN 61837-3:2016

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61837-3

December 2015

ICS 31.140

Supersedes EN 61837-3:2000

English Version

Surface mounted piezoelectric devices for frequency control and selection - Standard outlines and terminal lead connections -Part 3: Metal enclosures (IEC 61837-3:2015)

Dispositifs piézoélectriques à montage en surface pour la commande et le choix de la fréquence - Encombrements normalisés et connexions des sorties - Partie 3: Enveloppes métalliques (IEC 61837-3:2015) Oberflächenmontierbare piezoelektrische Bauteile zur Frequenzstabilisierung und -selektion - Norm-Gehäusemaße und Anschlüsse - Teil 3: Metallgehäuse (IEC 61837-3:2015)

This European Standard was approved by CENELEC on 2015-05-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member. **ICLASS.ICEN.21**)

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions. dards. iteh al/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-

63174f11b26f/sist-en-61837-3-2016

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 49/1118/FDIS, future edition 2 of IEC 61837-3, prepared by IEC/TC 49 "Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61837-3:2015.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2016-06-04
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2018-05-20

This document supersedes EN 61837-3:2000.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61837-3:2015 was approved by CENELEC as a European Standard without any modification

In the official version, for Bibliography, the following notes have to be added for the standards indicated: https://standards.iteh.ai/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-

IEC 60122-3:2010	NOTE Harmonized as EN 60122 3:2010 (not modified).
IEC 60191-6:2009	NOTE Harmonized as EN 60191-6:2009 (not modified).
IEC 60368-1:2000	NOTE Harmonized as EN 60368-1:2000 (not modified).
A1:2004	A1:2004
IEC 60368-2-2:1996	NOTE Harmonized as EN 60368-2-2:1999 (not modified).
IEC 60368-3:2010	NOTE Harmonized as EN 60368-3:2010 (not modified).
IEC 60679-1:2007	NOTE Harmonized as EN 60679-1:2007 (not modified).
IEC 60679-3:2012	NOTE Harmonized as EN 60679-3:2013 (not modified).
IEC 60862-1:2003	NOTE Harmonized as EN 60862-1:2003 (not modified).
IEC 60862-2:2012	NOTE Harmonized as EN 60862-2:2012 (not modified).
IEC 60862-3:2003	NOTE Harmonized as EN 60862-3:2003 (not modified).
ISO 1101:2012	NOTE Harmonized as EN ISO 1101:2013 (not modified).

EN 61837-3:2015 (E)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication IEC 61240	<u>Year</u> 2012	<u>Title</u> Piezoelectric devices - Preparation of outline drawings of surface-mounted devices (SMD) for frequency control and selection - General rules h STANDARD PREVI (standards.iteh.ai)	EN/HD EN 61240	<u>Year</u> 2012
	https://star	<u>SIST EN 61837-3:2016</u> ndards.iteh.ai/catalog/standards/sist/0cd44d3b-725c 63174f11b26f/sist-en-61837-3-2016	-4bd7-9924-	

3



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61837-3:2016</u> https://standards.iteh.ai/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-63174f11b26f/sist-en-61837-3-2016



Edition 2.0 2015-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Surface mounted **piezoelectric devices for frequency control** and selection – Standard outlines and terminal lead connections – Part 3: Metal enclosures

SIST EN 61837-3:2016

Dispositifs piézoélectriques à montage en surface pour la commande et le choix de la fréquence – Encombréments normalisés et connexions des sorties – Partie 3: Enveloppes métalliques

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.140

ISBN 978-2-8322-2598-1

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

– 2 –

IEC 61837-3:2015 © IEC 2015

CONTENTS

FOR	FOREWORD			
1	Scope	5		
2	Normative references			
3	Configuration of enclosures	5		
4	Designation of types	5		
5	Metal enclosure dimensions	6		
6	Lead connections	6		
7	Designation of metal enclosures	6		
Bibli	Bibliography20			
Tabl	e 1 – Revised configurations	6		
Tabl	Table 2 – Designation of metal enclosures			

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61837-3:2016</u> https://standards.iteh.ai/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-63174f11b26f/sist-en-61837-3-2016 IEC 61837-3:2015 © IEC 2015

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SURFACE MOUNTED PIEZOELECTRIC DEVICES FOR FREQUENCY CONTROL AND SELECTION – STANDARD OUTLINES AND TERMINAL LEAD CONNECTIONS –

Part 3: Metal enclosures

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61837-3 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This second edition cancels and replaces the first edition published in 2000. It constitutes a technical revision.

This International Standard is to be read in conjunction with IEC 61240:2012.

This edition includes the following significant technical changes with respect to the previous edition:

• The outline drawing is defined as one set of drawings consisting of four views, which are the view from above, the front view, the view from the right, and the view from below; the view from the right was drawn optionally in the previous edition.

- The height of package (G_1) is eliminated, instead total height is expressed by the symbol letter G or with a subscript number.
- The dimensions of terminal lead spacing are shown by the centre position of the terminal leads and its basic value e is 2.54 × n mm (n is an integer) and 1,27 × n mm for package dimensions smaller than 6 mm (See IEC 61240:2012, 5.5). If the terminal lead spacing is not a multiple of the basic value, a subscript number such as e₁, e₂ is attached, e.g. e₁, e₂, etc. If there are plural spacing values, the subscript number is followed by a hyphen and numbers such as e₁₋₁, e₁₋₂, etc.
- In terminal land areas, the lengths of each terminal pad are now expressed with maximum values for consumer's convenience. They were expressed as minimum values in the previous edition of IEC 61837-3.
- If there are plural identical enclosures with different height, each enclosure was expressed by a dash (/) and a two-digit number after the basic type name. The identity references are given in the table of the sheet.
- The configurations of the enclosures were revised as shown in Table 1.

The text of this standard is based on the following documents:

FDIS	Report on voting
49/1118/FDIS	49/1140/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table. ANDARD PREVIEW

This publication has been drafted in accordance with the ISO/JEC Directives, Part 2.

A list of all parts in the IEC 61837 series, published under the general title Surface mounted piezoelectric devices for frequency control and selection 4 Standard outlines and terminal lead connections, can be found on the IEC (websitet-en-61837-3-2016)

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IEC 61837-3:2015 © IEC 2015

SURFACE MOUNTED PIEZOELECTRIC DEVICES FOR FREQUENCY CONTROL AND SELECTION – STANDARD OUTLINES AND TERMINAL LEAD CONNECTIONS –

Part 3: Metal enclosures

1 Scope

This part of IEC 61837 deals with standard outlines and terminal lead connections as they apply to SMDs for frequency control and selection in metal enclosures and is based on IEC 61240 which standardized layout rules of outline drawings of the surface-mounted devices.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61240:2012, Piezoelectric devices Preparation of outline drawings of surface mounted devices (SMD) for frequency control and selection – General rules

3 Configuration of enclosures <u>SIST EN 61837-3:2016</u>

https://standards.iteh.ai/catalog/standards/sist/0cd44d3b-725c-4bd7-9924-


The enclosures of the surface-mounted devices are made of metal with the formed lead terminals based on the descriptive designation system for semiconductors – devices package.

All SMD enclosures described in this part of IEC 61837 are special surface mount types. Therefore, the following designator is used.

- SMS (Surface-Mounted, Special)

4 Designation of types

The type designator consists of four parts as follows:



- A: Configuration symbol of enclosures:
 - SMS (Surface-Mounted, Special).
- B: Structure of terminal leads
 - L: folded leads type;
 - J: folded leads type.

If there is a leadless type, it will have no mark.

See Clause 3 of IEC 61240:2012, Classification of SMD.

C: Number of terminal leads