



SLOVENSKI STANDARD

SIST EN 62620:2015

01-maj-2015

**Sekundarni člani in baterije z alkalnimi ali drugimi nekislinskimi elektroliti -
Sekundarni litijevi člani in baterije za industrijsko uporabo (IEC 62620:2014)**

Secondary cells and batteries containing alkaline or other non-acid electrolytes -
Secondary lithium cells and batteries for use in industrial applications (IEC 62620:2014)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: ^{SIST EN 62620:2015} **EN 62620:2015**
<https://standards.iteh.ai/catalog/standards/sist/3c54ce18-2490-4e2c-9b9c-6820808049de/sist-en-62620-2015>

ICS:

29.220.30	Alkalni sekundarni člani in baterije	Alkaline secondary cells and batteries
-----------	--------------------------------------	--

SIST EN 62620:2015

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62620:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/3e34ce18-2490-4e2c-9b9c-6820808049de/sist-en-62620-2015>

EUROPEAN STANDARD

EN 62620

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2015

ICS 29.220.30

English Version

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Secondary lithium cells and batteries for use in industrial applications
(IEC 62620:2014)

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Éléments et batteries d'accumulateurs au lithium pour utilisation dans les applications industrielles
(IEC 62620:2014)

Akkumulatoren und Batterien mit alkalischen oder anderen nichtsäurehaltigen Elektrolyten - Lithium-Akkumulatoren und -batterien für industrielle Anwendungen
(IEC 62620:2014)

This European Standard was approved by CENELEC on 2014-12-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 21A/561/FDIS, future edition 1 of IEC 62620, prepared by SC 21A "Secondary cells and batteries containing alkaline or other non-acid electrolytes, " of IEC/TC 21 "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62620:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-09-30
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-12-30

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Endorsement notice

SIST EN 62620:2015

The text of the International Standard IEC 62620:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60051 Series	NOTE	Harmonised in EN 60051 series (not modified).
IEC 61434	NOTE	Harmonised in EN 61434 (not modified).
IEC 61960	NOTE	Harmonised as EN 61960 (not modified).
IEC 62660 Series	NOTE	Harmonised in EN 62660 series (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-482	2004	International Electrotechnical Vocabulary (IEV) -- Part 482: Primary and secondary cells and batteries	-	-
ISO/IEC Guide 51	-	Safety aspects - Guidelines for their inclusion in standards	-	-

iteh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62620:2015

<https://standards.iteh.ai/catalog/standards/sist/3e34ce18-2490-4e2c-9b9c-6820808049de/sist-en-62620-2015>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62620:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/3e34ce18-2490-4e2c-9b9c-6820808049de/sist-en-62620-2015>



IEC 62620

Edition 1.0 2014-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary lithium cells and batteries for use in industrial applications

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide – Éléments et batteries d'accumulateurs au lithium pour utilisation dans les applications industrielles

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

U

ICS 29.220.30

ISBN 978-2-8322-1958-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Parameters measurement tolerances	8
5 Marking and designation	8
5.1 Marking	8
5.2 Cell designation	10
5.3 Battery designation	12
5.3.1 General	12
5.3.2 Battery structure formulation	13
5.4 Cell or battery termination	13
6 Electrical tests	13
6.1 General	13
6.2 Charging procedure for test purposes	14
6.3 Discharge performance	14
6.3.1 Discharge performance at +25 °C	14
6.3.2 Discharge performance at low temperature	15
6.3.3 High rate permissible current	15
6.4 Charge (capacity) retention and recovery	16
6.4.1 General	16
6.4.2 Test method	16
6.4.3 Acceptance criterion	16
6.5 Cell and battery internal resistance	17
6.5.1 General	17
6.5.2 Measurement of the internal a.c. resistance	17
6.5.3 Measurement of the internal d.c. resistance	17
6.6 Endurance	18
6.6.1 Endurance in cycles	18
6.6.2 Endurance in storage at constant voltage (permanent charge life)	19
7 Type test conditions	20
7.1 General	20
7.2 Sample size	20
7.3 Conditions for type approval	21
7.3.1 Dimensions	21
7.3.2 Electrical tests	22
Annex A (informative) Battery structure information	23
A.1 Example 1	23
A.2 Example 2	23
A.3 Example 3	23
A.4 Example 4	23
A.5 Example 5	24
A.6 Example 6	24
A.7 Example 7	25
A.8 Example 8	25

A.9 Example 9.....	26
Bibliography.....	27
Figure 1 – Test sequence	21
Figure A.1 – Structure 3S	23
Figure A.2 – Structure 2P	23
Figure A.3 – Structure 3S2P	23
Figure A.4 – Structure 2P4S	24
Figure A.5 – Structure 2P4S3P	24
Figure A.6 – Structure (2P4S)3P.....	25
Figure A.7 – Structure (3S2P)3P.....	25
Figure A.8 – Structure (5S)4S.....	26
Figure A.9 – Structure ((3S2P)3P)2S	26
Table 1 – Marking	10
Table 2 – Discharge performance at +25 °C ± 5 °C	14
Table 3 – Discharge performance at low temperature	15
Table 4 – Discharge current values for high rate permissible test.....	16
Table 5 – Constant discharge current used for measurement of the internal d.c. resistance	18
Table 6 – Type test.....	20
Table 7 – Severe conditions.....	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SECONDARY CELLS AND BATTERIES CONTAINING
ALKALINE OR OTHER NON-ACID ELECTROLYTES –
SECONDARY LITHIUM CELLS AND BATTERIES
FOR USE IN INDUSTRIAL APPLICATIONS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/sist/3e34ce18-2490-4e2c-9b9c-6820808049de/sist-en-62620-2015>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62620 has been prepared by subcommittee 21A: Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC technical committee 21: Secondary cells and batteries.

The text of this standard is based on the following documents:

FDIS	Report on voting
21A/561/FDIS	21A/572/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62620:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/3e34ce18-2490-4e2c-9b9c-6820808049de/sist-en-62620-2015>

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SECONDARY LITHIUM CELLS AND BATTERIES FOR USE IN INDUSTRIAL APPLICATIONS

1 Scope

This International Standard specifies marking, tests and requirements for lithium secondary cells and batteries used in industrial applications including stationary applications.

When there exists an IEC standard specifying test conditions and requirements for cells used in special applications and which is in conflict with this standard, the former takes precedence. (e.g. IEC 62660 series on road vehicles).

The following are some examples of applications that utilize the cells and batteries under the scope of this standard.

- Stationary applications: telecom, uninterruptible power supplies (UPS), electrical energy storage system, utility switching, emergency power and similar applications.
- Motive applications: fork-lift truck, golf cart, AGV, railway, and marine, excluding road vehicles.

Since this standard covers batteries for various industrial applications, it includes those requirements, which are common and minimum to the various applications.

This standard applies to cells and batteries. If the battery is divided into smaller units, the smaller unit can be tested as the representative of the battery. The manufacturer clearly declares the tested unit. The manufacturer may add functions, which are present in the final battery, to the tested unit.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-482:2004, *International Electrotechnical Vocabulary (IEV) – Part 482: Primary and secondary cells and batteries*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-482 and ISO/IEC Guide 51 as well as the following apply.

3.1

charge recovery **capacity recovery**

capacity that a cell or battery can deliver after the charge following the charge retention test