
**Industrial automation systems and
integration — Product data representation
and exchange —**

Part 22:

Implementation methods: Standard data
access interface

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Systèmes d'automatisation industrielle et intégration — Représentation et
échange de données de produit —*

*Partie 22: Méthodes de mise en application: Interface normalisée d'accès
aux données*



Contents	page
1 Scope	1
2 Normative references	2
3 Definitions and abbreviations	3
3.1 Terms defined in ISO 10303-1	3
3.2 Terms defined in ISO 10303-11	3
3.3 Other definitions	4
3.3.1 application schema	4
3.3.2 concurrent access	4
3.3.3 constraint	4
3.3.4 current schema	4
3.3.5 external schema	4
3.3.6 foreign schema	4
3.3.7 identifier	4
3.3.8 implementation class	4
3.3.9 iterator	4
3.3.10 native schema	4
3.3.11 repository	4
3.3.12 schema instance	4
3.3.13 SDAI-model	4
3.3.14 SDAI language binding	4
3.3.15 SDAI schema	5
3.3.16 session	5
3.3.17 validation	5
3.4 Abbreviations	5
4 SDAI overview	5
4.1 Data access interfaces	5
4.2 Operations and the session state	5
4.3 Repositories, schema instances, and SDAI-models	5
4.4 Transactions and access modes	6
4.5 The session, data dictionary and managing a population	7
4.6 SDAI parameter data schema	8
4.7 Functional specification	8
4.8 SDAI language bindings	9
4.9 Error handling	10
5 Fundamental principles	10

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
 Case postale 56 • CH-1211 Genève 20 • Switzerland
 Internet iso@iso.ch

Printed in Switzerland

6 SDAI dictionary schema	11
6.1 Introduction	11
6.2 Fundamental concepts and assumptions	12
6.3 SDAI dictionary schema type definitions	12
6.3.1 base_type	12
6.3.2 constructed_type	12
6.3.3 underlying_type	13
6.3.4 type_or_rule	13
6.3.5 explicit_or_derived	13
6.3.6 express_id	13
6.3.7 info_object_id	14
6.4 SDAI dictionary schema entity definitions	14
6.4.1 schema_definition	14
6.4.2 interface_specification	15
6.4.3 interfaced_item	15
6.4.4 explicit_item_id	16
6.4.5 used_item	16
6.4.6 referenced_item	16
6.4.7 implicit_item_id	17
6.4.8 external_schema	17
6.4.9 domain_equivalent_type	18
6.4.10 named_type	18
6.4.11 defined_type	19
6.4.12 entity_definition	19
6.4.13 attribute	20
6.4.14 derived_attribute	21
6.4.15 explicit_attribute	21
6.4.16 inverse_attribute	22
6.4.17 uniqueness_rule	22
6.4.18 where_rule	23
6.4.19 global_rule	23
6.4.20 simple_type	24
6.4.21 number_type	24
6.4.22 integer_type	24
6.4.23 real_type	25
6.4.24 string_type	25
6.4.25 binary_type	26
6.4.26 logical_type	26
6.4.27 boolean_type	26
6.4.28 enumeration_type	27
6.4.29 select_type	27
6.4.30 aggregation_type	27
6.4.31 variable_size_aggregation_type	28
6.4.32 set_type	28
6.4.33 bag_type	28
6.4.34 list_type	29
6.4.35 array_type	29
6.4.36 bound	30
6.4.37 population_dependent_bound	30

STANDARD PREVIEW

(standards.iteh.ai)

ISO 10303-22:1998

[https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-](https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-7921ad4028a/iso-10303-22-1998)

[7921ad4028a/iso-10303-22-1998](https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-7921ad4028a/iso-10303-22-1998)

6.4.38 integer_bound	30
7 SDAI session schema	31
7.1 Introduction	31
7.2 Fundamental concepts and assumptions	31
7.3 SDAI session schema type definitions	32
7.3.1 access_type	32
7.3.2 error_base	32
7.3.3 time_stamp	32
7.4 SDAI session schema entity definitions	33
7.4.1 sdai_session	33
7.4.2 implementation	34
7.4.3 sdai_repository	35
7.4.4 sdai_repository_contents	36
7.4.5 sdai_transaction	36
7.4.6 event	36
7.4.7 error_event	37
8 SDAI population schema	38
8.1 Introduction	38
8.2 Fundamental concepts and assumptions	39
8.3 SDAI population schema type definitions	39
8.3.1 schema_definition	39
8.3.2 entity_definition	39
8.4 SDAI population schema entity definitions	39
8.4.1 schema_instance	39
8.4.2 sdai_model	41
8.4.3 sdai_model_contents	42
8.4.4 entity_extent	42
8.4.5 scope	43
9 SDAI parameter data schema	44
9.1 Introduction	44
9.2 Fundamental concepts and assumptions	45
9.3 SDAI parameter data schema type definitions	45
9.3.1 primitive	45
9.3.2 assignable_primitive	46
9.3.3 aggregate_primitive	46
9.3.4 string_value	46
9.3.5 binary_value	47
9.3.6 integer_value	47
9.3.7 real_value	47
9.3.8 number_value	47
9.3.9 boolean_value	47
9.3.10 logical_value	48
9.3.11 bound_instance_value	48
9.3.12 query_source	48
9.4 SDAI parameter data schema entity definitions	49
9.4.1 iterator	49

ITeH STANDARD PREVIEW
 (standards.iteh.ai)

ISO 10303-22:1998

<https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-7f921ad4028a/iso-10303-22-1998>

9.4.2	entity_instance	49
9.4.3	application_instance	50
9.4.4	sdaï_instance	50
9.4.5	dictionary_instance	51
9.4.6	session_instance	51
9.4.7	attribute_value	51
9.4.8	select_value	52
9.4.9	select_aggregate_instance	53
9.4.10	enumeration_value	53
9.4.11	aggregate_instance	54
9.4.12	unordered_collection	54
9.4.13	set_instance	54
9.4.14	bag_instance	55
9.4.15	ordered_collection	55
9.4.16	list_instance	56
9.4.17	schema_defined_list_instance	56
9.4.18	non_persistent_list_instance	56
9.4.19	array_instance	57
9.4.20	application_indexed_array_instance	57
10	SDAI operations	58
10.1	Introduction	58
10.2	Fundamental concepts and assumptions	59
10.3	Environment operations	60
10.3.1	Open session	60
10.4	Session operations	61
10.4.1	Record error	61
10.4.2	Start event recording	61
10.4.3	Stop event recording	62
10.4.4	Close session	63
10.4.5	Open repository	63
10.4.6	Start transaction read-write access	64
10.4.7	Start transaction read-only access	64
10.4.8	Commit	65
10.4.9	Abort	66
10.4.10	End transaction access and commit	68
10.4.11	End transaction access and abort	68
10.4.12	Create non-persistent list	69
10.4.13	Delete non-persistent list	69
10.4.14	SDAI query	70
10.5	Repository operations	72
10.5.1	Create SDAI-model	72
10.5.2	Create schema instance	73
10.5.3	Close repository	75
10.6	Schema instance operations	75
10.6.1	Delete schema instance	75
10.6.2	Rename schema instance	76
10.6.3	Add SDAI-model	77
10.6.4	Remove SDAI-model	77

10.6.5	Validate global rule	78
10.6.6	Validate uniqueness rule	79
10.6.7	Validate instance reference domain	80
10.6.8	Validate schema instance	81
10.6.9	Is validation current	82
10.7	SDAI-model operations	82
10.7.1	Delete SDAI-model	82
10.7.2	Rename SDAI-model	83
10.7.3	Start read-only access	84
10.7.4	Promote SDAI-model to read-write	84
10.7.5	End read-only access	85
10.7.6	Start read-write access	85
10.7.7	End read-write access	86
10.7.8	Get entity definition	87
10.7.9	Create entity instance	87
10.7.10	Undo changes	88
10.7.11	Save changes	89
10.8	Scope operations	90
10.8.1	Add to scope	90
10.8.2	Is scope owner	91
10.8.3	Get scope	91
10.8.4	Remove from scope	92
10.8.5	Add to export list	93
10.8.6	Remove from export list	93
10.8.7	Scoped delete	94
10.8.8	Scoped copy	95
10.8.9	Validate scope reference restrictions	96
10.9	Type operations	96
10.9.1	Get complex entity definition	96
10.9.2	Is subtype of	97
10.9.3	Is SDAI subtype of	98
10.9.4	Is domain equivalent with	98
10.10	Entity instance operations	99
10.10.1	Get attribute	99
10.10.2	Test attribute	100
10.10.3	Find entity instance SDAI-model	100
10.10.4	Get instance type	101
10.10.5	Is instance of	101
10.10.6	Is kind of	102
10.10.7	Is SDAI kind of	103
10.10.8	Find entity instance users	103
10.10.9	Find entity instance usedin	104
10.10.10	Get attribute value bound	105
10.10.11	Find instance roles	106
10.10.12	Find instance data types	106
10.11	Application instance operations	107
10.11.1	Copy application instance	107
10.11.2	Delete application instance	108
10.11.3	Put attribute	109

10.11.4 Unset attribute value	110
10.11.5 Create aggregate instance	110
10.11.6 Get persistent label	111
10.11.7 Get session identifier	112
10.11.8 Get description	113
10.11.9 Validate where rule	113
10.11.10 Validate required explicit attributes assigned	114
10.11.11 Validate inverse attributes	114
10.11.12 Validate explicit attributes references	115
10.11.13 Validate aggregates size	116
10.11.14 Validate aggregates uniqueness	117
10.11.15 Validate array not optional	117
10.11.16 Validate string width	118
10.11.17 Validate binary width	119
10.11.18 Validate real precision	120
10.12 Entity instance aggregate operations	121
10.12.1 Get member count	121
10.12.2 Is member	121
10.12.3 Create iterator	122
10.12.4 Delete iterator	122
10.12.5 Beginning	123
10.12.6 Next	123
10.12.7 Get current member	124
10.12.8 Get value bound by iterator	125
10.12.9 Get lower bound	125
10.12.10 Get upper bound	126
10.13 Application instance aggregate operations	127
10.13.1 Create aggregate instance as current member	127
10.13.2 Put current member	128
10.13.3 Remove current member	128
10.14 Application instance unordered collection operations	129
10.14.1 Add unordered	129
10.14.2 Create aggregate instance unordered	130
10.14.3 Remove unordered	131
10.15 Entity instance ordered collection operations	131
10.15.1 Get by index	131
10.15.2 End	132
10.15.3 Previous	132
10.15.4 Get value bound by index	133
10.16 Application instance ordered collection operations	134
10.16.1 Put by index	134
10.16.2 Create aggregate instance by index	135
10.17 Entity instance array operations	136
10.17.1 Test by index	136
10.17.2 Test current member	136
10.17.3 Get lower index	137
10.17.4 Get upper index	137
10.18 Application instance array operations	138
10.18.1 Unset value by index	138

10.18.2	Unset value current member	139
10.18.3	Reindex array	139
10.18.4	Reset array index	140
10.19	Application instance list operations	141
10.19.1	Add before current member	141
10.19.2	Add after current member	141
10.19.3	Add by index	142
10.19.4	Create aggregate instance before current member	143
10.19.5	Create aggregate instance after current member	144
10.19.6	Add aggregate instance by index	145
10.19.7	Remove by index	146
11	SDAI errors	146
12	SDAI state model	150
12.1	State model for transaction level 1	154
12.1.1	No Session 1 State	155
12.1.2	Session 1 State	155
12.1.3	Repository Open 1 State	155
12.1.4	SDAI-Model Started RO 1 State	155
12.1.5	SDAI-Model Started RW 1 State	155
12.1.6	State transitions	155
12.2	State model for transaction level 2	156
12.2.1	No Session 2 State	156
12.2.2	Session 2 State	156
12.2.3	Repository Open 2 State	156
12.2.4	SDAI-Model Started RO 2 State	157
12.2.5	SDAI-Model Started RW 2 State	157
12.2.6	State transitions	157
12.3	State model for transaction level 3	158
12.3.1	No Session 3 State	158
12.3.2	Session 3 State	158
12.3.3	Transaction Started RO 3 State	158
12.3.4	Transaction Started RW 3 State	158
12.3.5	Repository Open 3 State	158
12.3.6	RO Repository Open 3 State	158
12.3.7	RW Repository Open 3 State	159
12.3.8	RO Model Started RO 3 State	159
12.3.9	RW Model Started RO 3 State	159
12.3.10	RW Model Started RW 3 State	159
12.3.11	State transitions	159
13	Implementation classes	160
13.1	Implementations of SDAI	160
13.1.1	Levels of transaction	160
13.1.2	Levels of expression evaluation for validation and derived attributes	161
13.1.3	Levels of session event recording support	161
13.1.4	Levels of scope support	162
13.1.5	Levels of domain equivalence support	162

13.2 Implementations class specification	162
13.2.1 Implementation class 1	162
13.2.2 Implementation class 2	163
13.2.3 Implementation class 3	163
13.2.4 Implementation class 4	163
13.2.5 Implementation class 5	163
13.2.6 Implementation class 6	164
13.2.7 Implementation class 7	164
13.3 Operations required by implementations class	164

Annexes

A Mapping EXPRESS into SDAI dictionary schema constructs	168
A.1 EXPRESS Language Constructs	168
A.1.1 Interface specification	168
A.1.2 EXPRESS ABSTRACT	168
A.1.3 Interpretation of the EXPRESS SUPERTYPE expression - AND and ANDOR ...	169
A.1.4 Bounds and bound expressions	170
A.1.5 Attribute redeclaration	171
A.2 Domain equivalence information	171
A.2.1 Dictionary constructs	171
A.2.2 Algorithms and methods for declaring domain equivalence	171
B Protocol Implementation Conformance Statement (PICS) proforma	174
C Information object registration	176
C.1 Document identification	176
C.2 Schema identification	176
D EXPRESS-G diagrams	178
E SDAI schema EXPRESS listing	188
Index	189

Figures	page
Figure 1 - An example SDAI storage structure	6
Figure 2 - The SDAI data architecture element relationships	7
Figure D.1 - SDAI dictionary schema EXPRESS-G diagram 1 of 5	178
Figure D.2 - SDAI dictionary schema EXPRESS-G diagram 2 of 5	179
Figure D.3 - SDAI dictionary schema EXPRESS-G diagram 3 of 5	180
Figure D.4 - SDAI dictionary schema EXPRESS-G diagram 4 of 5	181
Figure D.5 - SDAI dictionary schema EXPRESS-G diagram 5 of 5	182
Figure D.6 - SDAI session schema EXPRESS-G diagram 1 of 2	183
Figure D.7 - SDAI session schema EXPRESS-G diagram 2 of 2	184
Figure D.8 - SDAI population schema EXPRESS-G diagram	185

Figure D.9 - SDAI parameter data schema EXPRESS-G diagram 1 of 2	186
Figure D.10 - SDAI parameter data schema EXPRESS-G diagram 2 of 2	187

Tables	page
Table - 1 Attribute representations supported in query	71
Table - 2 SDAI error indicators	148
Table - 3 SDAI operations groupings	151
Table - 4 State transitions for transaction level 1	156
Table - 5 State transitions for transaction level 2	157
Table - 6 State transitions for transaction level 3	160
Table - 7 Operations required by implementation class	165

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 10303-22:1998](https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-7f921ad4028a/iso-10303-22-1998)

<https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-7f921ad4028a/iso-10303-22-1998>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

International Standard ISO 10303-22 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC4, *Industrial data*.

ISO 10303 consists of the following parts under the general title *Industrial automation systems and integration - Product data representation and exchange*:

- Part 1, Overview and fundamental principles;
- Part 11, Description method: EXPRESS language reference manual;
- Part 12, Description method: EXPRESS-I language reference manual;
- Part 21, Implementation method: Clear text encoding of the exchange structure;
- Part 22, Implementation method: Standard data access interface specification;
- Part 23, Implementation method: C++ language binding to the standard data access interface;
- Part 24, Implementation method: C language binding to the standard data access interface;
- Part 26, Implementation method: Interface definition language binding to the standard data access;
- Part 31, Conformance testing methodology and framework: General concepts;
- Part 32, Conformance testing methodology and framework: Requirements on testing laboratories and clients;
- Part 33, Conformance testing methodology and framework: Structure and use of abstract test suites;
- Part 34, Conformance testing methodology and framework: Abstract test methods;
- Part 35, Conformance testing methodology and framework: Abstract test methods for SDAI implementations;
- Part 41, Integrated generic resource: Fundamentals of product description and support;

- Part 42, Integrated generic resource: Geometric and topological representation;
- Part 43, Integrated generic resource: Representation structures;
- Part 44, Integrated generic resource: Product structure configuration;
- Part 45, Integrated generic resource: Materials;
- Part 46, Integrated generic resource: Visual presentation;
- Part 47, Integrated generic resource: Shape variation tolerances;
- Part 49, Integrated generic resource: Process structure and properties;
- Part 101, Integrated application resource: Draughting;
- Part 104, Integrated application resource: Finite element analysis;
- Part 105, Integrated application resource: Kinematics;
- Part 106, Integrated application resource: Building construction core model;
- Part 201, Application protocol: Explicit draughting;
- Part 202, Application protocol: Associative draughting;
- Part 203, Application protocol: Configuration controlled design;
- Part 204, Application protocol: Mechanical design using boundary representation;
- Part 205, Application protocol: Mechanical design using surface representation;
- Part 207, Application protocol: Sheet metal die planning and design;
- Part 208, Application protocol: Life cycle management - Change process;
- Part 209, Application protocol: Composite and metallic structural analysis and related design;
- Part 210, Application protocol: Electronic assembly, interconnect, and packaging design;
- Part 212, Application protocol: Electrotechnical design and installation;
- Part 213, Application protocol: Numerical control process plans for machined parts;
- Part 214, Application protocol: Core data for automotive design;
- Part 215, Application protocol: Ship arrangement;
- Part 216, Application protocol: Ship moulded forms;

- Part 217, Application protocol: Ship piping;
- Part 218, Application protocol: Ship structures;
- Part 220, Application protocol: Process planning, manufacture, and assembly of layered electronic products;
- Part 221, Application protocol: Functional data and their schematic representation for process plant;
- Part 222, Application protocol: Exchange of product data for composite structures;
- Part 223, Application protocol: Exchange of design and manufacturing product information for cast parts;
- Part 224, Application protocol: Mechanical product definition for process plans using machining features;
- Part 225, Application protocol: Building elements using explicit shape representation;
- Part 226, Application protocol: Ship mechanical systems;
- Part 227, Application protocol: Plant spatial configuration;
- Part 228, Application protocol: Building services: Heating, ventilation, and air conditioning;
- Part 229, Application protocol: Exchange of design and manufacturing product information for forged parts;
- Part 230, Application protocol: Building structural frame: Steelwork;
- Part 231, Application protocol: Process engineering data: Process design and process specification of major equipment;
- Part 232, Application protocol: Technical data packaging core information and exchange;
- Part 301, Abstract test suite: Explicit draughting;
- Part 302, Abstract test suite: Associative draughting;
- Part 303, Abstract test suite: Configuration controlled design;
- Part 304, Abstract test suite: Mechanical design using boundary representation;
- Part 305, Abstract test suite: Mechanical design using surface representation;
- Part 307, Abstract test suite: Sheet metal die planning and design;
- Part 308, Abstract test suite: Life cycle management - Change process;

- Part 309, Abstract test suite: Composite and metallic structural analysis and related design;
- Part 310, Abstract test suite: Electronic assembly, interconnect, and packaging design;
- Part 312, Abstract test suite: Electrotechnical design and installation;
- Part 313, Abstract test suite: Numerical control process plans for machined parts;
- Part 314, Abstract test suite: Core data for automotive mechanical design processes;
- Part 315, Abstract test suite: Ship arrangement;
- Part 316, Abstract test suite: Ship moulded forms;
- Part 317, Abstract test suite: Ship piping;
- Part 318, Abstract test suite: Ship structures;
- Part 320, Abstract test suite: Process planning, manufacture, and assembly of layered electronic products;
- Part 321, Abstract test suite: Functional data and their schematic representation for process plant;
- Part 322, Abstract test suite: Exchange of product data for composite structures;
- Part 323, Abstract test suite: Exchange of design and manufacturing product information for cast parts;
<https://standards.iteh.ai/catalog/standards/sist/d908676f-2916-4600-b62d-7f921ad4028a/iso-10303-22-1998>
- Part 324, Abstract test suite: Mechanical product definition for process plans using machining features;
- Part 325, Abstract test suite: Building elements using explicit shape representation;
- Part 326, Abstract test suite: Ship mechanical systems;
- Part 327, Abstract test suite: Plant spatial configuration;
- Part 328, Abstract test suite: Building services: Heating, ventilation, and air conditioning;
- Part 329, Abstract test suite: Exchange of design and manufacturing product information for forged parts;
- Part 330, Abstract test suite: Building structural frame: Steelwork;
- Part 331, Abstract test suite: Process engineering data: Process design and process specification of major equipment;
- Part 332, Abstract test suite: Technical data packaging core information and exchange;

- Part 501, Application interpreted construct: Edge-based wireframe;
- Part 502, Application interpreted construct: Shell-based wireframe;
- Part 503, Application interpreted construct: Geometrically bounded 2D wireframe;
- Part 504, Application interpreted construct: Draughting annotation;
- Part 505, Application interpreted construct: Drawing structure and administration;
- Part 506, Application interpreted construct: Draughting elements;
- Part 507, Application interpreted construct: Geometrically bounded surface;
- Part 508, Application interpreted construct: Non-manifold surface;
- Part 509, Application interpreted construct: Manifold surface;
- Part 510, Application interpreted construct: Geometrically bounded wireframe;
- Part 511, Application interpreted construct: Topologically bounded surface;
- Part 512, Application interpreted construct: Faceted boundary representation;
- Part 513, Application interpreted construct: Elementary boundary representation;
- Part 514, Application interpreted construct: Advanced boundary representation;
- Part 515, Application interpreted construct: Constructive solid geometry;
- Part 517, Application interpreted construct: Mechanical design geometric presentation;
- Part 518, Application interpreted construct: Mechanical design shaded representation.

The structure of this International Standard is described in ISO 10303-1. The numbering of the parts of the International Standard reflects its structure:

- Parts 11 to 13 specify the description methods,
- Parts 21 to 26 specify the implementation methods,
- Parts 31 to 35 specify the conformance testing methodology and framework,
- Parts 41 to 49 specify the integrated generic resources,
- Parts 101 to 106 specify the integrated application resources,
- Parts 201 to 232 specify the application protocols,