



SLOVENSKI STANDARD

SIST EN 61169-48:2015

01-oktober-2015

Radiofrekvenčni konektorji - 48. del: Področna specifikacija za koaksialne konektorje serije Bmp R.F. (IEC 61169-48:2014)

Radio-Frequency Connectors -- Part 48: Sectional Specification For Series Bmp R.F. Coaxial Connectors (IEC 61169-48:2014)

Hochfrequenz-Steckverbinder - Teil 48: Rahmenspezifikation für koaxiale HF Steckverbinder der BMP-Serie (IEC 61169-48:2014)

Connecteurs pour fréquences radioélectriques - Partie 48: Spécification intermédiaire pour connecteurs coaxiaux R.F. série BMP (IEC 61169-48:2014)

<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015>

Ta slovenski standard je istoveten z: EN 61169-48:2015

ICS:

33.120.30 Radiofrekvenčni konektorji R.F. connectors
(RF)

SIST EN 61169-48:2015

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61169-48:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015>

EUROPEAN STANDARD

EN 61169-48

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2015

ICS 33.120.30

English Version

**Radio-frequency connectors - Part 48: Sectional specification for
series BMP R.F. coaxial connectors
(IEC 61169-48:2014)**

Connecteurs pour fréquences radioélectriques - Partie 48:
Spécification intermédiaire relative aux connecteurs
coaxiaux R.F. série BMP
(IEC 61169-48:2014)

Hochfrequenz-Steckverbinder - Teil 48:
Rahmenspezifikation für koaxiale HF Steckverbinder der
BMP-Serie
(IEC 61169-48:2014)

This European Standard was approved by CENELEC on 2014-11-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN 61169-48:2015](#)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 46F/253/CDV, future edition 1 of IEC 61169-48, prepared by SC 46F "R.F. and microwave passive components", of IEC/TC 46 "Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61169-48:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-09-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-11-27

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of the International Standard IEC 61169-48:2014 was approved by CENELEC as a European Standard without any modification.
standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 61169-1	2013	Radio-frequency connectors - Part 1: Generic specification - General requirements and measuring methods	EN 61169-1	2013
IEC 62037	series	Passive RF and microwave devices, intermodulation level measurement	EN 62037	series

<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61169-48:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015>



IEC 61169-48

Edition 1.0 2014-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Radio-frequency connectors –
Part 48: Sectional specification for series BMP R.F. coaxial connectors**

**Connecteurs pour fréquences radioélectriques –
Partie 48: Spécification intermédiaire relative aux connecteurs coaxiaux R.F.
série BMP**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

U

ICS 33.120.30

ISBN 978-2-8322-1902-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Mating face and gauge information	6
3.1 Dimensions – General connectors – Grade 2	6
3.1.1 Connector with pin-centre contact – Full detent and smooth bore	6
3.1.2 Connector with socket-centre contact	7
3.2 Gauges	8
3.2.1 Gauge pin for socket-centre contact	8
3.2.2 Test procedure	9
3.2.3 Gauge for outer contact of connector with pin-centre contact	10
3.3 Dimensions – Standard test connectors – Grade 0	12
3.3.1 Connector with pin-centre contact	12
3.3.2 Connector with socket-centre contact	13
3.4 General requirements for connector mounting on PCB	14
3.4.1 General	14
3.4.2 Maximum permitting deflexion	15
3.4.3 Maximum permitting axial clearance	15
4 Quality assessment procedure	15
4.1 General	15
4.2 Rating and characteristics (see Clause 5 of IEC 61169-1:2013)	15
4.3 Test schedule and inspection requirements – Acceptance tests	18
4.3.1 Acceptance tests	18
4.3.2 Periodic tests	19
4.4 Procedures for the quality conformance	20
4.4.1 Quality conformance inspection	20
4.4.2 Quality conformance and its maintenance – General procedure	20
5 Instructions for preparation of detail specifications	20
5.1 General	20
5.2 Identification of the component	21
5.3 Performance	21
5.4 Marking, ordering information and related matters	21
5.5 Selection of tests, test conditions and severities	21
5.6 Blank detail specification pro-forma for type BMP connector	22
6 Marking	27
6.1 Marking of component	27
6.2 Marking and contents of package	27
Figure 1 – Connector with pin-centre contact	7
Figure 2 – Connector with socket-centre contact	8
Figure 3 – Gauge pin for socket-centre contact	9
Figure 4 – Gauge A for sizing test	10
Figure 5 – Gauge B for retention test for pin connectors – Full detent	11
Figure 6 – Gauge C for retention test for pin connectors – Smooth bore	12
Figure 7 – Connector with pin-centre contact	13

Figure 8 – Connector with socket-centre contact.....	14
Figure 9 – General requirements for connector mounting on PCB	15
Table 1 – Dimensions of connector with pin-centre contact	7
Table 2 – Dimensions of connector with socket-centre contact.....	8
Table 3 – Dimensions of gauge pin for socket-centre contact.....	9
Table 4 – Gauge A for sizing test	10
Table 5 – Gauge B for retention test for pin connectors – Full detent	11
Table 6 – Gauge C for retention test for pin connectors – Smooth bore.....	12
Table 7 – Dimensions of connector with pin-centre contact	13
Table 8 – Dimensions of connector with socket-centre contact.....	14
Table 9 – Preferred climatic categories (see IEC 60068-1).....	16
Table 10 – Rating and characteristics	16
Table 11 – Acceptance tests	19
Table 12 – Periodic tests	19

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61169-48:2015](https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015)

<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO-FREQUENCY CONNECTORS –

Part 48: Sectional specification for series
BMP R.F. coaxial connectors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43->
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61169-48 has been prepared by subcommittee 46F: R.F. and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

The text of this standard is based on the following documents:

CDV	Report on voting
46F/253/CDV	46F/291/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61169 series, under the general title: *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61169-48:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/af28ddce-0caf-45da-bd43-65531738700d/sist-en-61169-48-2015>

RADIO-FREQUENCY CONNECTORS –

Part 48: Sectional specification for series BMP R.F. coaxial connectors

1 Scope

This part of IEC 61169, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for series BMP RF coaxial connectors with blind mating, typically for use in 50 Ω board to board connection. They may also be used with RF cables or micro-strips in microwave, telecommunication, wireless and other fields. Their operating frequency limit is up to 6 GHz.

It describes the interface dimensions with gauging information, electrical and mechanical performance including the mandatory tests selected from IEC 61169-1:2013 applicable to all DS relating to type BMP connectors.

This specification indicates the recommended performance characteristics to be considered when writing a DS and covers test schedules and inspection requirements.

NOTE Metric dimension are original dimensions.

All undimensioned pictorial configurations are for reference purpose only.

2 Normative references standards.iteh.ai

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:2013, *Radio-frequency connectors – Part 1: Generic specification – General requirements and measuring methods*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 62037 (all parts), *Passive RF and microwave devices, intermodulation level measurement*

3 Mating face and gauge information

3.1 Dimensions – General connectors – Grade 2

3.1.1 Connector with pin-centre contact – Full detent and smooth bore

The mating face of connector with pin-centre contact is shown in Figure 1 and its dimensions are shown in Table 1.