

## SLOVENSKI STANDARD SIST EN 61169-51:2015

01-oktober-2015

Radiofrekvenčni konektorji - 51. del: Področne specifikacije za radiofrekvenčne koaksialne konektorje z notranjim premerom zunanjih vodnikov 13,5 mm in bajonetnim zaklepom - Karakteristična impedanca 50 Ohm (tip QLI) (IEC 61169-51:2015)

Radio-frequency connectors - Part 51: Sectional specifications RF coaxial connectors with inner diameter of outer conductors 13.5 mm with bayonet lock. Characteristics impedance 50 Ohm (type QLI) (IEC 61169-51:2015)

ITeh STANDARD PREVIEW

Hochfrequenz-Steckverbinder - Teil 51: Rahmenspezifikation für koaxiale HF Steckverbinder mit 13,5 mm Innendurchmesser des Außenleiters und Bajonettverschluss - Wellenwiderstand 50 Ohm (Typ QL1) (IEC 61169-5152015)

https://standards.iteh.ai/catalog/standards/sist/36dfaa1e-c350-41d3-ba92b97ee23417d2/sist-en-61169-51-2015

Connecteurs pour fréquences radioélectriques - Partie 51: Spécification intermédiaire relative aux connecteurs coaxiaux pour fréquences radioélectriques avec diamètre intérieur des conducteurs extérieurs de 13,5 mm à verrouillage à baïonnette - Impédance caractéristique 50 O (type QLI) (IEC 61169-51:2015)

Ta slovenski standard je istoveten z: EN 61169-51:2015

ICS:

33.120.30 Radiofrekvenčni konektorji R.F. connectors

(RF)

SIST EN 61169-51:2015 en,fr,de **SIST EN 61169-51:2015** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

**EUROPEAN STANDARD** NORME EUROPÉENNE

EN 61169-51

**EUROPÄISCHE NORM** 

May 2015

ICS 33.120.30

### **English Version**

Radio-frequency connectors - Part 51: Sectional specification for RF coaxial connectors with inner diameter of outer conductors 13,5 mm with bayonet lock - Characteristic impedance 50 O (type QLI) (IEC 61169-51:2015)

Connecteurs pour fréquences radioélectriques - Partie 51: Spécification intermédiaire relative aux connecteurs coaxiaux pour fréquences radioélectriques avec diamètre intérieur des conducteurs extérieurs de 13,5 mm à verrouillage à baïonnette - Impédance caractéristique 50 O (type QLI) (IEC 61169-51:2015)

Hochfrequenz-Steckverbinder - Teil 51: Rahmenspezifikation für koaxiale HF Steckverbinder mit 13,5 mm Innendurchmesser des Außenleiters und Bajonettverschluss - Wellenwiderstand 50 Ohm (Typ QLI) (IEC 61169-51:2015)

## iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2015-03-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member atalog/standards/sist/36dfaa1e-c350-41d3-ba92-

b97ee23417d2/sist-en-61169-51-2015
This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

- 2 -

#### **Foreword**

The text of document 46F/295/FDIS, future edition 1 of IEC 61169-51, prepared by SC 46F "R.F. and microwave passive components", of IEC/TC 46 "Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61169-51:2015.

The following dates are fixed:

latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement

• latest date by which the national standards conflicting with (dow) 2018-03-12 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 61169-51:2015 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

## Annex ZA

(normative)

## Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 61169-1	2013	Radio-frequency connectors Part 1: Generic specification - General requirements and measuring methods	EN 61169-1	2013
IEC 62037	series	Passive RF and microwave devices, intermodulation level measurement	EN 62037	series
ISO 21207	- https://star	Corrosion tests in artificial atmospheres - Accelerated corrosion tests involving alternate exposure to corrosion- promoting gases, neutral salt-spray and drying	11.42 bo02	-

**SIST EN 61169-51:2015** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)



## IEC 61169-51

Edition 1.0 2015-02

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



## Radio-frequency donnectors ANDARD PREVIEW

Part 51: Sectional specification for RF coaxial connectors with inner diameter of outer conductors 13,5 mm with bayonet lock – Characteristic impedance 50  $\Omega$  (type QLI) SIST EN 61169-512015

https://standards.iteh.ai/catalog/standards/sist/36dfaa1e-c350-41d3-ba92-

Connecteurs pour fréquences radioélectriques -2015

Partie 51: Spécification intermédiaire relative aux connecteurs coaxiaux pour fréquences radioélectriques avec diamètre intérieur des conducteurs extérieurs de 13,5 mm à verrouillage à baïonnette – Impédance caractéristique 50  $\Omega$  (type QLI)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.120.30 ISBN 978-2-8322-2238-6

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

F	DREWC	)RD	4
IN	TRODU	JCTION	6
1	Scop	oe	7
2	Norn	native references	7
3	Matii	ng face and gauge information	8
	3.1	Dimensions – General connectors	
	3.1.1		
	3.1.2		
	3.2		
	3.2.1	•	
	3.2.2	? Test procedure	.14
	3.2.3	Gauge for outer contact	.15
4	Qual	ity assessment procedures	.15
	4.1	General	.15
	4.2	Ratings and characteristics	.15
	4.3	Periodic tests	.18
	4.4	Procedures for the qualification approval  Quality conformance inspection PREVE	.20
	4.4.1		
	4.4.2		.20
5	Instr	uctions for preparation of detail specifications (DS)	.20
	5.1	General <u>SIST EN 61169-51 2015</u>	
	5.2	Identification/of the components/standards/sist/36dfaa1e-c350-41d3-ba92-	
	5.3	Performances b97ee23417d2/sist-en-61169-51-2015	
	5.4	Marking, ordering information and related matters	
	5.5	Selection of tests, test conditions and severities	
	5.6	Blank detail specification pro-forma for type QLI connector	
6	Mark	ing	.27
	6.1	Marking of component	.27
	6.2	Marking and contents of package	.27
Fi	aure 1 -	- Connector with socket-centre contact with 2 options (for dimensions and	
	_	Table 1)	8
Fi	gure 2 -	– Detail of bayonet lock groove, option 1 (for dimensions and key, see Table 1)	9
Fi	gure 3 -	– Detail of bayonet lock groove, option 2 (for dimensions and key, see Table 1) $\dots$	9
Fi	gure 4 -	- Female centre contact (for dimensions and key, see Table 1	.10
Fi	gure 5 -	- Connector with pin-centre contact (for dimensions and key, see Table 2)	.12
	_	- Details of pin-centre contact (for dimensions, see Table 2)	
	_	Gauge pin for socket-centre contact (for dimensions, see Table 3)	
	_	- Gauge ring for socket outer contact (for dimensions, see Table 4)	
	94100	cauge inig for booker outer contact (for difficultions, see Table 4)	

– 3 –

### IEC 61169-51:2015 © IEC 2015

Table 1 – Dimensions of connector with socket-centre contact	
Table 2 – Dimensions of connector with pin-centre contact	13
Table 3 – Gauge dimensions for socket-centre contact	14
Table 4 – Dimensions of gauge ring for socket outer contact	15
Table 5 – Rating and characteristics	16
Table 6 – Acceptance tests	18
Table 7 – Periodic tests	19

# iTeh STANDARD PREVIEW (standards.iteh.ai)

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **RADIO-FREQUENCY CONNECTORS -**

Part 51: Sectional specification for RF coaxial connectors with inner diameter of outer conductors 13,5 mm with bayonet lock – Characteristic impedance 50 Ω (type QLI)

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

  SIST EN 61169-51:2015
- 4) In order to promote international uniformity LEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and fregional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61169-51 has been prepared by subcommittee 46F: R.F. and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

The text of this standard is based on the following documents:

FDIS	Report on voting	
46F/295/FDIS	46F/310/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61169-51:2015 © IEC 2015

- 5 -

A list of all parts of the IEC 61169 series, under the general title: *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61169-51:2015 © IEC 2015

### INTRODUCTION

**-** 6 **-**

The international Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the design of the connector given in 3.1.

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licence under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of this patent right is registered with IEC. More detailed information may be obtained from:

Radiall SA

Mr. Pierre Bigot, RFI Division

Pierre.bigot@radiall.com

Phone:+33 47 650 0057

Z.I Centr'alp - 642 rue Emile Romanet, B.P. 35 - F-38341 Voreppe Cedex, France

Attention is drawn to the possibility that some of elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (<u>www.iso.org/patents</u>) and IEC (<u>http://patents.iec.ch</u>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

SIST EN 61169-51:2015 https://standards.iteh.ai/catalog/standards/sist/36dfaa1e-c350-41d3-ba92-

b97ee23417d2/sist-en-61169-51-2015