

### SLOVENSKI STANDARD SIST EN 62811:2015

01-september-2015

Izmenično in/ali enosmerno napajana krmilja za razelektritvene sijalke (razen fluorescentnih sijalk) - Tehnične zahteve za obratovanje pri nizkofrekvenčnih pravokotnih valovanjih

AC and/or DC-supplied electronic controlgear for discharge lamps (excluding fluorescent lamps) - Performance requirements for low frequency squarewave operation

Gleich- und/oder wechselspannungsversorgtes elektronisches Betriebsgerät für Entladungslampen (ausgenommen Leuchtstofflampen) - Anforderungen an die Arbeitsweise für Niederfrequenz-Rechteckbetrieb ten. a1

Appareillage électronique alimenté en courant alternatif et/ou continu pour lampes à décharge (à l'exclusion des lampes fluorescentes). Exigences de performance pour le fonctionnement en onde carrée de basse fréquence

Ta slovenski standard je istoveten z: EN 62811:2015

### ICS:

29.130.01 Stikalne in krmilne naprave na splošno
 29.140.30 Stikalne in krmilne naprave in general
 29.140.30 Fluorescenčne sijalke. Sijalke Fluorescent lamps. Discharge lamps

SIST EN 62811:2015 en

**SIST EN 62811:2015** 

### iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62811:2015</u> https://standards.iteh.ai/catalog/standards/sist/bf2016d5-df27-42f5-af1f-48f016aa73bd/sist-en-62811-2015

**EUROPEAN STANDARD** 

EN 62811

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

May 2015

ICS 29.140.99

#### **English Version**

AC and/or DC-supplied electronic controlgear for discharge lamps (excluding fluorescent lamps) - Performance requirements for low frequency squarewave operation (IEC 62811:2015)

Appareillage électronique alimenté en courant alternatif et/ou continu pour lampes à décharge (à l'exclusion des lampes fluorescentes) - Exigences de performance pour le fonctionnement en onde carrée de basse fréquence (IEC 62811:2015)

Gleich- und/oder wechselspannungsversorgtes elektronisches Betriebsgerät für Entladungslampen (ausgenommen Leuchtstofflampen) - Anforderungen an die Arbeitsweise für Niederfrequenz-Rechteckbetrieb (IEC 62811:2015)

This European Standard was approved by CENELEC on 2015-05-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member. III all 1881.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions and ards status as the official versions.

48f016aa73bd/sist-en-62811-2015

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

### **Foreword**

The text of document 34C/1132/FDIS, future edition 1 of IEC 62811, prepared by SC 34C, "Auxiliaries for lamps", of IEC TC 34, "Lamps and related equipment", was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62811:2015.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national	y	dop)	2016-02-14
•	standard or by endorsement latest date by which the national standards conflicting with document have to be withdrawn	(	dow)	2018-05-14

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 62811:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61000-3-2:2000

NOTE Harmonized as EN 61000-3-2:2000.

NOTE Harmonized as EN 61000-4-30:2003.

SIST EN 6281:2015

https://standards.iteh.ai/catalog/standards/sist/bp2016d5-df27-42f5-af1f-NOTE Harmonized as EN 61547.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

Publication IEC 60050 IEC 61000-4-14	<u>Year</u> series 1999	<u>Title</u> International Electrotechnical Vocabulary Electromagnetic compatibility (EMC) Part 4-14: Testing and measurement techniques - Voltage fluctuation immunity test		<u>Year</u> series 1999
+A1	2001	voltage hactaation infinitintly tool	+A1	2004
+A2	2009		+A2	2009
IEC 61167	- <b>iT</b> o	L CTANDADD DDEVIE	W W 7	-
IEC 61347-1	- 116	Lamp controlgear - Part 1: General and	EN 61347-1	_
		safety requirement do itch ai)		
IEC 61347-2-12	_	Lamp controlgear - Part 2-12: Particular	_	_
		requirements for d.c. or a.c. supplied		
		electronic ballasts for discharge lamps		
	https://sta		f5-aflf-	
IEC 62386	series	Digital addressable lighting interface	EN 62386	series

**SIST EN 62811:2015** 

### iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62811:2015</u> https://standards.iteh.ai/catalog/standards/sist/bf2016d5-df27-42f5-af1f-48f016aa73bd/sist-en-62811-2015



IEC 62811

Edition 1.0 2015-04

## INTERNATIONAL STANDARD

# NORME INTERNATIONALE



AC and/or DC-supplied electronic controlgear for discharge lamps (excluding fluorescent lamps) – Performance requirements for low frequency square wave operation

### SIST EN 62811:2015

Appareillage électronique alimenté en courant alternatif et/ou continu pour lampes à décharge (à l'exclusion des lampes fluorescentes) – Exigences de performance pour le fonctionnement en onde carrée de basse fréquence

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.140.99 ISBN 978-2-8322-2600-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FOREWO	RD	5
INTRODU	CTION	7
1 Scope	e	8
2 Norm	ative references	8
3 Term	s and definitions	8
	ral notes on tests	11
	ng	
	ral statement	
	ng conditions	
7.1	General	
7.2 7.3	Breakdown	
_	Run-up	
7.4.1	Run-up current	
7.4.2	Average peak current ratio (APCR)	
7.4.2	D.C. current	
	ating conditions et STANDARD PREVIEW	
8.1	General TEN STANDARD PREVIEW	14
8.2	General (standards.iteh.ai)	. 14
	Frequency range of low frequency square wave	
8.4	D.C. current SIST EN 62811:2015	15
8.5	Average lamp potential against earth (for quartz arc bulbs only)  Average peak current ratio	.15
8.6	Average peak current ratio	.15
	Commutation time	
8.8	HF ripple	.16
8.9	Control interfaces	.16
8.10	Operating sustainability	.16
9 Displa	acement factor	. 17
10 Supp	y current	.17
11 Endu	rance	.17
11.1	General	.17
11.2	Temperature cycling at −20 °C and at +80 °C	.17
11.3	Test at t <sub>c</sub> +10 K	.19
Annex A (	normative) Tests	20
A.1	General requirements	20
A.1.1	General	20
A.1.2	Ambient temperature	20
A.1.3		
A.1.4	Magnetic effects	20
A.1.5		
A.1.6	,	
A.1.7		
A.1.8		
Annex B (	normative) Reference ballasts	. 22

B.1	Marking	22
B.2	Design characteristics	22
B.2.1	Reference ballast for frequencies of 70 Hz to 400 Hz	22
B.2.2	Protection	22
B.3	Operating characteristics for low frequency square wave	
B.3.1		
B.3.2	r	
B.3.3	'	
B.4	Circuit for frequencies of low frequency square wave (see Figure 5)	
B.4.1		
B.4.2		
B.4.3	š	
	(normative) Conditions for reference lamps	
Annex D	(normative) Control interface for controllable controlgear	
D.1	Overview	
D.2	Control by d.c. voltage	25
D.2.1	Circuit diagram – Functional specification for d.c. voltage control (see Figure D.1)	25
D.2.2	Connection diagram	25
D.2.3		26
D.3	Control by pulse width modulation (PWM). P.R.E.V.IE.W.	27
D.3.1	Circuit diagram – Functional specification for PWM control (see Figure D.4)	27
D.3.2		
D.3.3	B Electrical specifications SIST EN 62811:2015	28
D.4	Connection diagram  B Electrical specifications SIST EN 62811:2015  https://standards.iteh.av/catalog/standards/sist/bf2016d5-df27-42f5-af1f-  Control by DALI 48f016aa73bd/sist-en-62811-2015	28
Annex E (	normative) Spectral analysis of power ripple: calculation procedure for spectrum ratio and guidance	
E.1	•	
E. I E.2	General Mathematical background	
E.2 E.3	Description of the algorithm	
E.4	Measurement procedure	
E.5	Test signal	
E.5.1	· ·	
E.5.2		
E.5.3	·	
	normative) Open circuit voltage method of measurement for pulse ignition	
	phy	
Dibliograp	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Figure 1 -	- Measurement of APCR during run-up and steady state	14
Figure 2 -	- Test set-up for measuring the lamp potential against earth	15
Figure 3 -	- Commutation time, deviating waveform	16
	- Example of the cycling described under 11.2; Clause E.2	
Figure 5 -	- Low frequency square wave reference circuit	19
_	1 – Schematic representation of the interface for 1 V to 10 V	
•	2 – Control device for multiple controlgear, for 1 V to 10 V	
-	3 – Control device is a current source	
•		
i iguite D.	4 – Schematic representation of the interface for PWM dimming	∠/

	<b>-4-</b>	IEC 62811:2015 © IEC 2015
Figure D.5 – Some typically PWM signals	S	27
Figure D.6 – Control device for multiple c	controlgear, for PV	VM28
Table 1 – Controlgear life time informatio	n	12

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62811:2015</u> https://standards.iteh.ai/catalog/standards/sist/bf2016d5-df27-42f5-af1f-48f016aa73bd/sist-en-62811-2015

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

AC AND/OR DC-SUPPLIED ELECTRONIC CONTROLGEAR FOR DISCHARGE LAMPS (EXCLUDING FLUORESCENT LAMPS) – PERFORMANCE REQUIREMENTS FOR LOW FREQUENCY SQUARE WAVE OPERATION

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
   4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications
- 4) In order to promote international uniformity, IEC National Committee's undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

  https://standards.iteh.ai/catalog/standards/sist/bf2016d5-df27-42f5-af1f-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62811 has been prepared by subcommittee 34C: Auxiliaries for lamps, of IEC technical committee 34: Lamps and related equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
34C/1132/FDIS	34C/1149/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62811:2015 © IEC 2015

The committee has decided that the contents of this publication will remain unchanged until

the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62811:2015 https://standards.iteh.ai/catalog/standards/sist/bf2016d5-df27-42f5-af1f-48f016aa73bd/sist-en-62811-2015

**-6-**