

SLOVENSKI STANDARD

SIST EN 61010-031:2015

01-oktober-2015

Nadomešča:

SIST EN 61010-031:2003

SIST EN 61010-031:2003/A1:2008

Varnostne zahteve za električno opremo za meritve, nadzorovanje in laboratorijsko uporabo - 031. del: Varnostne zahteve za ročne sonde za električne meritve in preskušanja (IEC 61010-031:2015)

Safety requirements for electrical equipment for measurement, control and laboratory use -- Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test (IEC 61010-031:2015)

(standards.iteh.ai)

Sicherheitsbestimmungen für elektrische Mess-, Steuer-, Regel- und Laborgeräte - Teil 031: Sicherheitsbestimmungen für handgehaltenes Messzubehör zum Messen und Prüfen (IEC 61010-031:2015)

Règles de sécurité pour appareils électriques de mesure, de régulation et de laboratoire - Partie 031: Exigences de sécurité pour sondes équipées tenues à la main pour mesure et essais électriques (IEC 61010-031:2015)

Ta slovenski standard je istoveten z: EN 61010-031:2015

ICS:

19.080	Električno in elektronsko preskušanje	Electrical and electronic testing
71.040.10	Kemijski laboratoriji. Laboratorijska oprema	Chemical laboratories. Laboratory equipment

SIST EN 61010-031:2015

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61010-031:2015](https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015)

<https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015>

EUROPEAN STANDARD

EN 61010-031

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2015

ICS 19.080

Supersedes EN 61010-031:2002

English Version

**Safety requirements for electrical equipment for measurement,
control and laboratory use - Part 031: Safety requirements for
hand-held probe assemblies for electrical measurement and test
(IEC 61010-031:2015)**

Règles de sécurité pour appareils électriques de mesure,
de régulation et de laboratoire - Partie 031: Exigences de
sécurité pour sondes équipées tenues à la main pour
mesurage et essais électriques
(IEC 61010-031:2015)

Sicherheitsbestimmungen für elektrische Mess-, Steuer-,
Regel- und Laborgeräte - Teil 031:
Sicherheitsbestimmungen für handgehaltenes
Messzubehör zum Messen und Prüfen
(IEC 61010-031:2015)

This European Standard was approved by CENELEC on 2015-07-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 61010-031:2015**European foreword**

The text of document 66/569/FDIS, future edition 2 of IEC 61010-031, prepared by IEC/TC 66 "Safety of measuring, control and laboratory equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61010-031:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-04-03
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-07-03

This document supersedes EN 61010-031:2002.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

iTeh STANDARD PREVIEW

Endorsement notice

The text of the International Standard IEC 61010-031:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60065	NOTE	Harmonized as EN 60065.
IEC 60270	NOTE	Harmonized as EN 60270.
IEC 60364-4-44	NOTE	Harmonized as HD 60634-4-44.
IEC 60664-1	NOTE	Harmonized as EN 60664-1.
IEC 60664-3:2003	NOTE	Harmonized as EN 60664-3:2003.
IEC 60664-3:2003/AMD1:2010	NOTE	Harmonized as EN 60664-3:2003/A1:2010.
IEC 60664-4:2005	NOTE	Harmonized as EN 60664-4:2006.
IEC 60990	NOTE	Harmonized as EN 60990.
IEC 61010 (series)	NOTE	Harmonized as EN 61010 (series).
IEC 61032:1997	NOTE	Harmonized as EN 61032:1998.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u> series	<u>Title</u>	<u>EN/HD</u>	<u>Year</u> series
IEC 60027		Letter symbols to be used in electrical technology	EN 60027	
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 61010-1	2010	Safety requirements for electrical equipment for measurement, control and laboratory use -- Part 1: General requirements	EN 61010-1	2010
IEC 61180-1	1992	High-voltage test techniques for low-voltage equipment -- Part 1: Definitions, test and procedure requirements	EN 61180-1	1994
IEC 61180-2	-	High-voltage test techniques for low-voltage equipment -- Part 2: Test equipment	EN 61180-2	-
IEC Guide 104	-	The preparation of safety publications and the use of basic safety publications and group safety publications	-	-
ISO/IEC Guide 51	-	Safety aspects - Guidelines for their inclusion in standards	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61010-031:2015](https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015)

<https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015>



IEC 61010-031

Edition 2.0 2015-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



GROUP SAFETY PUBLICATION
PUBLICATION GROUPEE DE SÉCURITÉ

**Safety requirements for electrical equipment for measurement, control and laboratory use –
Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test**

[SIST EN 61010-031:2015](https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5129e51e0c1c/sist-en-61010-031:2015)

[https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-](https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5129e51e0c1c/sist-en-61010-031:2015)

**Règles de sécurité pour appareils électriques de mesure, de régulation et de laboratoire –
Partie 031: Exigences de sécurité pour sondes équipées tenues à la main pour mesurage et essais électriques**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 19.080

ISBN 978-2-8322-2701-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
1 Scope and object.....	10
1.1 Scope.....	10
1.1.1 Probe assemblies included in scope.....	10
1.1.2 Probe assemblies excluded from scope.....	13
1.2 Object.....	13
1.2.1 Aspects included in scope.....	13
1.2.2 Aspects excluded from scope.....	13
1.3 Verification.....	13
1.4 Environmental conditions.....	13
1.4.1 Normal environmental conditions.....	13
1.4.2 Extended environmental conditions.....	13
2 Normative references.....	14
3 Terms and definitions.....	14
3.1 Parts and accessories.....	14
3.2 Quantities.....	15
3.3 Tests.....	16
3.4 Safety terms.....	16
3.5 Insulation.....	17
4 Tests.....	18
4.1 General.....	18
4.2 Sequence of tests.....	19
4.3 Reference test conditions.....	19
4.3.1 Environmental conditions.....	19
4.3.2 State of probe assemblies.....	19
4.3.3 Position of the probe assembly.....	19
4.3.4 Accessories.....	20
4.3.5 Covers and removable parts.....	20
4.3.6 Input and output voltages.....	20
4.3.7 Controls.....	20
4.3.8 Connections.....	20
4.3.9 Duty cycle.....	20
4.4 Testing in SINGLE FAULT CONDITION.....	20
4.4.1 General.....	20
4.4.2 Application of fault conditions.....	20
4.4.3 Duration of tests.....	21
4.4.4 Conformity after application of fault conditions.....	21
4.5 Tests in REASONABLY FORESEEABLE MISUSE.....	22
4.5.1 General.....	22
4.5.2 Fuses.....	22
5 Marking and documentation.....	22
5.1 Marking.....	22
5.1.1 General.....	22
5.1.2 Identification.....	22
5.1.3 Fuses.....	23
5.1.4 CONNECTORS and operating devices.....	24

5.1.5	RATING	24
5.2	Warning markings	24
5.3	Durability of markings	24
5.4	Documentation	25
5.4.1	General	25
5.4.2	Probe assembly RATING	25
5.4.3	Probe assembly operation	25
5.4.4	Probe assembly maintenance and service	26
6	Protection against electric shock	26
6.1	General.....	26
6.2	Determination of ACCESSIBLE parts	27
6.2.1	General	27
6.2.2	Examination.....	27
6.2.3	Openings for pre-set controls.....	28
6.3	Limit values for ACCESSIBLE parts	28
6.3.1	General	28
6.3.2	Levels in NORMAL CONDITION.....	29
6.3.3	Levels in SINGLE FAULT CONDITION.....	29
6.3.4	Measurement of voltage and touch current	31
6.4	Means of protection against electric shock	34
6.4.1	General	34
6.4.2	CONNECTORS.....	35
6.4.3	PROBE TIPS.....	36
6.4.4	Impedance.....	38
6.4.5	PROTECTIVE IMPEDANCE.....	38
6.4.6	BASIC INSULATION, SUPPLEMENTARY INSULATION, DOUBLE INSULATION and REINFORCED INSULATION	39
6.5	Insulation requirements.....	39
6.5.1	The nature of insulation	39
6.5.2	Insulation requirements for probe assemblies	44
6.6	Procedure for voltage tests	50
6.6.1	General	50
6.6.2	Humidity preconditioning	50
6.6.3	Conduct of tests	50
6.6.4	Test voltages.....	51
6.6.5	Test procedures.....	53
6.7	Constructional requirements for protection against electric shock	54
6.7.1	General	54
6.7.2	Insulating materials	54
6.7.3	ENCLOSURES of probe assemblies with DOUBLE INSULATION or REINFORCED INSULATION	54
6.7.4	PROBE WIRE attachment	54
7	Protection against mechanical HAZARDS.....	58
8	Resistance to mechanical stresses	58
8.1	General.....	58
8.2	Rigidity test.....	59
8.3	Drop test.....	59
8.4	Impact swing test.....	59
9	Temperature limits and protection against the spread of fire	60

9.1	General.....	60
9.2	Temperature tests.....	61
10	Resistance to heat.....	61
10.1	Integrity of SPACINGS.....	61
10.2	Resistance to heat.....	61
11	Protection against HAZARDS from fluids.....	61
11.1	General.....	61
11.2	Cleaning.....	61
11.3	Specially protected probe assemblies.....	62
12	Components.....	62
12.1	General.....	62
12.2	Fuses.....	62
12.3	PROBE WIRE.....	63
12.3.1	General.....	63
12.3.2	RATING of PROBE WIRE.....	63
12.3.3	Pressure test at high temperature for insulations.....	63
12.3.4	Tests for resistance of insulation to cracking.....	65
12.3.5	Voltage test.....	65
12.3.6	Tensile test.....	66
13	Prevention of HAZARD from arc flash and short-circuits.....	68
13.1	General.....	68
13.2	Exposed conductive parts.....	68
Annex A (normative)	Measuring circuits for touch current (see 6.3).....	69
A.1	Measuring circuits for a.c. with frequencies up to 1 MHz and for d.c.	69
A.2	Measuring circuits for a.c. with sinusoidal frequencies up to 100 Hz and for d.c.	69
A.3	Current measuring circuit for electrical burns at frequencies above 100 kHz.....	70
A.4	Current measuring circuit for WET LOCATIONS.....	71
Annex B (normative)	Standard test fingers.....	73
Annex C (normative)	Measurement of CLEARANCES and CREEPAGE DISTANCES.....	76
Annex D (normative)	Routine spark tests on PROBE WIRE.....	78
D.1	General.....	78
D.2	Spark test procedure.....	78
D.3	Routine spark test method for PROBE WIRE.....	80
Annex E (informative)	4 mm CONNECTORS.....	82
E.1	General.....	82
E.2	Dimensions.....	82
Annex F (normative)	MEASUREMENT CATEGORIES.....	84
F.1	General.....	84
F.2	MEASUREMENT CATEGORIES.....	84
F.2.1	MEASUREMENT CATEGORY II.....	84
F.2.2	MEASUREMENT CATEGORY III.....	84
F.2.3	MEASUREMENT CATEGORY IV.....	84
F.2.4	Probe assemblies without a MEASUREMENT CATEGORY RATING.....	85
Annex G	Index of defined terms.....	86
Bibliography	87

Figure 1 – Examples of type A probe assemblies	11
Figure 2 – Examples of type B probe assemblies	11
Figure 3 – Examples of type C probe assemblies	12
Figure 4 – Examples of type D probe assemblies	12
Figure 5 – Example of a STACKABLE CONNECTOR with a male CONNECTOR and a female TERMINAL	15
Figure 6 – Methods for determination of ACCESSIBLE parts (see 6.2) and for voltage tests of (see 6.4.2)	28
Figure 7 – Capacitance level versus voltage in NORMAL CONDITION and SINGLE-FAULT CONDITION (see 6.3.2 c) and 6.3.3 c)	30
Figure 8 – Voltage and touch current measurement	31
Figure 9 – Voltage and touch current measurement for the reference CONNECTOR	32
Figure 10 – Voltage and touch current measurement with shielded test probe	33
Figure 11 – Maximum test probe input voltage for 70 mA touch current	34
Figure 12 – Protection by a PROTECTIVE FINGERGUARD	37
Figure 13 – Protection by distance	37
Figure 14 – Protection by tactile indicator	38
Figure 15 – Distance between conductors on an interface between two layers	42
Figure 16 – Distance between adjacent conductors along an interface of two layers	42
Figure 17 – Distance between adjacent conductors located between the same two layers	44
Figure 18 – Example of recurring peak voltage	47
Figure 19 – Flexing test	56
Figure 20 – Rotational flexing test	58
Figure 21 – Impact swing test	60
Figure 22 – Indentation device	64
Figure A.1 – Measuring circuit for a.c. with frequencies up to 1 MHz and for d.c.	69
Figure A.2 – Measuring circuits for a.c. with sinusoidal frequencies up to 100 Hz and for d.c.	70
Figure A.3 – Current measuring circuit for electrical burns	71
Figure A.4 – Current measuring circuit for high frequency test probes	71
Figure A.5 – Current measuring circuit for WET LOCATIONS	72
Figure B.1 – Rigid test finger	73
Figure B.2 – Jointed test finger	74
Figure D.1 – Bead Chain Configuration (if applicable)	79
Figure E.1 – Recommended dimensions of 4 mm CONNECTORS	82
Figure F.1 – Example to identify the locations of MEASUREMENT CATEGORIES	85
Table 1 – Symbols	23
Table 2 – SPACINGS for unmated CONNECTORS RATED up to 1 000 V a.c. or 1 500 V d.c. with HAZARDOUS LIVE conductive parts	36
Table 3 – Multiplication factors for CLEARANCES of probe assembly RATED for operation at altitudes up to 5 000 m	40
Table 4 – Test voltages for testing solid insulation	41
Table 5 – Minimum values for distance or thickness	43

Table 6 – CLEARANCES for probe assemblies of MEASUREMENT CATEGORIES II, III and IV	44
Table 7 – CLEARANCE values for the calculation of 6.5.2.3.2.....	46
Table 8 – CLEARANCES for BASIC INSULATION in probe assemblies subjected to recurring peak voltages or WORKING VOLTAGES with frequencies above 30 kHz.....	48
Table 9 – CREEPAGE DISTANCES for BASIC INSULATION or SUPPLEMENTARY INSULATION	49
Table 10 – Test voltages based on CLEARANCES.....	52
Table 11 – Correction factors according to test site altitude for test voltages for CLEARANCES	53
Table 12 – Pull forces for PROBE WIRE attachment tests.....	57
Table 13 – Diameter of mandrel and numbers of turns	65
Table C.1 – Dimension of X	76
Table D.1 – Maximum centre-to-centre spacings of bead chains	78
Table D.2 – Formula for maximum speed of wire in terms of electrode length L of link- or bead-chain electrode	80
Table F.1 – Characteristics of MEASUREMENT CATEGORIES.....	85

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61010-031:2015](https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015)

<https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT
FOR MEASUREMENT, CONTROL AND LABORATORY USE –**
**Part 031: Safety requirements for hand-held
probe assemblies for electrical measurement and test**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61010-031 has been prepared by IEC technical committee 66: Safety of measuring, control and laboratory equipment.

It has the status of a group safety publication in accordance with IEC GUIDE 104.

IEC 61010-031 is a stand-alone standard. This second edition cancels and replaces the first edition published in 2002 and Amendment 1:2008. This edition constitutes a technical revision.

This edition includes the following significant changes from the first edition, as well as numerous other changes:

- a) Voltages above the levels of 30 V r.m.s., 42,4 V peak, or 60 V d.c. are deemed to be HAZARDOUS LIVE instead of 33 V r.m.s., 46,7 V peak, or 70 V d.c.

- b) Servicing is now included within the scope.
- c) Extended environmental conditions are included within the scope.
- d) New terms have been defined.
- e) Tests for REASONABLY FORESEEABLE MISUSE have been added, in particular for fuses.
- f) Additional instruction requirements for probe assembly operation have been specified.
- g) Limit values for ACCESSIBLE parts and for measurement of voltage and touch current have been modified.
- h) SPACINGS requirements for mating of CONNECTORS have been modified.
- i) PROBE TIPS and SPRING-LOADED CLIPS requirements have been modified. The PROTECTIVE FINGERGUARD replace the BARRIER with new requirements.
- j) Insulation requirements (6.5) and test procedures (6.6.5) have been rewritten and aligned when relevant with Part 1. Specific requirements have been added for solid insulation and thin-film insulation.
- k) The terminology for MEASUREMENT CATEGORY I has been replaced with the designation “not RATED for measurements within MEASUREMENT CATEGORIES II, III, or IV”.
- l) The flexing/pull test (6.7.4.3) has been partially rewritten.
- m) Surface temperature limits (Clause 10) have been modified to conform to the limits of IEC Guide 117.
- n) Requirements for resistance of PROBE WIRES to mechanical stresses have been added in Clause 12 and a new Annex D.
- o) Requirements have been added regarding the prevention of HAZARD from arc flash and short-circuits for SPRING-LOADED CLIPS.
- p) A new informative Annex E defines the dimension of the 4 mm banana CONNECTORS.

The text of this standard is based on the following documents:

<https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5b99da310ec/sist-en-61010-031-2015>

FDIS	Report on voting
66/569/FDIS	66/571/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61010 series, under the general title, *Safety requirements for electrical equipment for measurement, control, and laboratory use*, may be found on the IEC website.

In this standard, the following print types are used:

- requirements and definitions: in roman type;
- NOTES and EXAMPLES: in smaller roman type;
- *conformity and tests: in italic type;*
- terms used throughout this standard which have been defined in Clause 3: SMALL ROMAN CAPITALS.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61010-031:2015](https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015)

<https://standards.iteh.ai/catalog/standards/sist/8b604c0b-d1fa-441c-aa39-5ba09da310ec/sist-en-61010-031-2015>