

# INTERNATIONAL STANDARD

# ISO 8437

First edition  
1989-11-15

**AMENDMENT 1**  
1997-04-01

---

---

## Snowthrowers — Safety requirements and test procedures

### AMENDMENT 1

iTeh **STANDARD PREVIEW**

*Chasse-neige — Exigences de sécurité et essais*  
(standards.iteh.ai)  
AMENDEMENT 1

[ISO 8437:1989/Amd 1:1997](https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997)

<https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997>



Reference number  
ISO 8437:1989/Amd. 1:1997(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Amendment 1 to International Standard ISO 8437:1989 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 13, *Powered lawn and garden equipment*.

[ISO 8437:1989/Amd 1:1997](https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997)

<https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997>

© ISO 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case postale 56 • CH-1211 Genève 20 • Switzerland  
Internet central@iso.ch  
X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

# Snowthrowers — Safety requirements and test procedures

## AMENDMENT 1

Page 1, subclause 1.2

Delete the reference to ISO 5395:—<sup>1)</sup> and add the following normative references:

ISO 5395:1990, *Power lawn-mowers, lawn tractors, lawn and garden tractors, professional mowers, and lawn and garden tractors with moving attachments — Definitions, safety requirements and test procedures.*

ISO 11684:1995, *Tractors, machinery for agricultural and forestry, powered lawn and garden equipment — Safety signs and hazard pictorials — General principles.*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Page 4, subclause 2.2.3.1

Delete "NOTE — Snow discharge guides are ~~under study~~". Amd 1:1997

<https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997>

Page 4, subclause 2.2.4

Replace the first phrase with the following:

The sides shall cover the diametral extremities of the collector/impeller, as shown in figure 3.

Replace the second paragraph with the following:

A durable label containing the signal word "DANGER" or a symbol shall be located on the housing and readable from the operator position. It should be accompanied by a message such as "Avoid injury from rotating auger-keep hand, feet and clothing away". (See 2.5 and 2.7.)

Ancillary openings, such as those required to facilitate manufacture or mount accessories, shall not intersect the operator position. Openings that intersect the operator position shall be guarded in compliance with subclauses 2.2.1 and 2.2.2. Intersection, as applied here is defined as allowing line-of-sight between the collector and/or impeller and the operator position.

Page 4, subclause 2.4

Replace "ISO 5395-2:1981, clause 3.5" with "ISO 5395:1990, subclause 2.2.12".

Page 4, subclause 2.5

Replace "ISO 5395-2:1981, clause 3.3" with "ISO 5395:1990, subclause 2.2.10.2".

*Page 5, subclause 2.6.2.1.1*

Add "minimum" to the first phrase to read "the minimum impeller imbalance"

*Page 5, subclause 2.6.2.3.1*

Replace the last phrase of the second paragraph with the following:

In either case, the vertical travel of the sphere shall be at least 1,3 m.

*Page 8, subclause 3.1.2.3*

Replace the phrase with the following:

A means shall be provided to prevent the starting of the engine unless

- the impeller drive is disengaged, and
- the traction drive is disengaged or in neutral.

*Page 10, subclause 3.2.4*

Replace the first phrase with the following:

The sides shall cover the diametral extremities of the collector/impeller, as shown in figure 3.

Replace the second paragraph with the following:

A durable label containing the signal word "DANGER" or a symbol shall be located on the housing and readable from the operator position. It should be accompanied by a message such as "Avoid injury from rotating auger — keep hands, feet and clothing away." (See 3.5 and 3.7.)

Ancillary openings, such as those required to facilitate manufacture or mount accessories, shall not intersect the operator position. Openings that intersect the operator position shall be guarded in compliance with subclauses 2.2.1 and 2.2.2. Intersection, as applied here is defined as allowing line-of-sight between the collector and/or impeller and the operator position.

*Page 10, subclause 3.2.5*

Delete this subclause and renumber the following two subclauses.

*Page 12, subclause 3.7.2.1.1*

Add "minimum" to the first phrase to read "the minimum impeller imbalance".

*Page 12, subclause 3.7.2.3.1*

Replace the last phrase of the second paragraph with the following:

In either case, the vertical travel of the sphere shall be at least 1,3 m.

*Page 14, subclause 3.7.7.3.2.3*

In a) delete the words "for forward stability".


Page 15, subclause 3.8

Replace the first paragraph with the following:

A durable label statement or pictorials of safety practices in normal operating and servicing of the vehicle and power driven attachments shall be provided. See ISO 11684 for the appropriate pictorial.

Page 18

Replace the existing figure 3 with the following figure 3.



NOTE — Shaded area indicates the maximum allowable exposure of the collector/impeller.

**Figure 3 — Snowthrower housing**

**iTeh STANDARD PREVIEW**  
This page intentionally left blank  
**(standards.iteh.ai)**

ISO 8437:1989/Amd 1:1997

<https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997>

**iTeh STANDARD PREVIEW**  
This page intentionally left blank  
**(standards.iteh.ai)**

ISO 8437:1989/Amd 1:1997

<https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bfl2e1d05/iso-8437-1989-amd-1-1997>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 8437:1989/Amd 1:1997

<https://standards.iteh.ai/catalog/standards/sist/f3894590-7fd5-4e2a-8802-499bf12e1d05/iso-8437-1989-amd-1-1997>

---

---

**ICS 43.160**

**Descriptors:** road vehicles, special road vehicles, snow ploughs, specifications, safety requirements, tests.

Price based on 3 pages

---

---