



SLOVENSKI STANDARD

SIST EN 62803:2016

01-december-2016

Metoda za merjenje frekvenčne karakteristike naprave za optično-električno pretvorbo v visokofrekvenčnih sistemih radia po optičnih vlaknih (IEC 62803:2016)

Measurement Method of a Frequency Response of Optical-to-Electric Conversion Device in High-Frequency Radio on Fiber Systems (IEC 62803:2016)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **SIST EN 62803:2016** **EN 62803:2016**
<https://standards.iteh.ai/catalog/standards/sist/19ca5852-ab66-4f1e-8ee3-4e8d66f70d6f/sist-en-62803-2016>

ICS:

17.220.20	Merjenje električnih in magnetnih veličin	Measurement of electrical and magnetic quantities
33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.180.10	(Optična) vlakna in kabli	Fibres and cables

SIST EN 62803:2016

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62803:2016

<https://standards.iteh.ai/catalog/standards/sist/f9ca5852-a666-4f1e-8ee3-4e8d66f70d6f/sist-en-62803-2016>

EUROPEAN STANDARD

EN 62803

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2016

ICS 33.060.20

English Version

Transmitting equipment for radiocommunication - Frequency response of optical-to-electric conversion device in high-frequency radio over fibre systems - Measurement method (IEC 62803:2016)

Matériels émetteurs pour les radiocommunications - Réponse en fréquence des dispositifs de conversion optique-électrique dans des systèmes de transmission radio sur fibre haute fréquence - Méthode de mesure (IEC 62803:2016)

Messverfahren einer Frequenzantwort eines optisch-elektrischen Wandlers in HF-Rundfunk-über-Glasfaser-Übertragungssystemen (IEC 62803:2016)

This European Standard was approved by CENELEC on 2016-08-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 62803:2016**European foreword**

The text of document 103/147/FDIS, future edition 1 of IEC 62803, prepared by IEC/TC 103 "Transmitting equipment for radiocommunication" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62803:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-05-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-08-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62803:2016 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62803:2016](https://standards.iteh.ai/catalog/standards/sist/f9ca5852-a666-4fle-8ee3-4e8d66f70d6f/sist-en-62803-2016)

<https://standards.iteh.ai/catalog/standards/sist/f9ca5852-a666-4fle-8ee3-4e8d66f70d6f/sist-en-62803-2016>



IEC 62803

Edition 1.0 2016-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Transmitting equipment for radiocommunication – Frequency response of optical-to-electric conversion device in high-frequency radio over fibre systems – Measurement method

Matériels émetteurs pour les radiocommunications – Réponse en fréquence des dispositifs de conversion optique-électrique dans des systèmes de transmission radio sur fibre haute fréquence – Méthode de mesure

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.060.20

ISBN 978-2-8322-3392-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	9
4 Optical-to-electrical (O/E) conversion device	9
4.1 Photo diode (PD)	9
4.1.1 General	9
4.1.2 Component parts	9
4.1.3 Structure.....	9
4.1.4 Requirements for PD.....	10
4.2 DFG device.....	10
4.2.1 General	10
4.2.2 Component parts	10
4.2.3 Structure.....	10
4.2.4 Requirements for DFG device.....	10
5 Sampling for quality control.....	11
5.1 Sampling.....	11
5.2 Sampling frequency.....	11
6 Measurement method of frequency response.....	11
6.1 Circuit diagram.....	11
6.2 Measurement condition	12
6.2.1 Temperature and environment.....	12
6.2.2 Warming up of measurement equipment.....	12
6.3 Principle of measurement method.....	12
6.4 Measurement procedure.....	13
Annex A (normative) Power balanced two-tone signal generation by using a high extinction-ratio MZM [2]	15
Annex B (informative) Requirements for the optical amplifier with automatic level control.....	17
B.1 Introductory remark	17
B.2 Block diagram	17
B.2.1 Optical amplifier	17
B.2.2 Automatic level control	18
B.3 Function and capabilities	18
B.4 Requirements.....	19
B.4.1 Optical amplifier	19
B.4.2 Automatic level control (ALC).....	20
Annex C (informative) Frequency-response measurement system and automatic level control EDFA.....	21
C.1 Frequency response measurement system for optical-to-electric conversion devices with a two-tone generator	21
C.2 Automatic level control EDFA (ALC-EDFA)	22
Bibliography	24

Figure 1 – Definition of "conversion efficiency "	8
Figure 2 – Optical-to-electrical conversion by photo diode	10
Figure 3 – DFG device	10
Figure 4 – Circuit diagram.....	11
Figure B.1 – Block diagram of the optical amplifier	17
Figure B.2 – Block diagram of the automatic level control	18
Figure B.3 – Frequency characteristics.....	19
Figure C.1 – System configuration for the frequency response measurement system.....	21
Figure C.2 – ALC-EDFA system configuration.....	22
Figure C.3 – Frequency response measurement examples	23
Table C.1 – Typical specifications of the frequency response measurement system	22
Table C.2 – Typical specifications of the ALC-EDFA system	23

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62803:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/f9ca5852-a666-4f1e-8ee3-4e8d66f70d6f/sist-en-62803-2016>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**TRANSMITTING EQUIPMENT FOR RADIOCOMMUNICATION –
FREQUENCY RESPONSE OF OPTICAL-TO-ELECTRIC CONVERSION
DEVICE IN HIGH-FREQUENCY RADIO OVER FIBRE SYSTEMS –
MEASUREMENT METHOD**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (standards.iteh.ai)
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62803 has been prepared by IEC technical committee 103: Transmitting equipment for radiocommunication.

The text of this standard is based on the following documents:

FDIS	Report on voting
103/147/FDIS	103/148/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62803:2016

<https://standards.iteh.ai/catalog/standards/sist/f9ca5852-a666-4fle-8ee3-4e8d66f70d6f/sist-en-62803-2016>

INTRODUCTION

A variety of microwave-photonic devices are used in wireless communication and broadcasting systems. A photo-receiver is an interface which converts an optical signal to an electronic signal. This International Standard has been prepared to provide methods for evaluating and calibrating high speed photo-receivers to be used in Radio over Fibre systems.

The method utilizes a Mach-Zehnder modulator for generating two-tone lightwaves as stimulus signals, to provide simpler and easier methods than the conventional method utilizing a complex two-laser system phase-locked with each other.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning a calibration method and device for light intensity measuring instrument, as it relates to Clause 6.

Related part	Patent holder	Patent number
Clause 6	National Institute of Information and Communications Technology	JP 4753137B EP1956353A US7864330B

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

National Institute of Information and Communications Technology
<https://standards.iec.ch/catalog/standards/sist/9ca5852-a866-4f1e-8ec3-4c6266176d0f/sist-en-62803-2016>
 4-2-1 Nukui-Kitamachi, Koganei, Tokyo 184-8795, Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

TRANSMITTING EQUIPMENT FOR RADIOCOMMUNICATION – FREQUENCY RESPONSE OF OPTICAL-TO-ELECTRIC CONVERSION DEVICE IN HIGH-FREQUENCY RADIO OVER FIBRE SYSTEMS – MEASUREMENT METHOD

1 Scope

This International Standard provides a method for measuring the frequency response of optical-to-electric conversion devices in wireless communication and broadcasting systems.

The frequency range covered by this standard goes up to 100 GHz (practically limited up to 110 GHz by precise RF power measurement) and the wavelength band concerned is 0,8 µm to 2,0 µm.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

There are no normative references in this document.

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

conversion efficiency

ratio of the output current to the input optical power defined by

$$k = \frac{\Delta I_{\text{out}}}{\Delta P_{\text{in}}} \quad (1)$$

Note 1 to entry: See Figure 1.