
**Welding — Acceptance inspection of
electron beam welding machines —**

**Part 1:
Principles and acceptance conditions**

*Soudage — Essais de réception des machines de soudage par faisceau
d'électrons —*

(Partie 1: Principes et conditions de réception)

[ISO 14744-1:2000](https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000)

<https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 14744-1:2000](#)

<https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 14744 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 14744-1 was prepared by the European Committee for Standardization (CEN) in collaboration with ISO Technical Committee TC 44, *Welding and allied processes*, Subcommittee SC 10, *Unification of requirements in the field of metal welding*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Throughout the text of this standard, read "...this European Standard..." to mean "...this International Standard...".

ISO 14744 consists of the following parts, under the general title *Welding — Acceptance inspection of electron beam welding machines*: <https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>

- *Part 1: Principles and acceptance conditions*
- *Part 2: Measurement of accelerating voltage characteristics*
- *Part 3: Measurement of beam current characteristics*
- *Part 4: Measurement of welding speed*
- *Part 5: Measurement of run-out accuracy*
- *Part 6: Measurement of stability of spot position*

Annexes A and B of this part of ISO 14744 are for information only.

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Symbols	1
4 Conditions for acceptance inspection	2
4.1 General	2
4.2 Installation of electron beam welding machine	2
4.3 Power source	2
4.4 Safety precautions	2
4.5 Operating instructions	3
4.6 Instruments	3
5 Principles of acceptance inspection	3
5.1 Setting range	3
5.2 Normal acceptance	3
5.3 Limited or more extensive acceptance inspection	4
5.4 Record of inspection results	4
6 Acceptance inspection	5
6.1 General	5
6.2 Accelerating voltage, beam current and lens current	5
6.3 Welding speed	5
6.4 Run-out accuracy	6
6.5 Stability of spot position	6
7 Supplementary acceptance inspections	6
Annex A (informative) Procedures for inspection of pressure rise rate and leak rate	7
Annex B (informative) Specification of a weld test of penetration deviation	8
Bibliography	9

iTeh STANDARD PREVIEW

(standards.iteh.ai)

ISO 14744-1:2000

<https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>

Foreword

The text of EN ISO 14744-1:2000 has been prepared by Technical Committee CEN/TC 121 "Welding", the secretariat of which is held by DS, in collaboration with Technical Committee ISO/TC 44 "Welding and allied processes".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2000, and conflicting national standards shall be withdrawn at the latest by October 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

This draft European Standard is composed of the six following parts:

- Part 1: Principles and acceptance conditions;
- Part 2: Measurement of accelerating voltage characteristics;
- Part 3: Measurement of beam current characteristics;
- Part 4: Measurement of welding speed;
- Part 5: Measurement of run-out accuracy;
- Part 6: Measurement of stability of spot position.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 14744-1:2000](https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000)

<https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>

Introduction

Components, failure of which will endanger life, are subject to comprehensive test and acceptance specifications, which, among other things, require production equipment to be of proven type and in accordance with the state of the art. Similarly, in welding practice, standards apply that specify, for example, the required manual skills which a welder must have for controlling the weld.

In welding processes that are not under direct manual control, such as in electron beam welding, requirements for various machine parameters are established. This standard series on acceptance inspection of electron beam welding machines is based on the concept that the production of continuously high-quality welds is ensured if, among other things, the settings, within defined limits, are reproducible during the operating period.

Taking this into account, this standard specifies details of the main machine parameters (accelerating voltage, beam current, lens current and welding speed) together with deviations permitted in short-term or long-term operation. It also includes requirements regarding the run-out accuracy of the devices positioning the workpiece and regarding the stability of the spot position of the electron beam. Users, manufacturers, research experts and inspection bodies are all agreed that electron beam welding machines complying with the requirements are suitable for welding components subject to acceptance inspection, such as aircraft equipment, pressure vessels, valves, etc., within specified setting ranges, assuming that other conditions (e.g. qualified staff, quality control) are fulfilled.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 14744-1:2000](https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000)

<https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>

1 Scope

The main purpose of this standard is to provide requirements for acceptance inspection of electron beam welding machines preferably when first installed on the user's premises. This standard can (in full or in part) be referred to in contracts for supply of electron beam welding machines. Further tests are not normally required if proof of satisfactory welding results is provided in the form of routine inspection documentation. However, the requirements of the standard can also be used for inspection as part of maintenance, if required by contract.

If modifications are made to an electron beam welding machine (rebuilding, repairs, modification to the operating conditions etc.) such as may have an effect on the acceptance inspection, repeat tests can be necessary covering the machine parameters affected by such modifications.

If a welding machine that has already been accepted is dismantled (e.g. in order to change its location), such tests would involve verification according to the requirements in clauses 4, 6.2 to 6.4 and 7.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN ISO 14744-2
Welding – Acceptance inspection of electron beam welding machines – Part 2: Measurement of accelerating voltage characteristics (ISO 14744-2 : 2000)

EN ISO 14744-3
Welding – Acceptance inspection of electron beam welding machines – Part 3: Measurement of beam current characteristics (ISO 14744-3 : 2000)

EN ISO 14744-4
Welding – Acceptance inspection of electron beam welding machines – Part 4: Measurement of welding speed (ISO 14744-4 : 2000)

EN ISO 14744-5
Welding – Acceptance inspection of electron beam welding machines – Part 5: Measurement of run-out accuracy (ISO 14744-5 : 2000)

EN ISO 14774-6:2000
Welding – Acceptance inspection of electron beam welding machines – Part 6: Measurement of stability of spot position (ISO 14744 : 2000)

3 Symbols

For the purposes of this standard, the following symbols apply:

a_x, a_y, a_z	deviation of electron beam axis from weld groove centre or of beam focus from groove centre on weld surface in X, Y or Z direction of feed, as a measure of the run-out accuracy, in mm;
A_w	work distance, in mm;
A_f	focal distance, in mm;
D	diameter of a circumference weld seam in mm or cm;
I_L	lens current, in mA;

$I_{L \max}$	lens current at $U_{A \max}$ and for $A_{F \min}$, in mA;
$I_{L \min}$	lens current at $U_{A \min}$ and for $A_{F \max}$, in mA;
I_B	beam current, in mA;
$I_{B \max}$	maximum beam current, corresponding to $U_{A \max}$ and $U_{A \min}$ respectively, in mA;
m	loading of work table or of rotating fixture resulting from workpiece mass including that of any clamping device, in kg;
n	speed of rotating fixture, in min^{-1} ;
U_A	indicated accelerating voltage, in kV;
$U_{A \max}$	maximum indicated accelerating voltage within the setting range, in kV;
$U_{A \min}$	minimum indicated accelerating voltage within the setting range, in kV;
U_a	monitored voltage for measuring the accelerating voltage, in mV;
U_b	monitored voltage for measuring the beam current, in mV;
U_v	monitored voltage for measuring the welding speed, in mV;
v	welding speed, in mm/s, cm/min or m/min;
Q	pressure rise rate, in Pa · dm ³ /s, or mbar · l/s

ITEH STANDARD PREVIEW
(standards.iteh.ai)

4 Conditions for acceptance inspection [ISO 14744-1:2000](https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000)

<https://standards.iteh.ai/catalog/standards/sist/b64ea956-f33f-49e3-9a77-8fc918c36132/iso-14744-1-2000>

4.1 General

Acceptance inspection shall be performed after installation of the welding machine, prior to production. However, measurement of accelerating voltage may be performed prior to delivery of the welding machine in accordance with EN ISO 14744-2.

4.2 Installation of electron beam welding machine

Electron beam welding machines shall be installed so that acceptance inspection and machine performance are not interfered with by vibration or by electrical or magnetic fields.

4.3 Power source

The power source for electron beam welding machines shall be an electrical mains system with voltage fluctuations not exceeding $\pm 10\%$.

4.4 Safety precautions

This standard does not cover inspection of safety devices and other safety aspects.

NOTE Machines for electron beam welding have several features which assure safe operation. The electron beam generates X-rays during welding and the work chamber walls, the work chamber windows and other parts have to reduce the radiation outside the machine to low safe levels so as to permit operators and other personnel to work safely close to the machine. The parts of the machine subject to high-voltages should, of course, be protected and inaccessible when under high tension.

Some of the features which assure safe operation may have to be tested after installation of the machine, prior to any use of the machine in production. Any such test is, however, outside the scope of this standard. The tests have to be specified by the supplier of the machine.

It is also important to consider that the design of machines for electron beam welding, protection against x-rays etc., are subject to several legal requirements at the European level (e.g. directives for machines, EMC, low voltage equipment) and also supplementary national requirements in at least some countries. See also EN 60204-1.

4.5 Operating instructions

The operating instructions for the electron beam welding machine shall be complied with.

4.6 Instruments

The accuracy of all instruments for measurement have to be compatible with the limit deviations specified in this standard, see table 1.

The procedures for measurement are such that it is possible to use calibrated and traceable instruments for measurement, if required by contract.

5 Principles of acceptance inspection

5.1 Setting range

It is to be specified for which setting range of the machine the acceptance inspection is to be carried out, giving setting ranges for the following parameters:

- accelerating voltage;
- beam current;
- lens current;
- welding speed in all primary welding directions;

Other parameters necessary for proper control of the welding machine shall also be specified, e.g.:

- focal distance;
- loading resulting from workpiece and fixture mass;
- pressure rise rate and leak rate in work chamber (if necessary).

5.2 Normal acceptance

According to this standard normal acceptance inspection of the welding machine for the intended machine setting shall be deemed to have been provided if the limit deviations given in table 1 are not exceeded.