

---

**Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 3-042: Conformity verification report for IEC 61010-2-042:1997 - Particular requirements for autoclaves and sterilizers using toxic gas for the treatment of medical materials, and for laboratory processes**

Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 3-042: Conformity verification report for IEC 61010-2-042:1997, Particular requirements for autoclaves and sterilizers using toxic gas for the treatment of medical materials, and for laboratory processes

**(standards.iteh.ai)**

[SIST IEC 61010-3-042:2002](https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002)

<https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002>

**Ta slovenski standard je istoveten z: IEC/TR 61010-3-042**

---

**ICS:**

11.080.10	Sterilizacijska oprema	Sterilizing equipment
19.080	Električno in elektronsko preskušanje	Electrical and electronic testing
71.040.10	Kemijski laboratoriji. Laboratorijska oprema	Chemical laboratories. Laboratory equipment

**SIST IEC 61010-3-042:2002**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST IEC 61010-3-042:2002](https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002)

<https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002>

# TECHNICAL REPORT

# IEC TR 61010-3-042

First edition  
1999-10

---



---

## Safety requirements for electrical equipment for measurement, control, and laboratory use –

### Part 3-042:

### Conformity verification report for

### IEC 61010-2-042:1997, Particular requirements for autoclaves and sterilizers using toxic gas for the treatment of medical materials, and for laboratory processes

<https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002>

*Règles de sécurité pour appareils électriques de mesurage,  
de régulation et de laboratoire –*

### *Partie 3-042:*

*Rapport de vérification de la conformité de la  
CEI 61010-2-042:1997, Prescriptions particulières pour  
autoclaves et stérilisateur utilisant des gaz toxiques  
pour le traitement des matériels à usage médical et durant  
les procédés de traitement de laboratoire*

© IEC 1999 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission  
Telefax: +41 22 919 0300

3, rue de Varembe Geneva, Switzerland  
e-mail: [inmail@iec.ch](mailto:inmail@iec.ch) IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE **XB**

*For price, see current catalogue*

## CONTENTS

	Page
FOREWORD .....	3
Conformity verification report IEC 61010-3-042 .....	5
Clause	
5 Marking and documentation.....	10
6 Protection against electric shock .....	17
7 Protection against mechanical hazards .....	25
8 Mechanical resistance to shock and impact .....	27
9 Equipment temperature limits and protection against the spread of fire .....	28
10 Resistance to heat .....	29
11 Protection against hazards from fluids .....	29
12 Protection against radiation, including laser sources, and against sonic and ultrasonic pressure.....	31
13 Protection against liberated gases, explosion and implosion .....	32
14 Components.....	35
15 Protection by interlocks.....	38
16 Measuring circuits .....	38
Annex K .....	38
Table 1 – Documents attached to this report.....	7
Table 2 – Test equipment list.....	8
Table 3 – List of components relied on for safety .....	9
Form A.1 to Form A.30 .....	39 to 68

<http://standards.iteh.ai>  
 iteh STANDARD PREVIEW  
 (standards.iteh.ai)

[SIST IEC 61010-3-042:2002](http://standards.iteh.ai)

<http://standards.iteh.ai>  
<http://standards.iteh.ai>  
<http://standards.iteh.ai>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

—————

**SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT  
FOR MEASUREMENT, CONTROL, AND LABORATORY USE –**

**Part 3-042: Conformity verification report for IEC 61010-2-042:1997,  
Particular requirements for autoclaves and sterilizers using  
toxic gas for the treatment of medical materials,  
and for laboratory processes**

## FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this technical report may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

Technical reports do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

IEC 61010-3-042, which is a technical report, has been prepared by IEC technical committee 66: Safety of measuring, control, and laboratory equipment.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
66/194/CDV	66/218/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

This report is a Technical Report and is of a purely informative nature and is therefore by itself not to be regarded as an International Standard. It is for use by testhouses and other users to assist them with determining and recording verification of conformity of the equipment under test with the requirements of:

IEC 61010-2-042: 1997,  
and  
IEC 61010-1: 1990 + amendment 1: 1992 + amendment 2: 1995

The protocol for completion of this report is contained in publication IEC 61010-3:1997.

The IEC sells read-only PDF files as a general rule. In the present instance, and quite exceptionally, to enable the user to fill in the forms, a revisable file is included in a pocket affixed to the back cover of this publication.

This publication can be downloaded from the Web as a PDF file. There is, however, at the end of the document, a revisable file containing the forms. Please use the zip/unzip function.

A bilingual version will not be issued.

A French version may be issued.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[SIST IEC 61010-3-042:2002](https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002)  
<https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002>

<b>Conformity Verification Report</b> <b>IEC 61010-2-042</b> <b>Safety requirements for electrical equipment</b> <b>for measurement, control, and laboratory use:</b> <b>Part 2-042: Particular requirements for autoclaves and sterilizers using toxic gas</b> <b>for the treatment of medical materials, and for laboratory processes</b>	
Report reference No .....	:
Compiled by (+ signature).....	:
Approved by (+ signature).....	:
Date of issue .....	:
Testing organization.....	:
Address.....	:
Testing location.....	:
Applicant .....	:
Address.....	:
<b>iTeh STANDARD PREVIEW</b> <b>(standards.iteh.ai)</b>	
Standard .....	SIST IEC 61010-3-042:2002 IEC 61010-1:1990 + amendment 1:1992+ amendment 2:1995 IEC 61010-2-042:1997 <a href="https://standards.iteh.ai/catalog/standards/sist/345777da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002">https://standards.iteh.ai/catalog/standards/sist/345777da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002</a>
Copyright blank test report.....	This report has been prepared by IEC/TC 66, which retains responsibility for any changes or corrections required.
Test procedure.....	:
Procedure deviation.....	:
Non-standard test method .....	:
Type of item tested .....	<input type="checkbox"/> Measurement <input type="checkbox"/> Control <input type="checkbox"/> Laboratory
Trademark.....	:
Model/type référence .....	:
Manufacturer.....	:
Rating.....	:
Copy of rating plate:	

Description of equipment function:

INSTALLATION/OVERVOLTAGE CATEGORY:

POLLUTION DEGREE:

Environmental rating:  Standard  Other (specify):

Equipment mobility:  Portable  Hand-held  Floorstanding  Fixed  
 Built in  Benchmounted  Other (specify):

Connection to mains supply:  Permanent  Detachable  Non-detachable  None

Operating conditions:  Continuous  Short-time  Intermittent

Overall size of the equipment (Length × Width × Height):

Mass of the equipment (kg):

Marked degree of protection to IEC 60529: IP \_\_\_ \_\_\_

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Accessories and detachable parts included in the evaluation:

[SIST IEC 61010-3-042:2002](https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002)  
<https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002>

Options:

NOTE "(see Form A.X)" refers to a form appended to the report.







Table 3 – List of components relied on for safety

Unique component reference or location (including drawing reference if required)	Application/Function	Manufacturer and part number (note 1)	RATING (note 2)	Licence number, file number or other documentary evidence of acceptance
NOTE 1 List all manufacturers concerned. NOTE 2 Electrical, mechanical, flammability, etc.				

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST IEC 61010-3-042:2002](https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002)

<https://standards.iteh.ai/catalog/standards/sist/307fc1da-9e74-4391-8b78-dac4375e796b/sist-iec-61010-3-042-2002>

Clause Subclause	Requirement	Result	Comments
<b>5</b>	<b>Marking and documentation</b>		
<b>5.1.1</b>	<b>General</b>		
	Required equipment markings are		
	a) visible		
	– from the exterior		
	or		
	– after removing a cover		
	or		
	– opening a door		
	or		
	– after removal from a rack or panel		
	b) not put on parts which can be removed by an OPERATOR		
	c) Letter symbols (IEC 60027) used		
	d) Graphic symbols (IEC 61010-1, Table 1) used		
<b>5.1.2</b>	<b>Identification</b>		
	Equipment is identified by		
	– manufacturer's name or registered trade mark		
	– model number, name or other means		
	– PRESSURE VESSEL markings (see 5.1.102)		
	If jacket pressure differs from CHAMBER, data for both marked on PRESSURE VESSEL		
<b>5.1.3</b>	<b>Mains supply</b>		
	Equipment is marked as follows:		
	a) nature of supply:		
	– a.c. RATED mains frequency or range of frequencies		
	– d.c. with symbol 1		
	b) RATED supply voltage(s) or range		
	c) – maximum RATED power (W or VA) or input current		
	If more than one voltage range:		
	– separate values marked		
	or		
	– values differ by less than 20 % (see Form A.3)		
<b>F</b>			

Clause Subclause	Requirement	Result	Comments
	d) equipment which can be set for different RATED supply voltages: <ul style="list-style-type: none"> <li>– for PORTABLE EQUIPMENT, indication is visible from the exterior</li> <li>– if the supply voltage can be altered without the use of a tool, changing the setting also changes the indication</li> </ul> e) accessory mains socket-outlets accepting standard mains plugs are marked <ul style="list-style-type: none"> <li>– with the voltage if it is different from the mains supply voltage</li> <li>– for use only with specific equipment</li> </ul> If not marked for specific equipment it is marked with <ul style="list-style-type: none"> <li>– the maximum RATED current or power, and maximum permitted leakage current</li> <li>or</li> <li>– symbol 14 with full details in the documentation</li> </ul> The measured value not more than 110 % (see Form A.3)		
5.1.4	<b>Fuses</b> OPERATOR replaceable fuse marking (see also 5.4.5)		
5.1.5	<b>Measuring circuit TERMINALS</b> RATED maximum working voltage or current marked Unless clear indication that below limits: <ul style="list-style-type: none"> <li>– maximum RATED voltage to earth is marked</li> <li>or</li> <li>– for specific connection only, and means for identifying provided</li> <li>– is adjacent to TERMINALS</li> <li>or</li> <li>– if insufficient space:               <ul style="list-style-type: none"> <li>– on the RATING plate or scale plate</li> <li>or</li> <li>– if the TERMINAL is marked with symbol 14</li> </ul> </li> </ul> INSTALLATION CATEGORY marked TERMINALS permanently connected and not ACCESSIBLE		

Clause Subclause	Requirement	Result	Comments
5.1.6	<p><b>TERMINALS and operating devices</b></p> <p>Where necessary for safety, indication of purpose of TERMINALS, connectors, controls and indicators</p> <p>Mains supply TERMINALS identified</p> <p>Power supply switch on or off position marked if used as disconnecting device</p> <p>TERMINAL marking:</p> <p>a) FUNCTIONAL EARTH TERMINALS</p> <p>b) PROTECTIVE CONDUCTOR TERMINALS:</p> <ul style="list-style-type: none"> <li>- symbol 6 is placed close to or on the TERMINAL</li> <li>or</li> <li>- part of appliance inlet</li> </ul> <p>c) TERMINALS of measuring and control circuits</p> <p>d) TERMINALS supplied from the interior</p> <p>e) ACCESSIBLE FUNCTIONAL EARTH TERMINALS</p> <p>aa) NORMAL USE setting a control could cause a hazard, an indicating device is provided</p>		
5.1.7	<p><b>Equipment protected by DOUBLE INSULATION or REINFORCED INSULATION</b></p> <p>Protected throughout (symbol 11 used)</p> <p>Only partially protected (symbol 11 not used)</p>		
5.1.8	<p><b>Battery charging</b></p> <p>Equipment with means to charge rechargeable batteries is marked:</p> <ul style="list-style-type: none"> <li>- to warn against the charging of non-rechargeable batteries</li> <li>- to indicate the type of rechargeable battery used</li> </ul>		
5.1.101	<p><b>Overpressure safety device</b></p> <p>Identification includes</p> <ul style="list-style-type: none"> <li>- model number, etc.</li> <li>- pressure setting</li> <li>- if bursting disc: <ul style="list-style-type: none"> <li>- pressure</li> <li>- temperature</li> </ul> </li> </ul>		

Clause Subclause	Requirement	Result	Comments
5.1.102	<p><b>PRESSURE VESSEL markings</b></p> <p>Markings comply with the regulations and codes applicable in the country of intended use</p> <p>In all cases, markings include</p> <p>a) name of the manufacturer</p> <p>b) serial number</p> <p>c) identification number of door (may be the same as the serial number)</p> <p>d) maximum working pressure</p> <p>e) maximum working temperature</p> <p>f) minimum working pressure</p> <p>g) test pressure</p> <p>h) construction standard applies</p> <p>i) the CHAMBER volume in litres</p>		
5.2	<p><b>Warning markings</b></p> <ul style="list-style-type: none"> <li>- visible when ready for NORMAL USE</li> <li>- if necessary marked with symbol 14</li> <li>- are near or on applicable parts</li> <li>- statement to isolate or disconnect</li> <li>- advice on how to avoid contact with ACCESSIBLE HAZARDOUS LIVE parts</li> <li>- TERMINAL voltage exceeding 1 kV (symbol 12)</li> <li>- easily touched high-temperature parts (symbol 13)</li> <li>- instruction to lock and retain key</li> <li>- to indicate any hazardous properties of the sterilant gas</li> <li>- LOAD type warning</li> </ul>		
5.3	<p><b>Durability of markings</b></p> <p>The required markings remain clear and legible in NORMAL USE (see Form A.4)</p>		