



SLOVENSKI STANDARD
SIST ETS 300 141-6:1997

01-december-1997

Digitalno omrežje z integriranimi storitvami (ISDN) - Dopolnilna storitev: zadržanje klica (HOLD) - Protokol digitalne naročniške signalizacije št. 1 (DSS1) - 6. del: Niz abstraktnih preskusov (ATS) in delna dodatna informacija za preskušanje izvedbe protokola (PIXIT) - Proformna specifikacija za omrežje

Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

(standards.iteh.ai)

[SIST ETS 300 141-6:1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>

Ta slovenski standard je istoveten z: ETS 300 141-6 Edition 1

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST ETS 300 141-6:1997

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 141-6:1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 141-6

October 1996

Source: ETSI TC-SPS

Reference: DE/SPS-05061-S-6

ICS: 33.080

Key words: ISDN, DSS1, supplementary service, HOLD, testing, ATS, PIXIT, network

**Integrated Services Digital Network (ISDN);
Call Hold (HOLD) supplementary service;
Digital Subscriber Signalling System No. one (DSS1) protocol;
Part 6: Abstract Test Suite (ATS) and partial Protocol
Implementation eXtra Information for Testing (PIXIT) proforma
specification for the network**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 141-6:1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>

Contents

Foreword	7
1 Scope	9
2 Normative references	9
3 Definitions and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	10
4 Abstract Test Method (ATM)	11
4.1 Description of ATM used	11
4.1.1 Conventions for test components and PCOs	11
4.1.2 Conventions for variables and parameters	12
4.2 Alternative ATM	13
5 Untestable test purposes.....	14
6 ATS conventions	14
6.1 Declarations part.....	14
6.1.1 Type definitions	14
6.1.1.1 Simple type definitions	14
6.1.1.2 Structured type definitions	14
6.1.1.2.1 TTCN structured type definitions	14
6.1.1.2.2 ASN.1 structured type definitions.....	14
6.1.1.3 ASP type definitions.....	16
6.1.1.3.1 TTCN ASP type definitions	16
6.1.1.3.2 ASN.1 ASP type definitions	16
6.1.1.4 PDU type definitions	16
6.1.1.4.1 TTCN PDU type definitions.....	16
6.1.1.4.2 ASN.1 PDU type definitions	16
6.1.2 Test suite constants	17
6.1.3 Test suite parameters	17
6.1.4 Variables	17
6.1.4.1 Test suite variables.....	17
6.1.4.2 Test case variables.....	17
6.1.5 Test suite operation definitions.....	17
6.2 Constraints part.....	18
6.2.1 Structured type constraint declaration	18
6.2.2 ASN.1 type constraint declaration	18
6.2.2.1 Specification of encoding rules.....	19
6.2.3 ASP type constraint declaration	20
6.2.3.1 ASN.1 ASP type constraint declaration	20
6.2.3.2 TTCN ASP type constraint declaration	20
6.2.4 PDU type constraint declaration	20
6.2.4.1 ASN.1 PDU type constraint declaration	20
6.2.4.2 TTCN PDU type constraint declaration	20
6.2.5 Chaining of constraints.....	20
6.2.5.1 Static chaining	20
6.2.5.2 Dynamic chaining	20
6.2.6 Derived constraints.....	21
6.2.7 Parameterized constraints.....	21
6.2.8 Value assignment.....	21
6.2.8.1 Specific values.....	21
6.2.8.2 Matching values.....	21

6.3	Dynamic part	21
6.3.1	Test cases	21
6.3.2	Test steps	21
6.3.2.1	PTC1_IN	21
6.3.2.2	PTC1_OUT	21
6.3.3	Defaults.....	21
7	ATS to TP map	22
8	PCTR conformance	22
9	PIXIT conformance.....	22
10	ATS conformance.....	22
Annex A (normative): Protocol Conformance Test Report (PCTR) proforma		23
A.1	Identification summary.....	23
A.1.1	Protocol conformance test report.....	23
A.1.2	IUT identification.....	23
A.1.3	Testing environment.....	23
A.1.4	Limits and reservations	24
A.1.5	Comments.....	24
A.2	IUT conformance status	24
A.3	Static conformance summary	24
A.4	Dynamic conformance summary.....	24
A.5	Static conformance review report.....	25
A.6	Test campaign report.....	25
A.7	Observations.....	26
Annex B (normative): Partial PIXIT proforma		27
B.1	Identification summary.....	27
B.2	Abstract test suite summary	27
B.3	Test laboratory.....	27
B.4	Client (of the test laboratory)	28
B.5	System Under Test (SUT)	28
B.6	Protocol information.....	29
B.6.1	Protocol identification	29
B.6.2	Parameter values	29
B.6.3	Sending of messages by IUT	29
B.6.4	Configuration of IUT	29
B.7	Basic call PIXIT items.....	30
B.7.1	Parameter values - information element codings.....	30
Annex C (normative): Abstract Test Suite (ATS)		31
C.1	The TTCN Graphical form (TTCN.GR)	31
C.2	The TTCN Machine Processable form (TTCN.MP)	31

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 141-6:1997

[https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

[57bc1569a713/sist-ets-300-141-6-1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

Annex D (informative): General structure of ATS..... 32
History..... 33

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 141-6:1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)
<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 141-6:1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is part 6 of a multi-part standard covering the Digital Subscriber Signalling System No. one (DSS1) protocol specification for the Integrated Services Digital Network (ISDN) Call Hold (HOLD) supplementary service, as described below:

- Part 1: "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";
- Part 5: "TSS&TP specification for the network";
- Part 6: "ATS and partial PIXIT proforma specification for the network".**

Transposition dates	
Date of adoption of this ETS:	4 October 1996
Date of latest announcement of this ETS (doa):	31 January 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 July 1997
Date of withdrawal of any conflicting National Standard (dow):	31 July 1997

<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 141-6:1997](https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997)

<https://standards.iteh.ai/catalog/standards/sist/61662adc-959f-4615-8c1e-57bc1569a713/sist-ets-300-141-6-1997>

1 Scope

This sixth part of ETS 300 141 specifies the Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma for the Network side of the T reference point or coincident S and T reference point (as defined in ITU-T Recommendation I.411 [11]) of implementations conforming to the stage three standard for the Call Hold (HOLD) supplementary service for the pan-European Integrated Services Digital Network (ISDN) by means of the Digital Subscriber Signalling System No. one (DSS1) protocol, ETS 300 141-1 [2].

ETS 300 141-5 [4] specifies the Test Suite Structure and Test Purposes (TSS&TP) related to this ATS and partial PIXIT proforma specification. Other parts specify the TSS&TP and the ATS and partial PIXIT proforma for the User side of the T reference point or coincident S and T reference point of implementations conforming to ETS 300 141-1 [2].

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 102-1: "Integrated Services Digital Network (ISDN); User-network interface layer 3; Specifications for basic call control".
- [2] ETS 300 141-1 (1993): "Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
- [3] ETS 300 141-2 (1995): "Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
- [4] ETS 300 141-5: "Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network".
- [5] ETS 300 196-1 (1993): "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
- [6] ISO/IEC 9646-1: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 1: General Concepts".
- [7] ISO/IEC 9646-2: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 2: Abstract Test Suite Specification".
- [8] ISO/IEC 9646-3: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 3: The Tree and Tabular Combined Notation".
- [9] ISO/IEC 9646-4: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 4: Test realization".
- [10] ISO/IEC 9646-5: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 5: Requirements on test laboratories and clients for the conformance assessment process".
- [11] ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces - Reference configurations".

- [12] CCITT Recommendation X.209 (1988): "Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

Abstract Test Suite (ATS): See ISO/IEC 9646-1 [6].

Implementation Under Test (IUT): See ISO/IEC 9646-1 [6].

Lower Tester (LT): See ISO/IEC 9646-1 [6].

Point of Control and Observation (PCO): See ISO/IEC 9646-1 [6].

Protocol Implementation Conformance Statement (PICS): See ISO/IEC 9646-1 [6].

PICS proforma: See ISO/IEC 9646-1 [6].

Protocol Implementation eXtra Information for Testing (PIXIT): See ISO/IEC 9646-1 [6].

PIXIT proforma: See ISO/IEC 9646-1 [6].

System Under Test (SUT): See ISO/IEC 9646-1 [6].

Upper Tester (UT): See ISO/IEC 9646-1 [6].

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

ASP	Abstract Service Primitive
ATM	Abstract Test Method
ATS	Abstract Test Suite
BER	Basic Encoding Rules
CM	Co-ordination Message
CP	Co-ordination Point
ExTS	Executable Test Suite
HOLD	Call Hold
IUT	Implementation Under Test
LT	Lower Tester
MOT	Means Of Testing
MTC	Main Test Component
PCO	Point of Control and Observation
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
PTC	Parallel Test Component
SUT	System Under Test
TCP	Test Co-ordination Procedures
TP	Test Purpose
TTCN	Tree and Tabular Combined Notation
UT	Upper Tester