

# SLOVENSKI STANDARD SIST EN 302 066-2 V1.2.1:2008

01-september-2008

#### 9`Y\_lfca U[ bYlbU'nXfi ÿ`]jcghi]b`nUXYj Y`j`nj Yn]`n`fUX]^g\_]a `gdY\_lfca `f9 FAŁ'! I dcfUVU'g]ghYa cj`nU'g`]\_Ub^Y`df]`fUXUf^]\`nU'gcbX]fUb^Y`lU`]b`n]Xcj`fl, DF#K DFŁ'!`&" XY.`<Ufa cb]n]fUb]`9 Bž\_]`nU'Ya U'V]ghj YbY`nU\ hYj Y``YbU'' "&`X]fY\_h]j Y`F/ HH9

Electromagnetic compatibility and Radio spectrum Matters (ERM) - Ground- and Wall-Probing Radar applications (GPR/WPR) imaging systems - Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive

# (standards.iteh.ai)

<u>SIST EN 302 066-2 V1.2.1:2008</u> https://standards.iteh.ai/catalog/standards/sist/5211e3ee-8b69-473a-93a7f7cbf162dfcd/sist-en-302-066-2-v1-2-1-2008

Ta slovenski standard je istoveten z: EN 302 066-2 Version 1.2.1

#### ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 302 066-2 V1.2.1:2008 en


# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 302 066-2 V1.2.1:2008</u> https://standards.iteh.ai/catalog/standards/sist/5211e3ee-8b69-473a-93a7f7cbf162dfcd/sist-en-302-066-2-v1-2-1-2008

# ETSI EN 302 066-2 V1.2.1 (2008-02)

Harmonized European Standard (Telecommunications series)

Electromagnetic compatibility and Radio spectrum Matters (ERM); Ground- and Wall- Probing Radar applications (GPR/WPR) imaging systems; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive



Reference REN/ERM-TG31A-0113-2

Keywords radar, radio, regulation, SRD, testing, UWB

#### ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

## (standards.iteh.ai)

SIST EN 302 066-2 V1.2.1:2008 https://standards.iteh.ai/catalog/standards/sist/5211e3ee-8b69-473a-93a7f7cbf162dff.Important\_notice-v1-2-1-2008

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a>

If you find errors in the present document, please send your comment to one of the following services: <u>http://portal.etsi.org/chaircor/ETSI\_support.asp</u>

#### **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

> © European Telecommunications Standards Institute 2008. All rights reserved.

**DECT<sup>TM</sup>**, **PLUGTESTS<sup>TM</sup>**, **UMTS<sup>TM</sup>**, **TIPHON**<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP**<sup>™</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Contents

Intell	ectual Property Rights		4
Forev	vord		4
Intro	luction		4
1	Scope		5
2 2.1			
3 3.1 3.2	Definitions	and abbreviations	6
3.3			
4 4.1 4.1.1	Environmental cond	ts specifications itions rofile	6
4.1.2 4.2 4.2.1	Conformance requir	ements of operation	6
4.2.1 4.2.2 4.2.3 4.2.4	Undesired Emiss	ion operation ions e maximum mean e.i.r.p. spectral density chariism requirements	7
5 5.1 5.2 5.2.1 5.2.2 5.3	Testing for compliant Environmental cond Essential radio test s Frequency band Undesired Emiss	e with technical requirements. <b>item ai</b> ) itions for testing uites of operation <u>SISTEN 302 066-2 V1.2.1:2008</u> ionsidards.iteh.ai/catalog/standards/sist/5211e3ee-8b69-473a-93a7- ults and measurement uncertainty66-2-v1-2-1-2008.	7 7 7 7 7
Anne	ex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT)	8
Anne	ex B (informative):	The EN title in the official languages	10
Anne	ex C (informative):	Bibliography	12
Histo	ry		13

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

# Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The document responds to the EC mandate M/329 for Harmonized Standards covering Ultra-WideBand applications.

Technical specifications relevant to Directive 1999/5/EC are given in annex A.

https://standards.iteh.ai/catalog/standards/sist/5211e3ee-8b69-473a-93a7-The present document is part 2 of a multi-part deliverable covering the Electromagnetic compatibility and Radio spectrum Matters (ERM); Ground- and Wall- Probing Radar applications, as identified below:

Part 1: "Technical characteristics and test methods";

#### Part 2: "Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive".

National transposition dates			
Date of adoption of this EN:	22 February 2008		
Date of latest announcement of this EN (doa):	31 May 2008		
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2008		
Date of withdrawal of any conflicting National Standard (dow):	30 November 2009		

# Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive. The modular structure is shown in EG 201 399 (see bibliography).

### 1 Scope

The present document specifies the requirements for Ground- and Wall- Probing Radar imaging systems applications. Ground Probing Radars (GPR) and Wall Probing Radars (WPR) are used in survey and detection applications.

The scope is limited to GPR and WPR radars, in which the system is in close proximity to the materials being investigated. It does not include radars operated from aircraft or spacecraft.

The GPR/WPR applications in the present document are not intended for communications purposes, and the intended signal is not radiated into free space.

NOTE: Equipment covered by the present document is intended to be used by competent professional personnel.

The present document applies to:

- Ground Probing Radars (GPR) operating over approximately one decade in the frequency range 30 MHz to 12,4 GHz radiating directly downwards into the ground. Any horizontal radiation from this equipment is caused by leakage and is considered as undesired emission.
- 2) Wall Probing Radars (WPR) operating in the frequency range 30 MHz to 12,4 GHz radiating directly into a "wall". The "wall" is a building material structure, the side of a bridge, the wall of a mine or another physical structure that absorbs a significant part of the signal transmitted by the radar.
- 3) Equipment fitted with integral antennas and without antenna connector.
- 4) Equipment which uses different imaging heads (antennas) with an antenna connector, to allow operation at different frequencies Teh STANDARD PREVIEW

The present document does not necessarily include all the characteristics which may be required by a user, nor does it necessarily represent the optimum performance achievable.

In addition to the present document, other ENsthat specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive will apply to equipment within the scope of the present document. f7cbf162dfcd/sist-en-302-066-2-v1-2-1-2008

# 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
  - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
  - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="http://docbox.etsi.org/Reference">http://docbox.etsi.org/Reference</a>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

#### 2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

[1] ETSI EN 302 066-1 (V1.2.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Ground- and Wall- Probing Radar applications (GPR/WPR) imaging systems; Part 1: Technical characteristics and test methods".

# 3 Definitions, symbols and abbreviations

## 3.1 Definitions

For the purposes of the present document, the terms and definitions given in EN 302 066-1 [1] and the following apply:

**environmental profile:** range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

# 3.2 Symbols

For the purposes of the present document, the symbols given in EN 302 066-1 [1] apply.

# 3.3 Abbreviations (standards.iteh.ai)

For the purposes of the present document, the abbreviations given in EN 302 066-1 [1] apply.

SIST EN 302 066-2 V1.2.1:2008

https://standards.iteh.ai/catalog/standards/sist/5211e3ee-8b69-473a-93a7

# 4 Technical requirements specifications

# 4.1 Environmental conditions

#### 4.1.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the provider. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

#### 4.1.2 Power supply

All the characteristics and essential requirements applying to the equipment shall be fulfilled within the range of all declared operational conditions of the power supply.

Power supply may be e.g. an external battery or a stabilized power supply.

#### 4.2 Conformance requirements

#### 4.2.1 Frequency band of operation

The frequency band of operation shall not exceed the limits specified in clause 8.1.3 of EN 302 066-1 [1].

#### 4.2.2 Undesired Emissions

The undesired emissions shall not exceed the limits specified in clause 8.2.3 of EN 302 066-1 [1].

#### 4.2.3 Calculation of the maximum mean e.i.r.p. spectral density

The maximum mean e.i.r.p. spectral density which is based on the peak values measured according to EN 302 066-1 [1] (see clause 8.2.2) shall be calculated and shall not exceed the limits as defined in annex D of EN 302 066-1 [1].

#### 4.2.4 Deactivation mechanism requirements

The deactivation mechanism requirements are defined in EN 302 066-1 [1], annex B.

# 5 Testing for compliance with technical requirements

#### 5.1 Environmental conditions for testing

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile.

Where technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions (within the boundary limits of the declared operational environmental profile) to give confidence of compliance for the affected technical requirements.

# (standards.iteh.ai)

5.2 Essential radio test suites

SIST EN 302 066-2 V1.2.1:2008

5.2.1 Frequency band<sub>7</sub>0610peration<sub>302-066-2-v1-2-1-2008</sub>

The test defined in clause 8.1.2 of EN 302 066-1 [1] shall be carried out.

#### 5.2.2 Undesired Emissions

The test defined in clause 8.2.2 of EN 302 066-1 [1] for the measurement of peak power shall be carried out and the mean power shall be calculated as set out in annex D of EN 302 066-1 [1].

#### 5.3 Interpretation of results and measurement uncertainty

Clause7 of EN 302 066-1 [1] shall apply.