

## SLOVENSKI STANDARD SIST EN ISO 14577-4:2008

01-april-2008

Kovinski materiali - Preskus trdote in lastnosti materialov z instrumentirano metodo vtiskovanja - 4. del: Preskusna metoda za kovinske in nekovinske prevleke (ISO 14577-4:2007)

Metallic materials - Instrumented indentation test for hardness and materials parameters - Part 4: Test method for metallic and non-metallic coatings (ISO 14577-4:2007)

Metallische Werkstoffe - Instrumentierte Eindringprüfung zur Bestimmung der Härte und anderer Werkstoffparameter - Teil 4: Prüfverfahren für metallische und nichtmetalische Schichten (ISO 14577-4:2007) (standards.iteh.ai)

Matériaux métalliques - Essai de pénétration instrumenté pour la détermination de la dureté et de parametres des matériaux - Partie 4: Méthode d'essai pour les revetements métalliques et non métalliques (ISO 14577-4:2007)

Ta slovenski standard je istoveten z: EN ISO 14577-4:2007

ICS:

77.040.10 Mehansko preskušanje kovin Mechanical testing of metals

SIST EN ISO 14577-4:2008 en,fr,de

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 14577-4:2008

https://standards.iteh.ai/catalog/standards/sist/30d22b4c-1e3c-4897-98db-722088cedb29/sist-en-iso-14577-4-2008

### **EUROPEAN STANDARD**

## NORME EUROPÉENNE

## EUROPÄISCHE NORM

May 2007

**EN ISO 14577-4** 

ICS 77.040.10

#### **English Version**

Metallic materials - Instrumented indentation test for hardness and materials parameters - Part 4: Test method for metallic and non-metallic coatings (ISO 14577-4:2007)

Matériaux métalliques - Essai de pénétration instrumenté pour la détermination de la dureté et de paramètres des matériaux - Partie 4: Méthode d'essai pour les revêtements métalliques et non métalliques (ISO 14577-4:2007) Metallische Werkstoffe - Instrumentierte Eindringprüfung zur Bestimmung der Härte und anderer Werkstoffparameter - Teil 4: Prüfverfahren für metallische und nichtmetalische Schichten (ISO 14577-4:2007)

This European Standard was approved by CEN on 13 April 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Iraly, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

#### **Foreword**

This document (EN ISO 14577-4:2007) has been prepared by Technical Committee ISO/TC 164 "Mechanical testing of metals" in collaboration with Technical Committee ECISS/TC 1 "Steel - Mechanical testing", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2007, and conflicting national standards shall be withdrawn at the latest by November 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

#### **Endorsement notice**

The text of ISO 14577-4:2007 has been approved by CEN as EN ISO 14577-4:2007 without any modifications.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 14577-4:2008</u> https://standards.iteh.ai/catalog/standards/sist/30d22b4c-1e3c-4897-98db-722088cedb29/sist-en-iso-14577-4-2008

## INTERNATIONAL **STANDARD**

ISO 14577-4

> First edition 2007-05-15

Metallic materials — Instrumented indentation test for hardness and materials parameters —

Part 4:

Test method for metallic and non-metallic coatings iTeh STANDARD PREVIEW

Matériaux métalliques — Essai de pénétration instrumenté pour la détermination de la dureté et de paramètres des matériaux —

Partie 4: Méthode d'essai pour les revêtements métalliques et non

metalliques avcatalog/standards/sist/30d22b4c-1e3c-4897-98dbhttps://standards.iteh.a 722088cedb29/sist-en-iso-14577-4-2008



#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 14577-4:2008</u> https://standards.iteh.ai/catalog/standards/sist/30d22b4c-1e3c-4897-98db-722088cedb29/sist-en-iso-14577-4-2008



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

## **Contents** Page

ForewordIntroduction		iv
		v
1	Scope	1
2	Normative references	1
3	Symbols and designations	2
4	Verification and calibration of testing machines	2
5 5.1	Test pieces	4
5.2 5.3 5.4 5.5	Surface roughness Polishing Surface cleanliness Special requirements for paints and varnishes	5 5
6 6.1 6.2	Procedure Test conditions	6
7 7.1 7.2 7.3	Data analysis and evaluation of results for indentation normal to the surface	11 11 12
8	Test report https://standards.iteh.ai/catalog/standards/sist/30d22b4c-1e3c-4897-98db-	16
Anne	722088cedb29/sist-en-iso-14577-4-2008 ex A (normative) Frame compliance calibration procedure	17
	ex B (normative) Contact point and fully elastic regime	
	ography	

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14577-4 was prepared by Technical Committee ISO/TC 164, Mechanical testing of metals, Subcommittee SC 3, Hardness testing.

ISO 14577 consists of the following parts, under the general title Metallic materials — Instrumented indentation test for hardness and materials parameters rds.iteh.ai)

Part 1: Test method

SIST EN ISO 14577-4:2008

- Part 2: Verification and calibration of testing machines
- en-iso-14577-4-2008
- Part 3: Calibration of reference blocks
- Part 4: Test method for metallic and non-metallic coatings

#### Introduction

The elastic and plastic properties of a coating are critical factors determining the performance of the coated product. Indeed many coatings are specifically developed to provide wear resistance that is usually conferred by their high hardness. Measurement of coating hardness is often used as a quality control check. Young's modulus becomes important when calculation of the stress in a coating is required in the design of coated components. For example, the extent to which coated components can withstand external applied forces is an important property in the capability of any coated system.

It is relatively straightforward to determine the hardness and indentation modulus of bulk materials using instrumented indentation. However, when measurements are made normal to a coated surface, depending on the force applied and the thickness of the coating, the substrate properties influence the result.

The purpose of this part of ISO 14577 is to provide guidelines for conditions where there is no significant influence of the substrate, and, where such influence is detected, to provide possible analytical methods to enable the coating properties to be extracted from the composite measurement. In some cases, the coating property can be determined directly from measurements on a cross-section.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 14577-4:2008</u> https://standards.iteh.ai/catalog/standards/sist/30d22b4c-1e3c-4897-98db-722088cedb29/sist-en-iso-14577-4-2008

© ISO 2007 - All rights reserved

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 14577-4:2008

https://standards.iteh.ai/catalog/standards/sist/30d22b4c-1e3c-4897-98db-722088cedb29/sist-en-iso-14577-4-2008

## Metallic materials — Instrumented indentation test for hardness and materials parameters —

#### Part 4:

### Test method for metallic and non-metallic coatings

#### 1 Scope

This part of ISO 14577 specifies a method for testing coatings which is particularly suitable for testing in the nano/micro range applicable to thin coatings.

This test method is limited to the examination of single layers when the indentation is carried out normal to the test piece surface, but graded and multilayer coatings can also be measured in cross-section if the thickness of the individual layers or gradations is greater than the spatial resolution of the indentation process.

The test method is not limited to any particular type of material. Metallic, non-metallic and organic coatings are included in the scope of this part of ISO\_14577. A R D PREVIEW

The application of this part of ISO (4577 regarding measurement of hardness is only possible if the indenter is a pyramid or a cone with a radius of tip curvature small enough for plastic deformation to occur within the coating. The hardness of visco-elastic materials, or materials exhibiting significant creep will be strongly affected by the time taken to perform the test. ISO 14577-4:2008 https://standards.iteh.a/catalog/standards/sist/30d22b4c-1e3c-4897-98db-

NOTE 1 ISO 14577-1, ISO 14577-22@mdcelSO214577-3scdefine?usage.8of instrumented indentation testing of bulk materials over all force and displacement ranges.

NOTE 2 The application of the method of this part of ISO 14577 is not needed if the indentation depth is so small that in any possible case a substrate influence can be neglected and the coating can be considered as a bulk material. Limits for such cases are given.

NOTE 3 The analysis used here does not make any allowances for pile-up or sink-in of indents. Use of Atomic Force Microscopy (AFM) to assess the indent shape allows the determination of possible pile-up or sink-in of the surface around the indent. These surface effects result in an under-estimate (pile-up) or over-estimate (sink-in) of the contact area in the analysis and hence may influence the measured results. Pile-up generally occurs for fully work-hardened materials. Pile-up of soft, ductile materials is more likely for thinner coatings due to the constraint of the stresses in the zone of plastic deformation in the coating. It has been reported that the piled up material results in an effective increase of the contact area for the determination of hardness, while the effect is less pronounced for the determination of indentation modulus, since the piled up material behaves less rigidly [1], [2].

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1514, Paints and varnishes — Standard panels for testing

ISO 2808, Paints and varnishes — Determination of film thickness

ISO 3270, Paints and varnishes and their raw materials — Temperatures and humidities for conditioning and testing

© ISO 2007 – All rights reserved

ISO 4287, Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters

ISO 14577-1:2002, Metallic materials — Instrumented indentation test for hardness and materials parameters — Part 1: Test method

ISO 14577-2, Metallic materials — Instrumented indentation test for hardness and materials parameters — Part 2: Verification and calibration of testing machines

ISO 14577-3, Metallic materials — Instrumented indentation test for hardness and materials parameters — Part 3: Calibration of reference blocks

#### 3 Symbols and designations

The symbols and designations in ISO 14577-1, ISO 14577-2 and ISO 14577-3 and in Table 1 apply.

Required in the **Symbol** Designation Unit test report Test force mN /  $A_{p}(h_{c})$  $\mu m^2$ Projected area of contact of the indenter at distance  $h_c$  from the tip Indentation hardness of the coating mN/µm² b  $H_{c}$ Poisson's ratio of the indenter a  $\nu_{\mathsf{i}}$ Poisson's ratio of the test piece  $v_{s}$ Radius of contact area um aSIST EN ISO 14577-4:2008 Film thickness https://standards.iteh.ai/catalog/standards/sist/30d22b4cumadb-Frame compliance µm/mN  $C_{\mathsf{f}}$  $C_{s}$ Contact compliance (test piece) µm/mN  $C_{\mathsf{t}}$ Total measured compliance µm/mN mN/µm<sup>2 b</sup> E Young's modulus mN/µm<sup>2</sup>  $E_{\mathbf{C}}$ Plane strain indentation modulus of the coating c mN/um<sup>2 b</sup>  $E_{\mathsf{IT}}^*$ Plane strain indentation modulus Reduced modulus of the indentation contact mN/µm<sup>2 b</sup>  $E_{r}$ Ra Arithmetic mean deviation from the average height of the assessed μm profile (see ISO 4287).

Table 1 — Symbols and designations

#### Verification and calibration of testing machines

The instrument shall be calibrated according to the procedures set out in ISO 14577-2 and Annex A.

Indirect verification using a reference material shall be made to ensure that a new direct verification is not needed and that no damage or contamination has occurred to the indenter tip. If the results of these initial indentations indicate the presence of contamination or damage, then the indenter should be cleaned using the procedure recommended in ISO 14577-1 before further trial indents are made. After cleaning, inspection with

For diamond  $v_i = 0.07$ .

b  $1 \, \text{mN/} \mu \text{m}^2 = 1 \, \text{GPa}$ 

 $E_{\rm c}^* = E_{\rm IT}^* \text{ (at } a/t_{\rm c} = 0).$