
Geografske informacije - Spletna storitev za pojave (ISO 19142:2010)

Geographic information - Web feature service (ISO 19142:2010)

Geoinformation - Web Feature Service (ISO 19142:2010)

Information Géographique - Services d'accès aux entités géographiques par le web (ISO 19142:2010)

(standards.iteh.ai)

Ta slovenski standard je istoveten z: EN ISO 19142:2010

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cccd81a/sist-en-iso-19142-2011>

ICS:

| | | |
|-----------|---------------------------------------|----------------------------------|
| 07.040 | Astronomija. Geodezija. Geografija | Astronomy. Geodesy. Geography |
| 35.240.70 | Uporabniške rešitve IT v znanosti | IT applications in science |

SIST EN ISO 19142:2011**en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19142:2011

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 19142

December 2010

ICS 35.240.70

English Version

**Geographic information - Web Feature Service (ISO
19142:2010)**

Information géographique - Services d'accès aux entités
géographiques par le web (ISO 19142:2010)

This European Standard was approved by CEN on 14 December 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN ISO 19142:2011

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cccd81a/sist-en-iso-19142-2011>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

| | |
|---------------|---|
| Foreword..... | 3 |
|---------------|---|

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19142:2011](https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011)

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011>

Foreword

This document (EN ISO 19142:2010) has been prepared by Technical Committee ISO/TC 211 “Geographic information/Geomatics” in collaboration with Technical Committee CEN/TC 287 “Geographic Information” the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Endorsement notice

The text of ISO 19142:2010 has been approved by CEN as a EN ISO 19142:2010 without any modification.

SIST EN ISO 19142:2011

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19142:2011

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011>

INTERNATIONAL STANDARD

ISO
19142

First edition
2010-12-15

Geographic information — Web Feature Service

*Information géographique — Service d'accès aux entités
géographiques par le web*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19142:2011](https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011)

[https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-
f6530cecd81a/sist-en-iso-19142-2011](https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011)



Reference number
ISO 19142:2010(E)

© ISO 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 19142:2011

<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-f6530cecd81a/sist-en-iso-19142-2011>

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | |
|--|-----|
| Foreword | xi |
| Introduction..... | xii |
| 1 Scope | 1 |
| 2 Conformance | 2 |
| 3 Normative references | 3 |
| 4 Terms and definitions | 4 |
| 5 Conventions | 8 |
| 5.1 Abbreviated terms | 8 |
| 5.2 Use of examples | 9 |
| 5.3 XML schemas | 9 |
| 5.4 UML Notation | 9 |
| 5.4.1 Class diagrams | 9 |
| 5.4.2 State machine notation | 10 |
| 6 Basic service elements | 11 |
| 6.1 Introduction..... | 11 |
| 6.2 Version numbering and negotiation..... | 11 |
| 6.2.1 Version number form and value..... | 11 |
| 6.2.2 Appearance in service metadata and in requests..... | 11 |
| 6.2.3 Version number negotiation..... | 11 |
| 6.2.4 Request encoding | 11 |
| 6.2.5 KVP parameter encoding rules..... | 12 |
| 6.3 Namespaces..... | 13 |
| 6.4 Service bindings..... | 13 |
| 7 Common elements | 13 |
| 7.1 Encoding of features..... | 13 |
| 7.2 Resource identifiers | 13 |
| 7.2.1 Assigning resource identifiers..... | 13 |
| 7.2.2 Encoding resource identifiers..... | 14 |
| 7.2.3 Version identification | 14 |
| 7.3 Property references..... | 14 |
| 7.3.1 XPath subset..... | 14 |
| 7.3.2 Accessor function | 14 |
| 7.4 Predicate expression encoding | 15 |
| 7.5 Exception reporting..... | 15 |
| 7.6 Common request parameters | 17 |
| 7.6.1 Introduction..... | 17 |
| 7.6.2 Base request type..... | 17 |
| 7.6.3 Standard presentation parameters..... | 19 |
| 7.6.4 Standard resolve parameters | 22 |
| 7.6.5 Standard input parameters..... | 25 |
| 7.6.6 Additional common keywords for KVP-encoded requests..... | 26 |
| 7.7 Standard response parameters | 27 |
| 7.7.1 Parameter semantics | 27 |
| 7.7.2 XML encoding..... | 27 |
| 7.7.3 KVP encoding | 27 |
| 7.7.4 Parameter discussion | 27 |
| 7.8 Use of the schemaLocation attribute | 30 |
| 7.9 Query expressions | 30 |

ISO 19142:2010(E)

| | | |
|--------|--|----|
| 7.9.1 | Introduction | 30 |
| 7.9.2 | Ad hoc query expression | 30 |
| 7.9.3 | Stored query expression | 40 |
| 8 | GetCapabilities operation | 42 |
| 8.1 | Introduction | 42 |
| 8.2 | Request | 43 |
| 8.2.1 | Request semantics | 43 |
| 8.2.2 | XML encoding | 43 |
| 8.2.3 | KVP encoding | 43 |
| 8.3 | Response | 43 |
| 8.3.1 | Response semantics | 43 |
| 8.3.2 | XML encoding | 44 |
| 8.3.3 | Capabilities document | 45 |
| 8.3.4 | FeatureTypeList section | 45 |
| 8.3.5 | Parameters domains and constraints | 48 |
| 8.4 | Extension points | 52 |
| 8.5 | Exceptions | 54 |
| 9 | DescribeFeatureType operation | 54 |
| 9.1 | Introduction | 54 |
| 9.2 | Request | 54 |
| 9.2.1 | Request semantics | 54 |
| 9.2.2 | XML Encoding | 54 |
| 9.2.3 | KVP Encoding | 55 |
| 9.2.4 | Parameter discussion | 55 |
| 9.3 | Response | 56 |
| 9.3.1 | Introduction | 56 |
| 9.3.2 | Supporting multiple namespaces | 56 |
| 9.4 | Exceptions | 57 |
| 10 | GetPropertyValue operation | 57 |
| 10.1 | Introduction | 57 |
| 10.2 | Request | 57 |
| 10.2.1 | Request semantics | 57 |
| 10.2.2 | XML Encoding | 58 |
| 10.2.3 | KVP Encoding | 58 |
| 10.2.4 | Parameter discussion | 58 |
| 10.3 | Response | 60 |
| 10.3.1 | Response semantics | 60 |
| 10.3.2 | XML encoding | 60 |
| 10.3.3 | State parameter | 61 |
| 10.3.4 | Standard response parameters | 61 |
| 10.4 | Exceptions | 61 |
| 11 | GetFeature operation | 62 |
| 11.1 | Introduction | 62 |
| 11.2 | Request | 62 |
| 11.2.1 | Request semantics | 62 |
| 11.2.2 | XML encoding | 63 |
| 11.2.3 | KVP encoding | 63 |
| 11.2.4 | Parameter discussions | 64 |
| 11.3 | Response | 64 |
| 11.3.1 | Response semantics | 64 |
| 11.3.2 | XML encoding | 65 |
| 11.3.3 | Parameter discussions | 66 |
| 11.3.4 | Additional objects | 69 |
| 11.3.5 | GetFeatureById response | 69 |
| 11.4 | Exceptions | 70 |
| 12 | LockFeature operation | 70 |
| 12.1 | Introduction | 70 |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19142:2011
<https://standards.iteh.ai/catalog/standards/sist/4c649a0d-a00a-48d3-8907-8530cccd81a/sist-en-iso-19142-2011>

| | | |
|--------|---------------------------------------|----|
| 12.2 | Request..... | 70 |
| 12.2.1 | Request semantics..... | 70 |
| 12.2.2 | XML encoding..... | 71 |
| 12.2.3 | KVP encoding..... | 71 |
| 12.2.4 | Parameter discussions..... | 72 |
| 12.2.5 | State machine for WFS locking..... | 73 |
| 12.3 | Response..... | 74 |
| 12.3.1 | Response semantics..... | 74 |
| 12.3.2 | XML encoding..... | 74 |
| 12.4 | Exceptions..... | 75 |
| 13 | GetFeatureWithLock operation..... | 75 |
| 13.1 | Introduction..... | 75 |
| 13.2 | Request..... | 75 |
| 13.2.1 | Request semantics..... | 75 |
| 13.2.2 | XML encoding..... | 75 |
| 13.2.3 | KVP encoding..... | 76 |
| 13.2.4 | Parameter discussion..... | 76 |
| 13.3 | Response..... | 77 |
| 13.3.1 | Introduction..... | 77 |
| 13.3.2 | lockId parameter..... | 77 |
| 13.4 | Exceptions..... | 77 |
| 14 | Stored query management..... | 77 |
| 14.1 | Introduction..... | 77 |
| 14.2 | Defining stored queries..... | 78 |
| 14.2.1 | XML encoding..... | 78 |
| 14.2.2 | Parameter discussion..... | 78 |
| 14.3 | ListStoredQueries operation..... | 81 |
| 14.3.1 | Request semantics..... | 81 |
| 14.3.2 | XML encoding..... | 82 |
| 14.3.3 | KVP encoding..... | 82 |
| 14.3.4 | Response..... | 82 |
| 14.3.5 | Exceptions..... | 83 |
| 14.4 | DescribeStoredQueries operations..... | 83 |
| 14.4.1 | Request semantics..... | 83 |
| 14.4.2 | XML encoding..... | 83 |
| 14.4.3 | KVP encoding..... | 84 |
| 14.4.4 | Response..... | 84 |
| 14.5 | CreateStoredQuery operation..... | 85 |
| 14.5.1 | Request semantics..... | 85 |
| 14.5.2 | XML encoding..... | 85 |
| 14.5.3 | KVP encoding..... | 85 |
| 14.5.4 | Parameter discussions..... | 85 |
| 14.5.5 | Response..... | 86 |
| 14.6 | DropStoredQuery operations..... | 86 |
| 14.6.1 | Request semantics..... | 86 |
| 14.6.2 | XML encoding..... | 87 |
| 14.6.3 | KVP encoding..... | 87 |
| 14.6.4 | Response..... | 87 |
| 14.7 | Exceptions..... | 87 |
| 15 | Transaction operation..... | 88 |
| 15.1 | Introduction..... | 88 |
| 15.2 | Request..... | 88 |
| 15.2.1 | Request semantics..... | 88 |
| 15.2.2 | XML encoding..... | 89 |
| 15.2.3 | Parameter discussions..... | 90 |
| 15.2.4 | Insert action..... | 91 |
| 15.2.5 | Update action..... | 92 |
| 15.2.6 | Replace action..... | 94 |

ISO 19142:2010(E)

| | | |
|----------------|---|------------|
| 15.2.7 | Delete action..... | 94 |
| 15.2.8 | Native action..... | 95 |
| 15.3 | Response..... | 96 |
| 15.3.1 | Response semantics | 96 |
| 15.3.2 | TransactionResponse element..... | 96 |
| 15.3.3 | TransactionSummary element | 97 |
| 15.3.4 | InsertResults element | 97 |
| 15.3.5 | UpdateResults element | 98 |
| 15.3.6 | ReplaceResults element | 98 |
| 15.4 | Exceptions..... | 98 |
| Annex A | (normative) Conformance testing..... | 99 |
| A.1 | Conformance classes..... | 99 |
| A.1.1 | Simple WFS | 99 |
| A.1.2 | Basic WFS | 99 |
| A.1.3 | Transactional WFS | 99 |
| A.1.4 | Locking WFS | 100 |
| A.1.5 | HTTP GET | 100 |
| A.1.6 | HTTP POST..... | 100 |
| A.1.7 | SOAP..... | 100 |
| A.1.8 | Inheritance..... | 101 |
| A.1.9 | Remote resolve | 101 |
| A.1.10 | Response paging..... | 101 |
| A.1.11 | Standard joins | 101 |
| A.1.12 | Spatial joins..... | 101 |
| A.1.13 | Temporal joins | 102 |
| A.1.14 | Feature versions | 102 |
| A.1.15 | Manage stored queries..... | 102 |
| A.2 | Basic tests | 102 |
| A.2.1 | Version negotiation | 102 |
| A.2.2 | Lists version number 2.0.0 as a supported request version number..... | 103 |
| A.2.3 | Invalid version number | 103 |
| A.2.4 | Version negotiation for the GetCapabilities request..... | 103 |
| A.2.5 | Response to XML- and KVP-encoded. requests | 103 |
| A.2.6 | Parameter ordering and case | 104 |
| A.2.7 | Unrecognized parameters..... | 104 |
| A.2.8 | Server operates on GML features | 104 |
| A.2.9 | Feature identifiers..... | 105 |
| A.2.10 | Invariant identifier..... | 105 |
| A.2.11 | Versioning | 105 |
| A.2.12 | XPath subset | 106 |
| A.2.13 | Predicate encoding..... | 106 |
| A.2.14 | Exception reporting..... | 106 |
| A.2.15 | Common request parameters..... | 107 |
| A.2.16 | Standard presentation parameters | 108 |
| A.2.17 | Standard resolve parameters | 109 |
| A.2.18 | Standard input parameters | 112 |
| A.2.19 | Standard response parameters..... | 113 |
| A.2.20 | Response paging..... | 114 |
| A.2.21 | schemaLocation parameter | 115 |
| A.2.22 | Query expressions | 115 |
| A.2.23 | Declaring conformance..... | 120 |
| Annex B | (informative) Examples | 121 |
| B.1 | Exception report example..... | 121 |
| B.2 | DescribeFeatureType examples..... | 121 |
| B.2.1 | Example 1 | 121 |
| B.2.2 | Example 2 | 124 |

| | | |
|----------------|--|------------|
| B.3 | GetFeature examples | 128 |
| B.3.1 | Introduction | 128 |
| B.3.2 | Example 1 | 128 |
| B.3.3 | Example 2 | 128 |
| B.3.4 | Example 3 | 129 |
| B.3.5 | Example 4 | 129 |
| B.3.6 | Example 5 | 131 |
| B.3.7 | Example 6 | 131 |
| B.3.8 | Example 7 | 131 |
| B.3.9 | Example 8 | 132 |
| B.3.10 | Example 9 | 134 |
| B.3.11 | Example 10 | 136 |
| B.3.12 | Example 11 | 137 |
| B.3.13 | Example 12 | 138 |
| B.3.14 | Example 13 | 139 |
| B.3.15 | Example 14 | 142 |
| B.3.16 | Example 15 | 143 |
| B.3.17 | Example 16 | 143 |
| B.3.18 | Example 17 | 144 |
| B.3.19 | Example 18 | 145 |
| B.3.20 | Example 19 | 145 |
| B.4 | GetPropertyValue examples | 146 |
| B.4.1 | Introduction | 146 |
| B.4.2 | Example 1 | 147 |
| B.4.3 | Example 2 | 149 |
| B.4.4 | Example 3 | 149 |
| B.4.5 | Example 4 | 151 |
| B.4.6 | Example 5 | 152 |
| B.4.7 | Example 6 | 153 |
| B.4.8 | Example 7 | 154 |
| B.4.9 | Example 8 | 154 |
| B.4.10 | Example 9 | 155 |
| B.5 | LockFeature examples | 156 |
| B.5.1 | Example 1 | 156 |
| B.5.2 | Example 2 | 157 |
| B.5.3 | Example 3 | 157 |
| B.5.4 | Example 4 | 158 |
| B.6 | Transaction examples | 159 |
| B.6.1 | Insert example | 159 |
| B.6.2 | Update examples | 160 |
| B.6.3 | Delete examples | 162 |
| B.6.4 | Mixed transaction example | 163 |
| B.6.5 | Transaction response example | 166 |
| B.7 | GetCapabilities example | 167 |
| B.8 | KVP examples | 182 |
| B.8.1 | Conventions | 182 |
| B.8.2 | DescribeFeatureType examples | 182 |
| B.8.3 | GetPropertyValue examples | 183 |
| B.8.4 | GetFeature examples | 185 |
| B.8.5 | LockFeature examples | 190 |
| Annex C | (informative) Consolidated XML schema | 192 |
| C.1 | Introduction | 192 |
| C.2 | wfs.xsd | 192 |
| Annex D | (normative) Service bindings | 203 |
| D.1 | Introduction | 203 |

ISO 19142:2010(E)

| | | |
|--------------|---|-----|
| D.2 | HTTP GET and POST binding..... | 203 |
| D.3 | HTTP status codes | 203 |
| D.4 | SOAP binding..... | 204 |
| D.4.1 | Introduction | 204 |
| D.4.2 | SOAP Envelope..... | 205 |
| D.4.3 | SOAP Header..... | 205 |
| D.4.4 | SOAP Body..... | 205 |
| D.4.5 | Encoding XML Schema in a SOAP Body | 206 |
| D.4.6 | SOAP Fault | 207 |
| D.4.7 | SOAP HTTP Binding..... | 208 |
| Annex E | (normative) Web Service Description Language (WSDL)..... | 209 |
| E.1 | Introduction | 209 |
| E.2 | WFS Operations in WSDL | 209 |
| E.3 | SOAP Binding | 209 |
| E.4 | Binding style | 210 |
| E.5 | Service | 211 |
| E.6 | Service description using WSDL | 211 |
| E.6.1 | Introduction | 211 |
| E.6.2 | wfs-xml-interfaces.wsdl | 211 |
| E.6.3 | wfs-kvp-interfaces.wsdl | 213 |
| E.6.4 | wfs-responses.wsdl..... | 215 |
| E.6.5 | wfs-http-bindings.wsdl..... | 215 |
| E.6.6 | wfs-kvp-bindings.wsdl..... | 218 |
| E.6.7 | wfs-soap-bindings.wsdl | 219 |
| E.6.8 | Ancillary files..... | 221 |
| E.6.9 | Examples (informative) | 226 |
| Annex F | (informative) Abstract model | 229 |
| F.1 | Overview | 229 |
| F.2 | Abstract Resource Model | 229 |
| F.2.1 | Introduction | 229 |
| F.2.2 | Basic Accessor Functions..... | 229 |
| F.3 | Mapping of the General Feature Model (GFM) to the WFS Abstract Model..... | 231 |
| F.4 | Identifiers..... | 231 |
| F.5 | valueOf() function | 231 |
| F.6 | WFS Operations | 231 |
| F.6.1 | Introduction | 231 |
| F.6.2 | featureTypeNameList() function..... | 232 |
| F.6.3 | featureType() function..... | 232 |
| F.6.4 | Query function | 232 |
| F.6.5 | propertyValue() function | 233 |
| F.6.6 | lock() function | 234 |
| F.6.7 | transaction() function..... | 234 |
| F.6.8 | Stored query operations | 235 |
| F.7 | WFS Operations | 236 |
| F.8 | Conceptual schema | 236 |
| Bibliography | | 238 |

Figures

| | |
|---|----|
| Figure 1 — UML notation in class diagrams | 9 |
| Figure 2 — Summary of UML state diagram notations | 10 |
| Figure 3 — BaseRequest | 17 |
| Figure 4 — StandardPresentationParameters | 19 |
| Figure 5 — StandardResolveParameters | 22 |
| Figure 6 — StandardInputParameters | 25 |
| Figure 7 — StandardResponseParameters | 27 |
| Figure 8 — Ad hoc query expression | 31 |
| Figure 9 — Query projection clause | 35 |
| Figure 10 — Query sorting clause | 39 |
| Figure 11 — StoredQuery | 41 |
| Figure 12 — GetCapabilities request | 43 |
| Figure 13 — GetCapabilities response | 44 |
| Figure 14 — DescribeFeatureType request | 54 |
| Figure 15 — GetPropertyValue request | 57 |
| Figure 16 — GetPropertyValue response | 60 |
| Figure 17 — GetFeature request | 63 |
| Figure 18 — GetFeature response | 65 |
| Figure 19 — LockFeature request | 70 |
| Figure 20 — State diagram for a WFS lock | 73 |
| Figure 21 — LockFeature response | 74 |
| Figure 22 — GetFeatureWithLock request | 75 |
| Figure 23 — ListStoredQueries request | 81 |
| Figure 24 — ListStoredQueriesResponse | 82 |
| Figure 25 — DescribeStoredQueries request | 83 |
| Figure 26 — DescribeStoredQueriesResponse | 84 |
| Figure 27 — CreateStoredQuery request | 85 |
| Figure 28 — CreateStoredQuery response | 86 |
| Figure 29 — DropStoredQuery request | 86 |