

INTERNATIONAL
STANDARD

ISO/IEC
10646-1

First edition
1993-05-01

AMENDMENT 3
1996-10-15

**Information technology — Universal
Multiple-Octet Coded Character
Set (UCS) —**

Part 1:

Architecture and Basic Multilingual Plane

iTeh STANDARD PREVIEW
AMENDMENT 3
(standards.iteh.ai)

ISO/IEC 10646-1:1993/Amd 3:1996
*Technologies de l'information — Jeu universel de caractères codés à
plusieurs octets —*

505733d1ae4e/iso-iec-10646-1-1993-amd-3-1996

Partie 1: Architecture et table multilingue

AMENDEMENT 3



Reference number
ISO/IEC 10646-1:1993/Amd.3:1996(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 3 to International Standard ISO/IEC 10646-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, Information technology.

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 3

Page 7

Clause 8

At the end of paragraph 3, append "for control characters" so that the sentence reads:

iTeh STANDARD PREVIEW

(standards.iteh.ai)

"Code positions 0080 to 009F are reserved for control characters."

[ISO/IEC 10646-1:1993/Amd 3:1996](https://standards.iteh.ai/catalog/standards/sist/eab83fb3-fd8f-46bd-bdde-505733d1ae4e/iso-iec-10646-1-1993-amd-3-1996)

Page 9

<https://standards.iteh.ai/catalog/standards/sist/eab83fb3-fd8f-46bd-bdde-505733d1ae4e/iso-iec-10646-1-1993-amd-3-1996>

Clause 16

Remove the term "C0" from paragraph 2, line 1.

Delete paragraphs 6 and 7.

Note -

Paragraph 6 commences " When using a C1 ... "

Paragraph 7 commences " For example, the control ... "

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 10646-1:1993/Amd 3:1996

<https://standards.iteh.ai/catalog/standards/sist/eab83fb3-fd8f-46bd-bdde-505733d1ae4e/iso-iec-10646-1-1993-amd-3-1996>

ICS 35.040

Descriptors: data processing, information interchange, text processing, graphic characters, character sets, representation of characters, coded character sets, architecture.

Price based on 1 page
