

**ISO/IEC
10742**

First edition
1994-08-01

AMENDMENT 2
1996-07-15

**Information technology —
Telecommunications and information
exchange between systems — Elements of
management information related to OSI
Data Link Layer standards**

AMENDMENT 2: Implementation conformance
statement conformant with ISO/IEC 10742:1994/Amd 2:1996

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Éléments d'information de gestion
concernant les normes de la couche de liaison de données OSI*

AMENDEMENT 2: Proformes de déclaration de conformité de mise en œuvre

INTERNATIONAL

100 / 150



Reference number
ISO/IEC 10742:1994/Amd.2:1996(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

Amendment 2 to International Standard ISO/IEC 10742 : 1994 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

This Amendment is also published by ITU-T as Rec. X.282/Amd. 2 but not as identical text.

<https://standards.iteh.ai/catalog/standards/sist/476e21c5-e367-4114-8e5b-4e8517d9168b/iso-iec-10742-1994-amd-2-1996>

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève • Switzerland

Printed in Switzerland

Information technology – Telecommunications and information exchange between systems – Elements of management information related to OSI Data Link Layer standards

AMENDMENT 2:

Implementation conformance statement proformas

Page 1

Add the following as the last paragraph of Clause 1 "Scope".

"

Annexes E, F, G and H, which are integral parts of this International Standard provide ICS proformas associated with Data link layer management information.

"

Add the following reference to subclause 2.1:

"

- ITU-T Recommendation X.724 (1993) | ISO/IEC 10165-6: 1994, *Information technology - Open Systems Interconnection - Structure of management information: Requirements and guidelines for implementation conformance statement proformas associated with OSI management*

"

(standards.iteh.ai)

Page 2

Add the following references to subclause 2.2:
<https://standards.iteh.ai/catalog/standards/sist/476e21c5-e367-4114-8e5b-4e8517d9168b/iso-iec-10742-1994-amd-2-1996>

"

- CCITT Recommendation X.209 (1988), *Specification of basic encoding rules for abstract syntax notation one (ASN.1)*.
 ISO/IEC 8825: 1990, *Information technology - Open Systems Interconnection - Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)*.
- CCITT Recommendation X.290 (1991), *OSI conformance testing methodology and framework for protocol Recommendations for CCITT applications - General concepts*.
 ISO/IEC 9646-1: 1994, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts*.
- CCITT Recommendation X.291 (1992), *OSI conformance testing methodology and framework for protocol Recommendations for CCITT applications - Abstract test suite specification*.
 ISO/IEC 9646-2: 1994, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract Test Suite specification*.
 NOTE – ISO/IEC 9646-1:1994 and ISO/IEC 9646-2:1994 supersede ISO/IEC 9646-1:1991 and ISO/IEC 9646-2: 1991 respectively. However, when this International Standard was under development, the previous editions were valid and this International Standard is therefore based on these editions, which are listed below.
 ISO/IEC 9646-1: 1991, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts*.
 ISO/IEC 9646-2: 1991, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract test suite specification*.
- ITU-T Recommendation X.296 (1995), *OSI conformance testing methodology and framework for protocol Recommendations for ITU-T applications - Implementation Conformance Statements*.

ISO/IEC 9646-7: 1995, *Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation conformance statements*.

"

Page 4

Add the following abbreviations to clause 4:

"

MCS	management conformance summary
MICS	management information conformance statement
MOCS	managed object conformance statement
MRCS	managed relationship conformance statement

"

Page 33

Replace clause 7 with the following:

"

7 Conformance

Implementations claiming to conform to this International Standard shall comply with the conformance requirements as defined in the following subclauses.

7.1 Conformance requirements to this International Standard

7.1.1 Static conformance

The implementation shall conform to the requirements of this International Standard in the manager role, the agent role, or both roles. A claim of conformance to at least one role shall be made in Table E.1 of this International Standard.

If a claim of conformance is made for support in the manager role, the implementation shall support at least one management operation or notification or action of the managed objects specified by this International Standard. The conformance requirements in the manager role for those management operations, notifications and actions are identified in Table E.3 and further tables referenced by Annex E.

If a claim of conformance is made for support in the agent role, the implementation shall support one or more instances of the data link subsystem managed object class and the data link service access point managed object class identified in Table E.4 of this International Standard and further tables referenced by Annex E.

If a claim of conformance is made for support in the agent role, the implementation shall support at least one name binding identified in Table E.7 of this International Standard for each supported managed object.

The implementation shall support the transfer syntax derived from the encoding rules specified in CCITT Rec. X.209 | ISO/IEC 8825 named {joint-iso-ccitt asn1(1) basicEncoding(1)} for the abstract data types referenced by the definitions for which support is claimed.

7.1.2 Dynamic conformance

Implementations claiming to conform to this International Standard shall support the elements of procedure and definitions of semantics corresponding to the definitions for which support is claimed.

7.1.3 Management implementation conformance statement requirements

Any MCS proforma, MICS proforma, MOCS proforma, and MRCS proforma which conform to this International Standard shall be technically identical to the proformas specified in Annexes E, F, G and H preserving table numbering and the index numbers of items, and differing only in pagination and page headers.

The supplier of an implementation which is claimed to conform to this International Standard shall complete a copy of the management conformance summary (MCS) provided in Annex E as part of the conformance requirements together with any other ICS proformas referenced as applicable from that MCS. Any MCS, MICS, MOCS, and MRCS which conform to this International Standard shall:

- describe an implementation which conforms to this International Standard;
- have been completed in accordance with the instructions for completion given in ITU-T Rec. X.724 | ISO/IEC 10165-6;
- include the information necessary to uniquely identify both the supplier and the implementation.

7.2 Protocol specific conformance requirements

The supplier of an implementation which is claimed to conform to this International Standard shall support at least one protocol identified in Table E.2 of this International Standard.

7.2.1 Conformance to the ISO 7776

An implementation claiming conformance to ISO/IEC 7776 in the agent role as a managed implementation shall:

- a) conform to ITU-T Recommendation X.282 | ISO/IEC 10742 as defined in 7.1;
- b) support the IAPBDLE MO, the SLPPM MO and SLPCConnection MO.

7.2.2 Conformance to the ISO/IEC 8802-2 connectionless-mode LLC

An implementation claiming conformance to ISO/IEC 8802-2 connectionless-mode LLC in the agent role as a managed implementation shall:

- a) conform to ITU-T Recommendation X.282 | ISO/IEC 10742 as defined in 7.1;
- b) support the ILCDLE MO and at least one class derived from the ILCCCLPM MO.

7.2.3 Conformance to the ISO/IEC 8802-2 connection-mode LLC

An implementation claiming conformance to ISO/IEC 8802-2 connection-mode LLC in the agent role as a managed implementation shall:

- a) conform to ITU-T Recommendation X.282 | ISO/IEC 10742 as defined in 7.1;
- b) support the ILCDLE MO and at least one class derived from the ILCCOPM MO.

7.2.4 Conformance to the ISO 8802 MAC

An implementation claiming conformance to ISO 8802 MAC in the agent role as a managed implementation shall:

- a) conform to ITU-T Recommendation X.282 | ISO/IEC 10742 as defined in 7.1;
- b) support the mACDLE MO and at least one class derived from the mAC MO.

"

Annex E (normative)

MCS proforma¹⁾

E.1 Introduction

E.1.1 Purpose and structure

The management conformance summary (MCS) is a statement by a supplier that identifies an implementation and provides information on whether the implementation claims conformance to any of the listed set of documents that specify conformance requirements to OSI management.

The MCS proforma is a document, in the form of a questionnaire that when completed by the supplier of an implementation becomes the MCS.

E.1.2 Instructions for completing the MCS proforma to produce an MCS²⁾

The supplier of the implementation shall enter an explicit statement in each of the boxes provided. Specific instruction is provided in the text which precedes each table.

E.1.3 Symbols, abbreviations and terms

For all annexes of this International Standard, the following common notations, defined in CCITT Rec. X.291 | ISO/IEC 9646-2 and ITU-T Rec. X.296 | ISO/IEC 9646-7 are used for the Status column:

- m mandatory;
- o optional;
- c conditional;
- x prohibited;
- not applicable or out of scope.

NOTES

1 – 'c', 'm', and 'o' are prefixed by a 'c' when nested under a conditional or optional item of the same table;

2 – 'o' may be suffixed by '.N' (where N is a unique number) for mutually exclusive or selectable options among a set of status values. Support of at least one of the choices (from the items with the same values of N) is required.

For all annexes of this International Standard, the following common notations, defined in CCITT Rec. X.291 | ISO/IEC 9646-2 and ITU-T Rec. X.296 | ISO/IEC 9646-7 are used for the Support column:

- Y implemented;
- N not implemented;
- no answer required;
- Ig the item is ignored (i.e. processed syntactically but not semantically).

¹⁾ Users of this International Standard may freely reproduce the MCS proforma in this annex so that it can be used for its intended purpose, and may further publish the completed MCS.

²⁾ Instructions for completing the MCS proforma are specified in ITU-T Rec.X.724 | ISO/IEC 10165-6 .

E.2 Identification of the implementation

E.2.1 Date of statement

The supplier of the implementation shall enter the date of this statement in the box below. Use the format DD-MM-YYYY.

Date of statement

E.2.2 Identification of the implementation

The supplier of the implementation shall enter information necessary to uniquely identify the implementation and the system(s) in which it may reside, in the box below.

--

E.2.3 Contact

The supplier of the implementation shall provide information on whom to contact if there are any queries concerning the content of the MCS, in the box below.

ISO/IEC 10742:1994/Amd 2:1996
<https://standards.iteh.ai/catalog/standards/sist/476e21c5-e367-4114-8e5b-4e8517d9168b/iso-iec-10742-1994-amd-2-1996>

E.3 Identification of the International Standard in which the management information is defined

The supplier of the implementation shall enter the title, reference number and date of the publication of the International Standard which specifies the management information to which conformance is claimed, in the box below.

International Standard to which conformance is claimed
--

E.3.1 Technical corrigenda implemented

The supplier of the implementation shall enter the reference numbers of implemented technical corrigenda which modify the identified International Standard, in the box below.

--

E.3.2 Amendments implemented

The supplier of the implementation shall state the titles and reference numbers of implemented amendments to the identified International Standard, in the box below.

--

E.4 Management conformance summary

The supplier of implementation shall state the capabilities and features supported and provide summary of conformance claims to Recommendations | International Standards using the tables in this annex.

The supplier of the implementation shall specify the roles that are supported, in Table E.1

Table E.1 – Roles

Index	Roles supported	Status	Support	Additional information
1	Manager role support	o.1		
2	Agent role support	o.1		

The supplier of the implementation shall specify the protocols that are supported, in Table E.2

Table E.2 – Protocol

Index	Protocol supported	Status	Support	Additional information
1	ISO 7776 support	o.2		
2	ISO 8802-2 (CL mode) support	o.2		
3	ISO 8802-2 (CO mode) support	o.2		
4	ISO/IEC 8802 MAC support	c1		

c1: if E.2/2a or E.2/3a then m else -

The supplier of the implementation shall specify support for management information in the manager role, in Table E.3.

Table E.3 – Manager role minimum conformance requirement

	Item	Status	Support	Additional information
1	Operations on managed objects	c1		
2	Attribute value change notification for EWMA metric monitor managed object	c1		
3	Object creation notification for EWMA metric monitor managed object	c1		
4	Object deletion notification for EWMA metric monitor managed object	c1		
5	Quality of service alarm notification for EWMA metric monitor managed object	c1		
6	State change notification for EWMA metric monitor managed object	c1		
7	Object creation notification for LAPB data link entity managed object	c2		
8	Object deletion notification for LAPB data link entity managed object	c2		
9	State change notification for LAPB data link entity managed object	c2		
10	Object creation notification for LLC data link entity managed object	c3		
11	Object deletion notification for LLC data link entity managed object	c3		
12	State change notification for LLC data link entity managed object	c3		
13	Object creation notification for MAC data link entity managed object	c4		
14	Object deletion notification for MAC data link entity managed object	c4		
15	State change notification for MAC data link entity managed object	c4		
16	Deactivate action for SLP connection managed object	c2		
17	Communications alarm notification for SLP connection managed object	c2		
18	Object creation notification for SLP connection managed object	c2		
19	Object deletion notification for SLP connection managed object	c2		
20	Object creation notification for SLP connection IV managed object	c2		

Table E.3 (concluded) – Manager role minimum conformance requirement

	Item	Status	Support	Additional information
21	Object deletion notification for SLP connection IV managed object	c2		
22	Activate action for SLP protocol machine managed object	c2		
23	Deactivate action for SLP protocol machine managed object	c2		
24	Object creation notification for SLP protocol managed object	c2		
25	Object deletion notification for SLP protocol managed object	c2		
26	State change notification for SLP protocol machine managed object	c2		

c1: if E.1/1a then o.3 else -

c2: if E.1/1a and E.2/1a then o.3 else -

c3: if E.1/1a and (E.2/2a or E.2/3a) then o.3 else -

c4: if E.1/1a and E.2/4a then o.3 else -

The supplier of the implementation shall specify support for management information in the agent role, in Table E.4

Table E.4 – Agent role minimum conformance requirement

Index	Item	Status	Support	Additional information
1	Data link subsystem managed object	m		
2	Data link service access point managed object	m		
3	LAPB data link entity managed object	c5		
4	LAPB single link protocol machine managed object	c5		
5	LAPB single link protocol connection managed object	c5		
6	LAPB single link protocol connection initial values managed object	c6		
7	MAC data link entity managed object	c7		
8	MAC managed object	c8		
9	LLC data link managed object	c9		
10	LLC connectionless protocol machine managed object	c10		
11	LLC connection-mode protocol machine managed object	c11		

c5: if E.1/2a and E.2/1a then m else -

c6: if E.1/2a and E.2/1a then o else -

c7: if E.1/2a and E.2/4a then m else -

c8: if E.1/2a and E.2/4a then o else -

c9: if E.1/2a and E2/2a or G.2/3a then m else -

c10: if E.1/2a and E.2/2a then o else -

c11: if E.1/2a and E.2/3a then o else -

Table E.5 – Logging of event records

Index		Status	Support	Additional information
1	Does the implementation support logging of event records in agent role?	c12		

c12: if E.1/2a then o else -

NOTE – Conformance to this International Standard does not require conformance to CCITT Rec. X.735 | ISO/IEC 10164-6.

The supplier of the implementation shall provide information on claims of conformance to any of the International Standards summarized in the following tables. For each International Standard that the supplier of the implementation claims conformance to, the corresponding conformance statement(s) shall be completed, or referenced by, the MCS. The supplier of the implementation shall complete the Support, Table numbers and Additional information columns.

In tables E.6, E.7 and E.8, the Status column is used to indicate whether the supplier of the implementation is required to complete the referenced tables or referenced items. Conformance requirements are as specified in the referenced tables or referenced items and are not changed by the value of the MCS Status column. Similarly, the Support column is used by the supplier of the implementation to indicate completion of the referenced tables or referenced items.

Table E.6 – MOCS support summary

Index	Identification of the document that includes the MOCS proforma	Table numbers of MOCS proforma	Description	Constraints and values	Status	Support	Table numbers of MOCS	Additional information
1	"ISO/IEC 10742"	G.1 - G.4	dLSAP	—	m			
2	"ISO/IEC 10742"	G.5 - G.8	datalinkSubsystem	—	m			
3	"ISO/IEC 10742"	G.9 - G.14	eVWAMetricMonitor	—	o			
4	"ISO/IEC 10742"	G.15 - G.20	IAPBDLE	—	c13			
5	"ISO/IEC 10742"	G.21	ILCCCLPM	—	c14			
6	"ISO/IEC 10742"	G.22	ILCCOPM	—	c15			
7	"ISO/IEC 10742"	G.23 - G.28	ILCDLE	—	c16			
8	"ISO/IEC 10742"	G.29	mAC	—	c17			
9	"ISO/IEC 10742"	G.30 - G.35	mACDLE	—	c18			
10	"ISO/IEC 10742"	G.36 - G.39	resourceTypeId	—	o			
11	"ISO/IEC 10742"	G.40 - G.47	sLPConnection	—	c19			
12	"ISO/IEC 10742"	G.48 - G.53	sLPConnectionIVMO	—	c20			
13	"ISO/IEC 10742"	G.54 - G.60	sLPPM	—	c21			
14	"ISO/IEC 10164-1"	Table C.1 - C.4	objectCreationRecord	—	c22			
15	"ISO/IEC 10164-1"	Table C.5 - C.8	objectDeletionRecord	—	c22			
16	"ISO/IEC 10164-1"	Table C.9 - C.12	attributeValueChangeRecord	—	c23			
17	"ISO/IEC 10164-2"	Table C.1 - C.4	stateChangeRecord	—	c24			
18	"ISO/IEC 10164-4"	Table C.1 - C.4	alarmRecord	—	c25			

c13: if E.4/3a then m else -

c14: if E.4/10a then m else -

c15: if E.4/11a then m else -

c16: if E.4/9a then m else -

c17: if E.4/8a then m else -

c18: if E.4/7a then m else -

c19: if E.4/5a then m else -

c20: if E.4/6a then m else -

c21: if E.4/4a then m else -

c22: if E.6/4a or E.6/5a or E.6/6a or E.6/7a or E.6/8a or E.6/9a or E.6/11a or E.6/12a or E.6/13a then m else -

c23: if E.6/4a then m else -

c24: if E.6/4a or E.6/5a or E.6/6a or E.6/7a or E.6/8a or E.6/9a or E.6/13a then m else -

c25: if E.6/4a or E.6/11a then m else -

ITeH STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/476e21c5-e367-4114-8e5b-4e8517d9168b/iso-iec-10742-1994-amd-2-1996>

<https://standards.iteh.ai/catalog/standards/sist/476e21c5-e367-4114-8e5b-4e8517d9168b/iso-iec-10742-1994-amd-2-1996>

Table E.7 – MRCS support summary

Index	Identification of the document that includes the MRCS proforma	Table numbers of MRCS proforma	Description	Constraints and values	Status	Support	Table numbers of MRCS	Additional information
1	"ISO/IEC 10742"	Table H. 1/1	dLSAP-datalinkEntity-Management	—	o.4			
2	"ISO/IEC 10742"	Table H. 1/2	"CCITT Rec. X.723 (1993) ISO/IEC 10165-5 : 1993": sap1-communicationsEntity	—	o.4			
3	"ISO/IEC 10742"	Table H. 1/3	datalinkEntity-datalinkSubsystem-Management	—	o.5			
4	"ISO/IEC 10742"	Table H. 1/4	"CCITT Rec. X.723 (1993) ISO/IEC 10165-5 : 1993": communicationsEntity-subsystem	—	o.5			
5	"ISO/IEC 10742"	Table H. 1/5	"CCITT Rec. X.723 (1993) ISO/IEC 10165-5 : 1993": subsystem-system	—	m			
6	"ISO/IEC 10742"	Table H. 1/6	eWMMetricMonitor-ILCDLE-Management	—	c26			
7	"ISO/IEC 10742"	Table H. 1/7	eWMMetricMonitor-mACDLE-Management	—	c26			
8	"ISO/IEC 10742"	Table H. 1/8	ILCCLPM-ILCDLE-Management	—	c27			
9	"ISO/IEC 10742"	Table H. 1/9	"CCITT Rec. X.723 (1993) ISO/IEC 10165-5 : 1993": ciProtocolMachine-entity	—	c27			
10	"ISO/IEC 10742"	Table H. 1/10	ILCCOPM-ILCDLE-Management	—	c28			
11	"ISO/IEC 10742"	Table H. 1/11	"CCITT Rec. X.723 (1993) ISO/IEC 10165-5 : 1993": coProtocolMachine-entity	—	c29			
12	"ISO/IEC 10742"	Table H. 1/12	mAC-mACDLE-Automatic	—	c30			
13	"ISO/IEC 10742"	Table H. 1/13	mAC-mACDLE-Management	—	c30			
14	"ISO/IEC 10742"	Table H. 1/14	resourceTypeId-ILCDLE-Automatic	—	c31			
15	"ISO/IEC 10742"	Table H. 1/15	resourceTypeId-mACDLE-Automatic	—	c31			
16	"ISO/IEC 10742"	Table H. 1/16	sLPCConnection-sLPPM-Automatic	—	c32			
17	"ISO/IEC 10742"	Table H. 1/17	sLPCConnection-sLPPM-Management	—	c32			
18	"ISO/IEC 10742"	Table H. 1/18	"CCITT Rec. X.723 (1993) ISO/IEC 10165-5 : 1993": singlePeerConnection-coProtocolMachine	—	c32			
19	"ISO/IEC 10742"	Table H. 1/19	sLPCConnectionIVMO-sLPPM-Management	—	c33			
20	"ISO/IEC 10742"	Table H. 1/20	sLPPM-IAPBDLE-Management	—	c34			
21	"ISO/IEC 10164-6"	Table D. 1/1	logRecord-log	—	c35			

c26: if E.6/3a then o.6 else -

c27: if E.6/4a then o.7 else -

c28: if E.6/5a then o.9 else -

c29: if E.6/6a then o.9, if E.6/13a then o.10, if E.6/6a and E.6/13a then o.9 and o.10 else -

c30: if E.6/8a then o.11 else -

c31: if E.6/10a then o.12 else -

c32: if E.6/11a then o.13 else -

c33: if E.6/12a then m else -

c34: if E.6/13a then o.10 else -

c35: if E.6/14a or E.6/15a or E.6/16a or E.6/17a or E.6/18a then m else -

Table E.8 – MICS support summary

Index	Identification of the document that includes the MICS proforma	Table numbers of MICS proforma	Description	Constraints and values	Status	Support	Table numbers of MICS	Additional information
1	"ISO/IEC 10742"	Table F.1 to F.23	management operations	—	c36			
2	"ISO/IEC 10742"	Table F.24	notifications	—	c37			
3	"ISO/IEC 10742"	Table F.25	actions	—	c38			

c36: if E.3/1a then m else -

c37: if E.3/2a or E.3/3a or E.3/4a or E.3/5a or E.3/6a or E.3/7a or E.3/8a or E.3/9a or E.3/10a or E.3/11a or E.3/12a or E.3/13a or E.3/14a E.3/15 or E.3/17a or E.3/18a or E.3/19a or E.3/20a or E.3/21a or E.3/24a or E.3/25a or E.3/26a then m else -

c38: if E.3/16a or E.3/22a or E.3/23a then m else -

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 10742:1994/Amd 2:1996

<https://standards.iteh.ai/catalog/standards/sist/476e21c5-e367-4114-8e5b-4e8517d9168b/iso-iec-10742-1994-amd-2-1996>