

SLOVENSKI STANDARD SIST ISO 15202-1:2002

01-maj-2002

NfU_`bU`XY`cjbYa`aYghi`!`8c`cYjUb^Y`_cj]b`]b`dc`_cj]b`j``YVXY]\`XY`Vj\`n Uhcag_c`Ya]g]^g_c`gdY_hfcaYhf]^c`n`]bXi_h]jbc`g_`cd`^Ybc`d`Unac'!`%"XY`. JncfYb^Y

Workplace air - Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry - Part 1: Sampling

(standards.iteh.ai)

Air des lieux de travail - Détermination des métaux et métalloïdes dans les particules en suspension dans l'air par spectrométrie d'émission atomique avec plasma à couplage inductif - Partie 1: Échantillonnage

Ta slovenski standard je istoveten z: ISO 15202-1:2000

ICS:

13.040.30 Kakovost zraka na delovnem Workplace atmospheres mestu

SIST ISO 15202-1:2002

en

SIST ISO 15202-1:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD

ISO 15202-1

First edition 2000-02-15

Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry —

Part 1: iTeh SamplingRD PREVIEW

Air des lieux de travail Détermination des métaux et métalloïdes dans les particules en suspension dans l'air par spectrométrie d'émission atomique avec plasma à couplage inductif —

https://standards.iteb.ai/catalog/standards/sist/e7b6c316-b565-4614-a417-Partie 1. Echantillonnage 9736db9143d2/sist-iso-15202-1-2002



Reference number ISO 15202-1:2000(E)

ISO 15202-1:2000(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 15202-1:2002</u> https://standards.iteh.ai/catalog/standards/sist/e7b6c316-b565-4614-a417-9736db9143d2/sist-iso-15202-1-2002

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 734 10 79 E-mail copyright@iso.ch Web www.iso.ch

Contents

Forewo	ordiv
Introdu	ctionv
1	Scope1
2	Normative references1
3	Terms and definitions2
4	Principle
5	Requirement5
6	Sampling equipment5
7	Occupational exposure assessment7
8	Sampling method9
9	Documentation12
Annex	A (informative) Guidance on filter selection
Annex	B (informative) Temperature and pressure correction for the indicated volumetric flow rate
Bibliog	raphy

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 15202 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 15202-1 was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 2, *Workplace atmospheres*.

ISO 15202 consists of the following parts, under the general title *Workplace air* — *Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry:* **(standards.iteh.ai)**

- Part 1: Sampling
- Part 2: Sample preparation

<u>SIST ISO 15202-1:2002</u> s://standards.iteh.ai/catalog/standards/sist/e7b6c316-b565-4614-a417-9736db9143d2/sist-iso-15202-1-2002

— Part 3: Analysis

Annexes A and B of this part of ISO 15202 are for information only.

Introduction

The health of workers in many industries is at risk through exposure by inhalation of toxic metals and metalloids. Industrial hygienists and other public health professionals need to determine the effectiveness of measures taken to control workers' exposure, and this is generally achieved by taking workplace air measurements. This part of ISO 15202 has been published in order to make available a method for making valid exposure measurements for a wide range of metals and metalloids in use in industry. It will be of benefit to: agencies concerned with health and safety at work; industrial hygienists and other public health professionals; analytical laboratories; industrial users of metals and metalloids and their workers, etc.

This part of ISO 15202 specifies a generic method for determination of the mass concentration of metals and metalloids in workplace air using inductively coupled plasma atomic emission spectrometry (ICP-AES).

This part of ISO 15202 gives details of relevant International, European and National Standards which specify characteristics, performance requirements and test methods relating to sampling equipment. It augments guidance provided elsewhere on assessment strategy and measurement strategy, and specifies a method for collecting samples of airborne particulate matter for subsequent chemical analysis.

Part 2 of ISO 15202 describes a number of procedures for preparing sample solutions for analysis by ICP-AES.

Part 3 of ISO 15202 gives requirements and test methods for analysis of sample solutions by ICP-AES.

It has been assumed in the drafting of this part of ISO 15202 that the execution of its provisions, and the interpretation of the results obtained, is entrusted to appropriately qualified and experienced people.

SIST ISO 15202-1:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry —

Part 1: Sampling

1 Scope

1.1 This part of ISO 15202 specifies a method for collecting samples of airborne particulate matter for subsequent determination of metals and metalloids using inductively coupled plasma - atomic emission spectrometry.

1.2 The method is not applicable to the sampling of mercury, which is present in air in the vapour phase at ambient temperatures; inorganic compounds of metals and metalloids that are permanent gases, e.g. arsine (AsH₃); or inorganic compounds of metals and metalloids that are present in the vapour phase at ambient temperatures, e.g. arsenic trioxide (As₂O₃) tandards.iteh.ai)

NOTE Although the method does not describe a means of collecting inorganic compounds of metals and metalloids that are present in the vapour phase, in most instances this is relatively easily achieved by using a back-up filter which has been pretreated to trap the compound(s)/of interest heige al back-up paper pade impregnated with sodium carbonate is suitable for collecting arsenic trioxide (see ISO 11041). 9736db9143d2/sist-iso-15202-1-2002

1.3 The method is applicable to personal sampling of the inhalable or respirable fraction of airborne particles, as defined in ISO 7708, and to static sampling.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 15202. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 15202 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 7708:1995, Air quality — Particle size fraction definitions for health-related sampling.

ISO 15202-2:—¹⁾, Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry — Part 2: Sample preparation.

ISO 15202-3:—¹⁾, Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry — Part 3: Analysis.

¹⁾ To be published.

EN 482:1994, Workplace atmospheres — General requirements for the performance of procedures for the measurement of chemical agents.

EN 13205:—¹⁾, Workplace atmospheres — Assessment of performance of instruments for measurement of airborne particle concentrations.

ASTM D 4840–95, Standard Guide for Sampling Chain-of-Custody Procedures.

3 Terms and definitions

For the purposes of this part of ISO 15202, the following terms and definitions apply.

3.1 General definitions

3.1.1

chemical agent

any chemical element or compound, on its own or admixed as it occurs in the natural state or as produced by any work activity, whether or not produced intentionally and whether or not placed on the market

[EN 1540]

NOTE This definition is taken from the "Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work".

3.1.2

iTeh STANDARD PREVIEW

breathing zone (standards.iteh.ai) space around the worker's face from where he or she takes his or her breath

NOTE For technical purposes a more precise definition is as follows:002

https://standards.iteh.ai/catalog/standards/sist/e7b6c316-b565-4614-a417-

hemisphere (generally accepted to be 0,3 m in radius) extending in front of the human face, centred on the mid-point of a line joining the ears; the base of the hemisphere is a plane through this line, the top of the head and the larynx

This definition is not applicable when respiratory protective equipment is used.

[EN 1540]

3.1.3

exposure (by inhalation)

situation in which a chemical agent is present in air which is inhaled by a person

3.1.4

limit value

reference figure for concentration of a chemical agent in air

3.1.5

measuring procedure

procedure for sampling and analysing one or more chemical agents in the air and including storage and transportation of the sample

3.1.6

operating time

period during which a sampling pump can be operated at specified flow rate and back pressure without recharging or replacing the battery

[EN 1232]

3.1.7

reference period

specified period of time stated for the limit value of a specific chemical agent

3.1.8

time-weighted average (TWA) concentration

concentration of a chemical agent in the atmosphere, averaged over the reference period

NOTE A more detailed discussion of TWA concentrations and their use can be found in the American Conference of Government Industrial Hygienists publication *Threshold Limit Values for Chemical Substances and Physical Agents; Biological Exposure Indices* ACGIH, Cincinnati, OH (updated annually).

3.1.9

workplace

defined area or areas in which the work activities are carried out

[EN 1540]

3.2 Particle size fraction definitions

3.2.1

3.2.2

inhalable convention

target specification for sampling instruments when the inhalable fraction is of interest

[ISO 7708]

iTeh STANDARD PREVIEW

inhalable fraction

(standards.iteh.ai)

mass fraction of total airborne particles that is inhaled through the nose and mouth

SIST ISO 15202-1:2002

[ISO 7708] https://standards.iteh.ai/catalog/standards/sist/e7b6c316-b565-4614-a417-

9736db9143d2/sist-iso-15202-1-2002 NOTE The inhalable fraction depends on the speed and direction of air movement, on breathing rate and other factors.

3.2.3

respirable convention

target specification for sampling instruments when the respirable fraction is of interest

[ISO 7708]

3.2.4

respirable fraction

mass fraction of inhaled particles penetrating to the unciliated airways

[ISO 7708]

3.2.5 total airborne particles

all particles surrounded by air in a given volume of air

[ISO 7708]

NOTE Because all measuring instruments are size-selective to some extent, it is often impossible to measure the total concentration of airborne particles.