

Human Factors (HF); User Experience Guidelines for real-time communication services expressed in Quality of Service terms

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/3859e0a5-42a5-4e32-9f32-e2d58b7ec758/etsi-eg-202-670-v1.1.1-2010-03>



Reference

DEG/HF-00112

Keywords

interaction, quality, service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Introduction	5
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions and abbreviations.....	11
3.1 Definitions.....	11
3.2 Abbreviations	15
4 Overview of the real-time communication services addressed in the present document	16
4.1 Text communication.....	20
4.2 Speech communication.....	20
4.3 Video communication (including speech).....	20
4.3.1 Face-to-face video communication.....	20
4.3.2 Remote inspection or 'see what I see' (SWIS) video communication	20
4.4 Multimedia communication.....	21
4.5 Real-time games	21
4.6 TV including PC TV and Mobile TV.....	21
5 Overview of user experience guidelines expressed in Quality of Service terms.....	21
6 Advice on using the Guide	24
6.1 Requirements for guidelines.....	25
6.2 The structure of the guidelines.....	25
6.3 Maturity and restrictions of the guidelines.....	26
7 The guidelines	26
7.1 Text communication.....	27
7.2 Speech communication.....	30
7.3 Video communication (including speech).....	41
7.3.1 Video communication: Face-to-face.....	41
7.3.2 Video communication: Remote inspection.....	57
7.3.3 Video communication: Multi-point and heterogeneous networks	63
7.4 Multimedia communication.....	64
7.5 Real-time games	72
7.6 TV	74
7.6.1 PC TV.....	74
7.6.2 Mobile TV	76
7.7 Service selection.....	85
Annex A: Requirements for guidelines and a web-based guideline and tutorial system.....	92
A.1 Requirement derivation process	92
A.2 Requirements for guidelines.....	92
A.2.1 Provide information on key topics of concern that will aid development choices	92
A.2.2 Provide information on related concepts	93
A.2.3 Provide user experience data that can be used from different perspectives.....	93
A.2.4 Link QoS and user experience variables	93
A.2.5 Provide information about user behaviour that is feasible to apply.....	94
A.3 Requirements for a web-based system	94
Annex B: Sources for the guidelines.....	95

B.1	Bespoke user studies	95
B.1.1	Laboratory experiments.....	95
B.1.2	Field studies.....	96
B.1.3	Survey	96
B.1.4	Expert review and expert panels.....	96
B.2	Existing literature	97
History	98

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/3889e0a5-42a5-4e32-9f32-e2d58b7ec758/etsi-eg-202-670-v1.1.1-2010-03>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This ETSI Guide (EG) has been produced by ETSI Technical Committee Human Factors (HF).

The present document is primarily for the HF community.

The present document updates and replaces EG 202 534 [i.11]. New guidelines have been added and some guidelines from EG 202 534 [i.11] were not considered relevant for the present document (e.g. because of being out of date with technology developments). In addition, whereas EG 202 534 [i.11] focused on person-to-person (two-way) communication services, the present document extends to real-time person-to-machine (one-way) communication services.

Introduction

The real-time communication services that are currently available and in development place different demands on the communication channel and terminal equipment. Also they continue to evolve for both mobile and fixed usage. The services offer great potential but also complex choices regarding the most appropriate technologies and media that are suitable for different communication situations. Taking video communication as an example, there are advances at the two extremes of usage: for video calls with mobile telephones and conference-room 'Telepresence' systems and between these extremes video communication is increasingly available through personal computer-based 'Web-conferencing' services.

TR 102 353 [i.64] identified the need to develop guidelines on real-time communication services. The main aim is to provide guidelines for network operators, equipment manufacturers and service providers that address the user experience of different communication services in terms of either:

- the configuration and quality of service (QoS) of a particular communication service;
- the best choice between different communication services, where user experience data exists to enable recommendations on the basis of of set-up time, reliability, type of user tasks and user situations.

The general requirements for the guidelines contained in the present document are / main inclusion criteria for the guidelines are:

- **Empirical basis** - the guidelines are based on user test results where data has been collected on user performance and/or user opinion. The guidelines are therefore justified on the basis of either a laboratory experiment, field study, survey or an expert panel of people with empirical knowledge gained through experience with users or user tests.
- **Known QoS** - the test systems were of specified QoS parameter values, thereby enabling a statement of expected user experience for a given service with particular QoS.
- **Technology independent** - because the user experience results were related to test systems with specified QoS rather than a particular technology.

- **Vendor independent** - because the user experience results were related to test systems with specified QoS rather than a particular vendor.
- **User communication phase** - the guidelines concern user experience once communication is established, therefore the guidelines do not address interface design and call control;
- **Stakeholder interest** - priority has been given to developing guidelines in areas where stakeholder interest has been shown or is anticipated. Therefore Guidelines are provided for topics that have been identified as important for intended guideline users and for which user-based data existed or could be collected. For this reason, the development of guidelines from published literature is not exhaustive.

The guidelines are grouped into topics that include different user tasks (e.g. decision making, negotiation, persuasion), technical parameters (e.g. delay, packet loss, frame-rate) and special user groups (e.g. people with speech impairments, deaf and hearing impaired people, people with cognitive impairments). The user test results are derived primarily from industry and European Commission Framework Programme research reports, journal articles, conference proceedings and standards documents.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/38859e0a5-42a5-4e32-9f32-e2d58b7ec758/etsi-eg-202-670-v1.1.1-2010-03>

1 Scope

The present document provides guidelines for the user experience of real-time communication services. The services include person-to-person (two-way) communication and person-to-machine (one-way) communication.

The present document is revised from EG 202 534 [i.11] that was restricted to person-to-person communication services. The revision adds new guidelines that have been requested by stakeholders and omits some of the previous guidelines that are no longer considered relevant.

The guidelines are based on empirical data about user experience. Most of the data is obtained from scientific papers. A minority of guidelines are based on existing standardisation documents to ensure that relevant normative and informative standards material is clear amongst results available from journal articles, conference papers, research reports, etc.

The present document does not replace any existing standards.

Most of the guidelines derived from scientific papers are specific to a particular context, in that the original user tests were for specific tasks, users and technical parameters and therefore the results may not be generalisable. Although the guidelines provide information about the main user experience measure(s) and technical parameter(s) of a particular test result, it is beyond the scope of the present document to provide all of the variables concerned with each user test. However, the origin of each empirical source of a guideline is shown and listed in the References.

Those readers interested in the details of a particular guideline empirical source are also directed to a web-based system (http://portal.etsi.org/STFs/STF_HomePages/STF354/STF354.asp) that provides this information.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

Not applicable.

2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Anderson, A., Smallwood, S., MacDonald, R., Mullin, J., Fleming, A. & O'Malley, C. (2000): "Video data and video links in mediated communication: What do users value? International Journal of Human-Computer Studies", 52(1), 165-187.
- [i.2] ANSI T1.522-2000: "Quality of Service for Business Multimedia Conferencing".
- [i.3] Bekkering, E. and Shim, J. (2006). "i2i Trust in Videoconferencing", July 2006/Vol. 49, No. 7 Communications of the ACM, pp. 103-107.
- [i.4] Blythe, M.; Overbeeke, K., Monk, A., Wright, P. (Eds) (2004). "Funology: From Usability to Enjoyment" Kluwer Academic.
- [i.5] Brennan, D., Georgeadis, A., Baron, C., Barker, L. (2004): "The Effect of Videoconference-Based Telerehabilitation on Story Retelling Performance by Brain-Injured Subjects and Its Implications for Remote Speech-Language Therapy", Telemedicine Journal and e-Health. June 1, 2004, 10(2): 147-154.
- [i.6] Brooks, P., Schliemann, T., Hestnes, B., Frowein, H., Aaby, C., O'Malley, C. (2003): ""Final Report Project IST-1999-11577 Eye-2-Eye: Fitness-for-Purpose of Person-Person Communication Technologies". EC Deliverable IST11577/SEF/DIS/DS/Pub/008/b1, June 2003.
- [i.7] Brooks, P. & Hestnes, B. (2003): "User-centred technical guidelines for real-time human communication services: Requirements and derivation". Proceedings of the 19th International Symposium on Human Factors in Telecommunication, Berlin, Germany, December 1-4 2003, pp. 11-18.
- [i.8] Cullum, C., Weiner, M., Gehrman, H., Hynan, L. (2006): "Feasibility of Telecognitive Assessment in Dementia. Assessment", Volume 13, No. 4, December 2006 385-390.
- [i.9] Cuny, R., Li, M., Kristensson, M. (2006): "Mobile service applications and performance in UMTS", In Soldani, D., Li, M., Cuny, R. (Eds) "QoS and QoE Management in UMTS Cellular Systems", John Wiley & Sons, Ltd.
- [i.10] Doherty-Sneddon, G., Anderson, A., O' Malley, C., Langton, S., Garrod, S. & Bruce, V. (1997): "Face-to-face and video mediated communication: A comparison of dialogue structure and task performance", Journal of Experimental Psychology: Applied , 3(2), 105-125.
- [i.11] ETSI EG 202 534: "Human Factors (HF); Guidelines for real-time person-to-person communication services".
- [i.12] ETSI ES 202 667 : "Speech and multimedia Transmission Quality (STQ); Audiovisual QoS for communication over IP networks".
- [i.13] ETSI ES 202 737: "Speech and multimedia Transmission Quality (STQ); Transmission requirements for narrowband VoIP terminals (handset and headset) from a QoS perspective as perceived by the user".
- [i.14] ETSI ES 202 738: "Speech and multimedia Transmission Quality (STQ); Transmission requirements for narrowband VoIP loudspeaking and handsfree terminals from a QoS perspective as perceived by the user".
- [i.15] ETSI ES 202 739: "Speech and multimedia Transmission Quality (STQ); Transmission requirements for wideband VoIP terminals (handset and headset) from a QoS perspective as perceived by the user".
- [i.16] ETSI ES 202 740: "Speech and multimedia Transmission Quality (STQ); Transmission requirements for wideband VoIP loudspeaking and handsfree terminals from a QoS perspective as perceived by the user".

- [i.17] ETSI ETR 292: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Technical requirements specification; Network management".
- [i.18] ETSI TR 102 535: "Human Factors (HF); Guidelines for real-time person-to-person communication services; Future requirements".
- [i.19] ETSI ETR 334: "Human Factors (HF); The implications of human ageing for the design of telephone terminals".
- [i.20] ETSI ETR 297: "Human Factors (HF); Human Factors in Videotelephony".
- [i.21] ETSI TS 122 105: "Universal Mobile Telecommunications System (UMTS); Services and service capabilities (3GPP TS 22.105)".
- [i.22] ETSI TS 123 107: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Quality of Service (QoS) concept and architecture (3GPP TS 23.107 Release 8)".
- [i.23] Følstad, A., Brooks, P., Heim, J., Schliemann, T., Wiig, S., Hestnes, B., Heiestad, S., Ulseth, T., Frowein, H., Aaby, C., O'Malley, C., Brundell, P., Lonsdale, P. (2002): "Results of Field Experiments of Communication Media. IST Project 1999-11577. Eye-2-Eye: Fitness-for-purpose of Person-Person Communication Technologies", CEC Deliverable IST11577/SEF/DIS/DS/Pub/004/b1, October 2002.
- [i.24] France, E. F., Anderson, A. H. & Gardner, M. (2001): "The impact of status and audio conferencing technology on business meetings", International Journal of Human Computer Studies, 54: 857-876.
- [i.25] Frowein, H., Donker, W., Devoldere, P., Schliemann, T., Brooks, P., Følstad, A., Hestnes, B. et al. (2003): "Specification of Cost-Benefit Analysis Tool. Project IST-1999-11577 Eye-2-Eye: Fitness-for-Purpose of Person-Person Communication Technologies", EC Deliverable IST11577/IvD/RAD/DS/FP5/052/b1, May 2003.
- [i.26] Ghinea, G., Thomas, J. (2005). "Quality of Perception: User Quality of Service in Multimedia Presentations", IEEE Transactions on Multimedia, Vol. 7, No. 4, August 2005, pp. 786-789.
- [i.27] Grayson, D. & Coventry, L. (1998) "The Effects of Visual Proxemic Information in Video Mediated Communication", SIGCHI Bulletin Vol.30 No.3, July 1998.
- [i.28] Hellström, G., Aström, L. (2008): "The value of total conversation call with emergency services, Proceedings of International Symposium on Human Factors in Telecommunications", Kuala Lumpur, Malaysia, 17-20 March 2008.
- [i.29] Hestnes, B., Brooks, P., Heiestad, S. (2004): "Mobile Eye-phone - a study of relevance, effectiveness and user-perceived suitability", Fornebu, Telenor R&D Report (Scientific Report R2/2004).
- [i.30] Hestnes, B., Brooks, P., Heiestad, S., Ulseth, T., Aaby, C. (2003): "Quality of Experience in real-time person-person communication services - User based QoS expressed in technical network QoS terms", proceedings of the 19th International Symposium on Human Factors in Telecommunication, Berlin, Germany, December 1-4 2003, pp. 3-10.
- [i.31] ISO 9241 (all parts): "Ergonomic requirements for office work with visual display terminals (VDTs)".
- [i.32] ITU-R Recommendation BT.1359-1 (2003): "Method for the Subjective Assessment of Intermediate Quality Level of Coding Systems".
- [i.33] ITU-T Series H: "Audiovisual and multimedia systems, Supplement 1 (05/99) (1999) Application profile - Sign language and lip-reading real-time conversation using low bit-rate video communication".
- [i.34] ITU-T Recommendation E.800 (2008): "Definitions of terms related to quality of service".
- [i.35] ITU-T Recommendation F.700 (2000): Framework Recommendation for multimedia services.

- [i.36] ITU-T Recommendation G.108 (1999): "Application of the E-model: A planning guide".
- [i.37] ITU-T Recommendation G.114 (2003): "One-way transmission time", International.
- [i.38] ITU-T Recommendation G.1010 (2001): "End-user multimedia QoS categories".
- [i.39] ITU-T Recommendation G.1080: "Quality of experience requirements for IPTV services".
- [i.40] ITU-T Recommendation P.10/G.100: "Amendment 2: New definitions for inclusion in Recommendation ITU-T P.10/G.100", International Telecommunication Union, Geneva, Switzerland, 2008.
- [i.41] ITU-T Recommendation Y.1541 (2006): "Network performance objectives for IP-based services", International Telecommunication Union, Geneva, Switzerland.
- [i.42] Jumisko-Pyykkö, S., Vinod Kumar, M. V., Liinasuo, M., & Hannuksela, M. (2006): Acceptance of audiovisual quality in erroneous television sequences over a DVB-H channel. In Proceedings of the Second International Workshop in Video Processing and Quality Metrics for Consumer Electronics".
- [i.43] Kilgore, R.M., and Chignell, M., (2006): "Listening to unfamiliar voices in spatial audio: Does visualization of spatial position enhance voice identification? Proceedings of the 20th International Symposium on Human Factors in Telecommunication", Sophia Antipolis, France, March 21-23 2006.
- NOTE: Available from http://www.hft.org/HFT06/HFT_06_programme.htm
- [i.44] Knoche, H., McCarthy, J. D. and Sasse, M.A. (2005): "Can small be beautiful?: assessing image resolution requirements for mobile TV", Proc. ACM Multimedia 2005, ACM Press, 829-838.
- [i.45] Knoche, H., McCarthy J., Sasse, M. A. (2006): "Reading the Fine Print: The Effect of Text Legibility on Perceived Video Quality in Mobile TV", ACM Multimedia, ACM, 727-730.
- [i.46] Knoche, H.O., Sasse, M.A. (2008): "The sweet spot: how people trade off size and definition on mobile devices. In Proceeding of the 16th ACM international conference on Multimedia", Vancouver, British Columbia, Canada: ACM, pp. 21-30. .
- [i.47] Mashima, P., Birkmire-Peters, D., Syms, M., Holtel, M., Burgess, L., Peters, L. (2003): "Telehealth: Voice Therapy Using Telecommunications Technology", American Journal of Speech-Language Pathology, Vol.12 432-439.
- [i.48] Mason, S. (2006): "Mobile TV - results from the DVB-H trial in Oxford", EBU TECHNICAL REVIEW - April 2006.
- NOTE: Available at http://tech.ebu.ch/docs/techreview/trev_306-mason.pdf.
- [i.49] McCarthy, J., Sasse, M. A. & Miras, D. (2004): "Sharp or Smooth? Comparing the effects of quantization vs. frame rate for streamed video. Proceedings of CHI 2004", Vienna, Austria, April 20-24, pp. 535-542.
- [i.50] Mulbach, L., Bocker, M. & Prussog, A. (1995): "Telepresence in Videocommunications: A Study on Stereoscopy and Individual Eye Contact", Human Factors, 37(2), 290-305.
- [i.51] Nokia (2004): "Quality of Experience (QoE) of mobile services: Can it be measured and improved?", White Paper, Nokia Corporation, Finland, 2004.
- [i.52] O' Malley, C., Langton, S., Anderson, A., Doherty-Sneddon, G & Bruce, V. (1996): "Comparison of Face-to-Face and Video-Mediated Interaction. Interacting with Computers", 8(2), 177-192.
- [i.53] O'Malley, C., Brundell, P., McFadzean, J., Lonsdale, P., Schliemann, T., Brooks, P. et al. (2002): "Results of Laboratory Experiments of Communication Media. IST Project 1999-11577. Eye-2-Eye: Fitness-for-purpose of Person-Person Communication Technologies", CEC Deliverable IST11577/UON/SOP/DS/Pub/003/b1, December 2002.

- [i.54] Post & Telestyrelsen (2005): "Mobile video communications for people who are deaf: Report on trial operations with broadband for people with disability", Swedish National Post and Telecom Agency Report No. PTS-ER-2005:14.
- [i.55] Raake, A. (2006). Short- and Long-Term Packet Loss Behavior: Towards Speech Quality Prediction for Arbitrary Loss Distributions, IEEE Transactions on Audio, Speech and Language Processing, Vol. 14, No. 6.
- [i.56] Schliemann, T., Asting, T., Brooks, P., Følstad, A., Heim, J., Skjetne, J.H., Hestnes, B., Heiestad, S., Ulseth, T., Frowein, H., Devoldere, P., Aaby, C., O'Malley, C., Brundell, P., Lonsdale, P. (2001): "Results of Baseline Communication Experiments. Project IST-1999-11577 Eye-2-Eye: Fitness-for-Purpose of Person-Person Communication Technologies".
- [i.57] Takahashi, A. (2009): "Framework and Standardization of Quality of Experience (QoE) Design and Management for Audiovisual Communication Services, NTT Technical Review", April 2009 Vol. 7 No. 4, pp. 1-5.
- [i.58] Vienott, E., Olson, J., Olson, G. & Fu, X. (1999): "Video helps remote work: Speakers who need to negotiate common ground benefit from seeing each other", Proc. CHI 1999, ACM.
- [i.59] Watson & M. A. Sasse (2000): "The Good, the Bad, and the Muffled: The Impact of Different Degradations on Internet Speech", proceedings of the 8th ACM International Conference on Multimedia, Oct. 30- Nov. 3, Marina Del Rey, CA; pp. 269-302.
- [i.60] Watts, L., Monk, A. & Daly-Jones, O. (1996): "Inter-personal awareness and synchronization: Assessing the value of communication technologies", International Journal of Human-Computer Studies, 44, 849-873.
- [i.61] Williams; D., Caplan, S., & Xiong, L. (2007): "Can You Hear Me Now? The Impact of Voice in an Online Gaming Community", Human Communication Research 33 (2007) 427-449.
- [i.62] Yankelovich, N., Kaplan, J., Provino, J., Wessler, M., DiMicco, J. (2006): "Improving Audio Conferencing: Are Two Ears Better than One? Proceedings of CSCW '06", November 4-8, 2006, Banff, Alberta, Canada, pp. 333-342.
- [i.63] ITU-T Recommendation E.860: "Framework of a service level agreement".
- [i.64] ETSI TR 102 353: "Satellite Earth Stations and Systems (SES); Broadband Satellite Multimedia (BSM); Guidelines for the Satellite Independent Service Access Point (SI-SAP)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

audio: all signals that are audible to human beings, including speech, music and background noise

audio/video asynchrony: when audio and video information that leaves one communicating party is received by the other communicating party at different times (e.g. typically the audio information arrives before the video information in an asynchronous situation)

NOTE: It is calculated as audio delay subtracted from video delay (e.g. if audio delay is 50 ms and video delay is 200 ms, then asynchrony is 150 ms; if audio delay is 100 ms and video delay is 50 ms, then asynchrony is -50 ms).

audio delay: mean time required for an audio signal to reach the listener's ear

audio protocol: set of rules defining the way audio information is represented in a network

avatar communication: use of a service that transmits voice or text in real-time over a telecommunication network in combination with a graphical (human) representation of the speaker

CD quality: audio quality with a 44,1 kHz sampling rate without compression

communication service: user-initiated service that is provided via a telecommunication network for people to share information

NOTE: Examples are speech telephony, email, videoconferencing, avatar-telephony, audio conferencing.

communication situation: combination of task, motive, content and user (group) characteristics

communication task: what the end-users (want to) do with a communication service (e.g. social chatting, buying or selling shares, conducting a job interview, etc.)

communicative behaviour: end-user behaviour while using a communication service, including turn taking, interruptions, verbal and non-verbal back-channels and gaze

conversational text: See real-time text.

data communication: use of a service that transmits personal computer-based information (e.g. presentation slides)

data conferencing: See data communication.

duration: length of time of the communication task

dyadic communication: (distance) communication between two people

effectiveness: accuracy and completeness with which specified users can achieve specified goals in particular environments

NOTE: See ISO 9241 [i.31] definition.

efficiency: resources expended in relation to the accuracy and completeness of goals achieved

NOTE: See ISO 9241 [i.31] definition.

end-users: people who use a communication service

face-to-face (videoconferencing): the use of video communication to see the person who is talking

frame-rate: frequency by which a full frame is updated in the case of video frame-rate sometimes called video temporal resolution or image frequency

group: (distance) communication between three or more people

NOTE: Either in a point-to-point or a multi-point configuration.

high quality videoconferencing: video communication using an analogue simulation of PAL quality, with technical parameter values: delay < 40 ms; frame rate 25 fps; resolution 4CIF (PAL); no packet loss

NOTE: A laboratory and field study set-up used for the user tests described in annex B

instruction task: communication task to between two or more people collaborate in order to transfer information. The communication may be more one-way and unequal with respect to expertise

media effects: effect a particular communication medium has on an end-users task outcome, communicative behaviour, attitudes and beliefs

monitor size: number in inches of the diagonal of the image screen on a screen

multimedia communication: use of a service that transmits voice, video and data signals in real-time over a telecommunication network

multimedia conferencing: service for transmitting voice, video and data signals over a telecommunication network

multi-point: distance communication between three or more locations

negotiation task: communication task between people in order to achieve an agreement

network performance: the ability of a network or network portion to provide the functions related to communications between users

NOTE 1: Network performance applies to the network provider's planning, development, operations and maintenance and is the detailed technical part of QoS.

NOTE 2: Network performance parameters are meaningful to network providers and are quantifiable at the part of the network which they apply.

NOTE 3: From ITU-T Recommendation E.800 [i.34].

network quality of service: degree of conformance of the service delivered to a user by a provider with an agreement between them

NOTE: From ITU-T Recommendation E.860 [i.63].

packet loss: loss of one or more packet that can be described using a certain statistical model

packet size: magnitude of a unit of data transmitted over a packet switching network as part of a message transferred in number of Bytes

personal involvement: extent to which the communication parties are committed to the outcome of the task or perform the task more on behalf of another party than themselves

person perception: extent to which the perception of the other person's attributes (how likeable, intelligent, friendly, etc.) is positive or negative

persuasion task: communication task in which one person attempts to make one or more other do or believe something that previously they would probably not do or believe.

NOTE: The communication involves giving another person a good reason to do something or making someone believe something.

point-to-point: communication between two locations

problem solving task: communication task where the primary goal is for two or more people to collaborate and share relatively equal but different expertise to find a solution to a problem

quality of experience (QoE): overall acceptability of an application or service, as perceived subjectively by the end-user

NOTE 1: Quality of experience includes the complete end-to-end system effects (client, terminal, network, services infrastructure, etc.).

NOTE 2: Overall acceptability may be influenced by user expectations and context.

NOTE 3: ITU-T Recommendation P.10 [i.40]/G.100 Amendment 2 definition.

quality of service: totality of characteristics of a telecommunications service that bear on its ability to satisfy stated and implied needs of the user of the service

NOTE: ITU-T Recommendation E.800 [i.34] definition.

quality of service experienced/perceived by customer/user (QoSE): statement expressing the level of quality that customers/users believe they have experienced

NOTE 1: The level of QoS experienced and/or perceived by the customer/user may be expressed by an opinion rating.

NOTE 2: QoSE has two main components: quantitative and qualitative. The quantitative component can be influenced by the complete end-to-end system effects (network infrastructure).

NOTE 3: The qualitative component can be influenced by user expectations, ambient conditions, psychological factors, application context, etc.

NOTE 4: QoSE may also be considered as QoS delivered/achieved by service provider) received and interpreted by a user with the pertinent qualitative factors influencing his/her perception of the service.