

Draft **ETSI EN 301 839-2** V1.3.1 (2009-01)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD);
Ultra Low Power Active Medical Implants (ULP-AMI)
and Peripherals (ULP-AMI-P)
operating in the frequency range 402 MHz to 405 MHz;
Part 2: Harmonized EN covering essential requirements
of article 3.2 of the R&TTE Directive**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/6d1f6ac21-890c-414b-9a1d-294aca189a46/etsi-en-301-839-2-v1.3.1-2009-10>



Reference

REN/ERM-TG30-263-2

Keywords

radio, regulation, SRD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	6
2 References	6
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions and abbreviations.....	7
3.1 Definitions.....	7
3.2 Abbreviations	7
4 Technical requirements and specifications.....	7
4.1 Environmental profile.....	7
4.2 Conformance requirements	8
4.2.1 Mechanical and electrical design	8
4.2.1.1 General	8
4.2.1.2 Antennas	8
4.2.1.3 Controls.....	8
4.2.1.4 Transmitter shut-off facility	8
4.2.2 Frequency error.....	8
4.2.2.1 Definition	8
4.2.2.2 Limits	8
4.2.2.3 Conformance.....	8
4.2.3 Emission bandwidth.....	8
4.2.3.1 Definition	8
4.2.3.2 Limits	8
4.2.3.3 Conformance.....	8
4.2.4 Effective radiated power of the fundamental emission	9
4.2.4.1 Definition	9
4.2.4.2 Limits	9
4.2.4.3 Conformance.....	9
4.2.5 Spurious emissions of transmitter	9
4.2.5.1 Definition	9
4.2.5.2 Limits	9
4.2.5.3 Conformance.....	9
4.2.6 Frequency stability under low voltage conditions	9
4.2.6.1 Definition	9
4.2.6.2 Limits	9
4.2.6.3 Conformance.....	9
4.2.7 Spurious radiation of receivers	9
4.2.7.1 Definition	9
4.2.7.2 Limits	9
4.2.7.3 Conformance.....	9
4.2.8 Spectrum Access.....	10
4.2.8.1 LBT/AFA spectrum access	10
4.2.8.1.1 Definition.....	10
4.2.8.1.2 Limits	10
4.2.8.2 LP/LDC spectrum access	10
4.2.8.2.1 Definition.....	10
4.2.8.2.2 Limits	10
4.2.8.3 Conformance.....	10
5 Testing for compliance with technical requirements.....	11
5.1 Environmental conditions for testing	11
5.2 Interpretation of the measurement results	11
5.3 Essential radio test suites.....	11

5.3.1	Frequency error.....	11
5.3.2	Emission bandwidth.....	12
5.3.3	Effective radiated power of the fundamental emission.....	12
5.3.4	Spurious emissions of transmitter.....	12
5.3.5	Frequency stability under low voltage conditions	12
5.3.6	Spurious radiation of receivers	12
5.3.7	Spectrum Access.....	12
5.3.7.1	LBT/AFA spectrum access	12
5.3.7.2	LP/LDC spectrum access	12
5.3.8	Normal and extreme test-conditions	12
5.3.9	Test power source	12
5.3.10	Choice of samples for test suites.....	12
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	13
Annex B (informative):	The EN title in the official languages	15
Annex C (informative):	Bibliography.....	16
History		17

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/6d1f6ac21-890c-414b-9a1d-294aca189a46/etsi-en-301-839-2-v1.3.1-2009-10>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) [i.3] laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [i.1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive") [i.1].

Technical specifications relevant to Directive 1999/5/EC [i.1] are given in annex A.

The present document is part 2 of a multi-part deliverable covering Short Range Devices (SRD); Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P) operating in the frequency range 402 MHz to 405 MHz, as identified below:

Part 1: "Technical characteristics and test methods";

Part 2: "Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive".

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

1 Scope

The present document applies to the following radio equipment types:

- Ultra Low Power Active Medical Implants (ULP-AMI);
- and Peripherals (ULP-AMI-P).

These radio equipment types are capable of operating in all or any part of the frequency bands in table 1.

Table 1: Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P) service frequency bands

	Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P) service frequency bands
Transmit Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P)	402 MHz to 405 MHz
Receive Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P)	402 MHz to 405 MHz

The present document is intended to cover the provisions of Directive 1999/5/EC [i.1] (R&TTE Directive).

Article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

An AIMD is regulated under the AIMD Directive 90/385/EEC [i.2]: radio parts contained therein (referred to herein as ULP-AMI and ULP-AMI-P for peripheral devices) are regulated under the Directive 1999/5/EC [i.1].

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of Article 3 of the R&TTE Directive [i.1] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI EN 301 839-1 (V1.3.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Ultra Low Power Active Medical Implants (ULP-AMI) and Peripherals (ULP-AMI-P) operating in the frequency range 402 MHz to 405 MHz; Part 1: Technical characteristics and test methods".
- [2] ETSI TR 100 028 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".

2.2 Informative references

The following referenced documents are not essential to the use of the ETSI deliverable but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.2] Council Directive 90/385/EEC of 20 June 1990 on the approximation of the laws of the Member States relating to active implantable medical devices.
- [i.3] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in EN 301 839-1 [1] apply.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in EN 301 839-1 [1] apply.

4 Technical requirements and specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the manufacturer. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.2 Conformance requirements

4.2.1 Mechanical and electrical design

4.2.1.1 General

The equipment shall be designed, constructed and manufactured in accordance with sound engineering practice and with the aim of minimizing harmful interference to other equipment and services and should not receive harmful interference from other electronic devices. Transmitters and receivers may be individual or combination units.

4.2.1.2 Antennas

Equipment operating in the 402 MHz to 405 MHz band shall have an integral antenna, an external dedicated antenna or both. If provision for an external antenna connection is made, the manufacturer or provider shall make provision to prevent the use of an antenna other than that authorized by the manufacturer or provider.

4.2.1.3 Controls

Those controls that, if maladjusted, might increase the interference potentialities of the equipment shall not be easily accessible to the user.

4.2.1.4 Transmitter shut-off facility

If the transmitter is equipped with an automatic transmitter shut-off facility or battery-saving feature and it interferes with testing of the device, it shall be capable of being made inoperative for the purpose of testing.

4.2.2 Frequency error

4.2.2.1 Definition

The frequency error shall be as defined in EN 301 839-1 [1], clause 8.1.1.

4.2.2.2 Limits

The frequency error limits shall be as defined in EN 301 839-1 [1], clause 8.1.2.

4.2.2.3 Conformance

Conformance tests as defined in clause 5.3.1 shall be carried out.

4.2.3 Emission bandwidth

4.2.3.1 Definition

The emission bandwidth shall be as defined in EN 301 839-1 [1], clause 8.2.1.

4.2.3.2 Limits

The emission bandwidth limits shall be as defined in EN 301 839-1 [1], clause 8.2.2.

4.2.3.3 Conformance

Conformance tests as defined in clause 5.3.2 shall be carried out.

4.2.4 Effective radiated power of the fundamental emission

4.2.4.1 Definition

The effective radiated power shall be as defined in EN 301 839-1 [1], clause 8.3.1.

4.2.4.2 Limits

The effective radiated power limits shall be as defined in EN 301 839-1 [1], clause 8.3.2.

4.2.4.3 Conformance

Conformance tests as defined in clause 5.3.3 shall be carried out.

4.2.5 Spurious emissions of transmitter

4.2.5.1 Definition

The spurious emissions of transmitter shall be as defined in EN 301 839-1 [1], clause 8.4.1.

4.2.5.2 Limits

The spurious emissions limits of transmitter shall be as defined in EN 301 839-1 [1], clause 8.4.2.

4.2.5.3 Conformance

Conformance tests as defined in clause 5.3.4 shall be carried out.

4.2.6 Frequency stability under low voltage conditions

4.2.6.1 Definition

The frequency stability under low voltage conditions shall be as defined in EN 301 839-1 [1], clause 8.5.1.

4.2.6.2 Limits

The frequency stability under low voltage conditions limits shall be as defined in EN 301 839-1 [1], clause 8.5.2.

4.2.6.3 Conformance

Conformance tests as defined in clause 5.3.5 shall be carried out.

4.2.7 Spurious radiation of receivers

4.2.7.1 Definition

The spurious radiation of receivers shall be as defined in EN 301 839-1 [1], clause 9.1.1.

4.2.7.2 Limits

The spurious radiation of receivers limits shall be as defined in EN 301 839-1 [1], clause 9.1.2.

4.2.7.3 Conformance

Conformance tests as defined in clause 5.3.6 shall be carried out.