

---

**Zlite telekomunikacijske in internetne storitve ter protokoli za napredno omrežje (TISPAN) - Potrditev medsebojnega delovanja SIP-ISUP med podsistemom IP-večpredstavnostnega jedrnega omrežja (CN) in vodovno komutiranimi (CS) omrežji**

Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN) - Endorsement of the SIP-ISUP Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ES 283 027 V2.4.0:2008](https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008)

<https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008>

**Ta slovenski standard je istoveten z: ES 283 027 Version 2.4.0**

---

**ICS:**

|           |   |   |
|-----------|---|---|
| 33.040.01 | Telekomunikacijski sistemi<br>na splošno                  | Telecommunication systems<br>in general       |
| 33.080    | Digitalno omrežje z<br>integriranimi storitvami<br>(ISDN) | Integrated Services Digital<br>Network (ISDN) |

**SIST ES 283 027 V2.4.0:2008**

**en**

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

SIST ES 283 027 V2.4.0:2008

<https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008>

# ETSI ES 283 027 V2.4.0 (2008-04)

---

*ETSI Standard*

**Telecommunications and Internet converged Services and  
Protocols for Advanced Networking (TISPAN);  
Endorsement of the SIP-ISUP Interworking between the  
IP Multimedia (IM) Core Network (CN) subsystem  
and Circuit Switched (CS) networks**

**[3GPP TS 29.163 (Release 7), modified]**

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ES 283 027 V2.4.0:2008](https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008)

<https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008>



## Reference

RES/TISPAN-03119-NGN-R2

## Keywords

endorsement, interworking, ISUP, SIP

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ES 283 027 V2.4.0:2008

<https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa80fbc/sist-es-283-027-v2-4-0-2008>

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.  
All rights reserved.

DECT<sup>TM</sup>, PLUGTESTS<sup>TM</sup>, UMTS<sup>TM</sup>, TIPHON<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

---

## Contents

|  |           |
|--|-----------|
| Intellectual Property Rights .....                     | 4         |
| Foreword.....  | 4         |
| 1     Scope .....                                      | 5         |
| 2     References .....                                 | 5         |
| 2.1     Normative references .....                     | 5         |
| 2.2     Informative references.....                    | 7         |
| 3     Definitions and abbreviations.....               | 7         |
| Endorsement notice .....                               | 8         |
| Global modifications to 3GPP TS 29.163 Release 7 ..... | 8         |
| <b>Annex A (informative):     Change history .....</b> | <b>26</b> |
| History .....  | 27        |

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ES 283 027 V2.4.0:2008

<https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008>

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN).

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST ES 283 027 V2.4.0:2008  
<https://standards.iteh.ai/catalog/standards/sist/2c20fffb-cd59-4b04-952e-91ec2aa808c4/sist-es-283-027-v2-4-0-2008>

# 1 Scope

The present document provides the ETSI endorsement of the 3GPP TS 29.163 [1].

Clauses 7.2.3 and 7.4 of 3GPP TS 29.163 [1] specify the signalling interworking between ISDN User Part (ISUP) protocols and SIP in order to support services that can be commonly supported by ISUP and SIP-based network domains.

Clause 9.2.3.3.5 specifies how ringing tone is applied at the gateway when interworking ISUP and SIP.

The present document specifies the principles of interworking between the ETSI TISPA IMS and ISUP based legacy CS networks, in order to support IM basic voice calls, therefore all the references to interworking between IMS and BICC are out of scope of the present document.

The present document is a protocol interworking specification; therefore all references to the user plane interworking are out of scope of the present document.

The present document specifies the interworking between ETSI SIP profile (as specified within ES 283 003 [3]) and ISUP, as specified in EN 300 356-1 [2] respectively.

# 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
  - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
  - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

## 2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- |     |   |
|-----|---|
| [1] | 3GPP TS 29.163: "3rd Generation Partnership Project; Technical Specification Group Core Network and Terminals; Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks (Release 7)".                 |
| [2] | ETSI EN 300 356-1 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 1: Basic services [ITU-T Recommendations Q.761 to Q.764 (1999) modified]". |

- [3] ETSI ES 283 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3 [3GPP TS 24.229 (Release 7), modified]".
- [4] ETSI ES 282 007: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Subsystem (IMS); Functional architecture".
- [5] ETSI EN 300 356-3 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 3: Calling Line Identification Presentation (CLIP) supplementary service [ITU-T Recommendation Q.731, clause 3 (1993) modified]".
- [6] ETSI EN 300 356-4 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 4: Calling Line Identification Restriction (CLIR) supplementary service [ITU-T Recommendation Q.731, clause 4 (1993) modified]".
- [7] ETSI EN 300 356-5 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 5: Connected Line Identification Presentation (COLP) supplementary service [ITU-T Recommendation Q.731, clause 5 (1993) modified]".
- [8] ETSI EN 300 356-6 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 6: Connected Line Identification Restriction (COLR) supplementary service [ITU-T Recommendation Q.731, clause 6 (1993) modified]".
- [9] ETSI EN 300 356-7 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 7: Terminal Portability (TP) supplementary service [ITU-T Recommendation Q.733, clause 4 (1993) modified]".
- [10] ETSI EN 300 356-8 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 8: User-to-User Signalling (UUS) supplementary service [ITU-T Recommendation Q.737, clause 1 (1997) modified]".
- [11] ETSI EN 300 356-9 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 9: Closed User Group (CUG) supplementary service [ITU-T Recommendation Q.735, clause 1 (1993) modified]".
- [12] ETSI EN 300 356-10 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 10: Subaddressing (SUB) supplementary service [ITU-T Recommendation Q.731, clause 8 (1992) modified]".
- [13] ETSI EN 300 356-11 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 11: Malicious Call Identification (MCID) supplementary service [ITU-T Recommendation Q.731, clause 7 (1997) modified]".
- [14] ETSI EN 300 356-12 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 12: Conference call, add-on (CONF) supplementary service [ITU-T Recommendation Q.734, clause 1 (1993) and implementors guide (1998) modified]".
- [15] ETSI EN 300 356-14 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 14: Explicit Call Transfer (ECT) supplementary service [ITU-T Recommendation Q.732, clause 7 (1996) and implementors guide (1998) modified]".



- [16] ETSI EN 300 356-15 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 15: Diversion supplementary service [ITU-T Recommendation Q.732, clauses 2 to 5 (1999) modified]".
- [17] ETSI EN 300 356-16 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 16: Call Hold (HOLD) supplementary service [ITU-T Recommendation Q.733, clause 2 (1993) modified]".
- [18] ETSI EN 300 356-17 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 17: Call Waiting (CW) supplementary service [ITU-T Recommendation Q.733, clause 1 (1992) modified]".
- [19] ETSI EN 300 356-18 (V4.1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 18: Completion of Calls to Busy Subscriber (CCBS) supplementary service [ITU-T Recommendation Q.733, clause 3 (1997) modified]".
- [20] ETSI EN 300 356-19 (V4.2.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 19: Three-Party (3PTY) supplementary service [ITU-T Recommendation Q.734, clause 2 (1996) and implementors guide (1998) modified]".
- [21] ETSI EN 300 356-20 (V4.3.1): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 20: Completion of Calls on No Reply (CCNR) supplementary service [ITU-T Recommendation Q.733, clause 5 (1999) modified]".
- [22] ETSI EN 300 356-21: "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface; Part 21: Anonymous Call Rejection (ACR) supplementary service [ITU-T Recommendation Q.731, clause 4 (1993)]".
- [23] ETSI EN 300 485 (V1.2.3): "Integrated Services Digital Network (ISDN); Definition and usage of cause and location in Digital Subscriber Signalling System No. one (DSS1) and Signalling System No. 7 (SS7) ISDN User Part (ISUP) [ITU-T Recommendation Q.850 (1998) with addendum modified]".
- [24] ETSI EN 300 403-1: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Signalling network layer for circuit-mode basic call control; Part 1: Protocol specification [ITU-T Recommendation Q.931 (1993), modified]".
- [25] IETF RFC 3966 (December 2004): "The tel URI for Telephone Numbers".

## 2.2 Informative references

Not applicable.

## 3 Definitions and abbreviations

For the purposes of the present document, the terms, definitions and abbreviations given in 3GPP TS 29.163 [1], clauses 7.2.3 and 7.4 apply.

## Endorsement notice

The present document endorses 3GPP TS 29.163: "3rd Generation Partnership Project; Technical Specification Group Core Network and Terminals; Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks (Release 7)" [1], the contents of which apply together with the following modifications:

Clauses 6.3, 7.3, 8, 9.2.2.1, 9.2.2.2, 9.2.3.1, 9.2.3.2, 9.2.4.1, 9.2.5.1, 9.2.6.1, 9.2.7.1, 9.2.8.1, 9.2.8.3 and annex B do not apply to this recommendation.

NOTE: Underlining and/or strike-out are used to highlight detailed modifications where necessary.

## Global modifications to 3GPP TS 29.163 Release 7

Throughout the text of the 3GPP TS 29.163 Release 7

Replace references as shown in table 1.

**Table 1**

| References in 3GPP TS 29.163 [1]  | Replaced references |
|-----------------------------------|---------------------|
| ITU-T Recommendation Q.761        | EN 300 356-1 [2]    |
| ITU-T Recommendation Q.762        | EN 300 356-1 [2]    |
| ITU-T Recommendation Q.763        | EN 300 356-1 [2]    |
| ITU-T Recommendation Q.764        | EN 300 356-1 [2]    |
| 3GPP TS 24.229                    | ES 283 003 [3]      |
| 3GPP TS 23.228                    | ES 282 007 [4]      |
| ITU-T Recommendation Q.850 (1998) | EN 300 485 [23]     |
| ITU-T Recommendation Q.731.3      | EN 300 356-3 [5]    |
| ITU-T Recommendation Q.731.4      | EN 300 356-4 [6]    |
| ITU-T Recommendation Q.731.5      | EN 300 356-5 [7]    |
| ITU-T Recommendation Q.731.6      | EN 300 356-6 [8]    |
| ITU-T Recommendation Q.731.7      | EN 300 356-11 [13]  |
| ITU-T Recommendation Q.731.8      | EN 300 356-10 [12]  |
| ITU-T Recommendation Q.732.2      | EN 300 356-15 [16]  |
| ITU-T Recommendation Q.732.3      | EN 300 356-15 [16]  |
| ITU-T Recommendation Q.732.4      | EN 300 356-15 [16]  |
| ITU-T Recommendation Q.732.5      | EN 300 356-15 [16]  |
| ITU-T Recommendation Q.732.7      | EN 300 356-14 [15]  |
| ITU-T Recommendation Q.733.1      | EN 300 356-17 [18]  |
| ITU-T Recommendation Q.733.2      | EN 300 356-16 [17]  |
| ITU-T Recommendation Q.733.3      | EN 300 356-18 [19]  |
| ITU-T Recommendation Q.733.4      | EN 300 356-7 [9]    |
| ITU-T Recommendation Q.733.5      | EN 300 356-20 [21]  |
| ITU-T Recommendation Q.734.1      | EN 300 356-12 [14]  |
| ITU-T Recommendation Q.734.2      | EN 300 356-19 [20]  |
| ITU-T Recommendation Q.735.1      | EN 300 356-9 [11]   |
| ITU-T Recommendation Q.737.1      | EN 300 356-8 [10]   |

## Clause 2

Modify as follows:

- [77] ~~IETF draft ietf sip-accr-code-03 "Rejecting Anonymous Requests in the Session Initiation Protocol (SIP)"~~
- [77] IETF RFC 5079: "Rejecting Anonymous Requests in the Session Initiation Protocol (SIP)".
- [89] ~~draft-ejzak-sipping-p-em-auth-03.txt (January 2007): "Private Header (P-Header) Extension to the Session Initiation Protocol (SIP) for Authorization of Early Media".~~
- [89] IETF RFC 5009: "Private Header (P-Header) Extension to the Session Initiation Protocol (SIP) for Authorization of Early Media".
- [91] ETSI EN 300 403-1: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Signalling network layer for circuit-mode basic call control; Part 1: Protocol specification [ITU-T Recommendation Q.931 (1993), modified]".
- [92] IETF RFC 3966: "The tel URI for Telephone Numbers".
- [93] ISO/IEC 8348: "Information technology Open Systems Interconnection Network service definition".

### Clause 7.2.3.1.2.5 Transmission medium requirement

Modify as follows:

The I-MGCF may either transcode the selected codec(s) to the codec on the PSTN side or it may attempt to interwork the media without transcoding. If the I-MGCF transcodes, it shall select the TMR parameter to "3,1 kHz audio". If the I-MGCF does not transcode, it should map the TMR, USI and Access Transport parameters from the selected codec according to table 2a. The support of any of the media listed in table 2a is optional. The SDP for the data transfer with 64 kbit/s clearmode shall be mapped to the TMR "64 kbit/s unrestricted".

If the XML BearerCapability element is received in the INVITE the mapping of the USI shall be taken from the BearerCapability XML, else the USI shall be derived from the SDP attributes as shown in table 2a.

Add clause 7.2.3.1.2.1.5a

#### 7.2.3.1.2.5a Transmission medium requirement prime and USI prime (optional)

The Fallback mechanism shall only apply if a XML Bearer Capability element appears within the INVITE Request.

When the INVITE request includes multiple audio codecs with codec appearing in table 2a then the I-MGCF shall:

- If the first stated codec in the INVITE is a codec appearing in table 2a and is the equivalent as stated within the second Bearer Capability in the XML Bearer Capability element then the I-MGCF shall map the XML Bearer Capability element into the TMR and USI prime.
- If the second stated codec in the INVITE is a codec appearing in table 2a and is the equivalent as stated within the first Bearer Capability in the XML Bearer Capability element then the I-MGCF shall map the XML Bearer Capability element into the TMR prime and USI.
- If the compared codec stated within the INVITE is not equivalent as stated within XML Bearer Capability element then the XML Bearer Capability element shall be discarded.

If the Fallback mechanism is not supported by the terminating network the procedures as described within clause 7.2.3.1.2.5 shall apply.

In cases where the fallback appears within the terminating entity and sends back a codec to which is fallen back then the I-MGCF shall only apply the cut-through to the chosen codec.

In cases where the fallback appears within the terminating entity and sends back a SDP Answer that is equivalent with the TMR prime codec (fallback codec) then the I-MGCF shall only apply the cut-through to the fallback codec.