



SLOVENSKI STANDARD
SIST EN 14041:2005/AC:2005

01-oktober-2005

BYHÝ_gHÝbYžHÝ_gHÝbY]b`Ua]b]fUbYfb`UgHÝbYĽHÚbYcVc[Y!`6]glj YbYnbU]bcgHÝ

Resilient, textile and laminate floor coverings - Essential characteristics

Elastische, textile und Laminat-Bodenbeläge - Wesentliche Eigenschaften

Revêtements de sol résilients, textiles et stratifiés - Caractéristiques essentielles

Ta slovenski standard je istoveten z: [EN 14041:2004/AC:2005](#)

[SIST EN 14041:2005/AC:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/feb3346e-388d-4daa-9506-0cc2307779ba/sist-en-14041-2005-ac-2005>

ICS:

59.080.60	Tekstilne talne obloge	Textile floor coverings
97.150	Netekstilne talne obloge	Non-textile floor coverings

SIST EN 14041:2005/AC:2005 [en](#)

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 14041:2005/AC:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/feb3346e-388d-4daa-9506-0cc2307779ba/sist-en-14041-2005-ac-2005>

EUROPEAN STANDARD

EN 14041:2004/AC

NORME EUROPÉENNE

November 2005

EUROPÄISCHE NORM

Novembre 2005

November 2005

ICS 59.080.60; 97.150

English version
 Version Française
 Deutsche Fassung

Resilient, textile and laminate floor coverings - Essential characteristics

Revêtements de sol résilients, textiles et stratifiés - Caractéristiques essentielles

Elastische, textile und Laminat-Bodenbeläge - Wesentliche Eigenschaften

This corrigendum becomes effective on 16 November 2005 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 16 novembre 2005 pour incorporation dans les trois versions linguistiques officielles de la EN.

iTeh STANDARD PREVIEW
 Die Berichtigung tritt am 16. November 2005 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.

[SIST EN 14041:2005/AC:2005](#)
<https://standards.iteh.ai/catalog/standards/sist/feb3346e-388d-4daa-9506-0cc2307779ba/sist-en-14041-2005-ac-2005>



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

English version

4.2 Content of pentachlorophenol (PCP)¹

Resilient, textile and laminate floor coverings shall not contain PCP or a derivative thereof as a component in the production process of the product or of its raw materials. In cases where verification is required, if the content is less than 0,1 % by mass by the method of Annex B, this requirement shall be considered to be met.

Should be changed into the text below

4.2 Content of pentachlorophenol (PCP)¹

Resilient, textile and laminate floor coverings shall not contain PCP or a derivative thereof as a component in the production process of the product or of its raw materials. In cases where verification is required, if the content is less than 5 ppm in the parts of the product affected by treatment, this requirement shall be considered to be met. For laminate floor coverings the method CEN/TR 14823¹, for textile floor coverings the method CEN/TS 14494² shall be used. For resilient floor coverings verification is not required.

Replace the first paragraph of ZA.2.1 with the following text:

"The systems of attestation of conformity for resilient, textile and laminate floor coverings indicated in Table ZA.1, in accordance with the Decision of the Commission 97/808/EC of 03/12/1997 as given in Annex III of the mandate for "Floorings", are shown in Table ZA.2 for the indicated intended uses and relevant classes."

Replace the Table ZA.2 as follows:

iTech STANDARD PREVIEW

**Table ZA.2 – Systems of attestation of conformity
(standards.iteh.ai)**

Product	Intended use(s) https://standards.iteh.ai/catalog/standards/sist/feb3346e-388d-4daa-9506-0cc2307779ba/sist-en-14041-2005-ac-2005	Level(s) or class(es)	Attestation of conformity system
Resilient, textile and laminate floor coverings	Internal and external use as flooring coverings	A1 _{fl} * , A2 _{fl} * , B _{fl} * and C _{fl} * A1 _{fl} ** , A2 _{fl} ** , B _{fl} ** , C _{fl} ** , D _{fl} and E _{fl} (A1 _{fl} to E _{fl})*** and F _{fl}	1 3 4
<p>* Products/materials for which a clearly identifiable stage in the production process results in an improvement of the reaction to fire classification (e.g. an addition of fire retardants or a limiting of organic material). In accordance with EC decision 2001/596EC products with a different content of organic material outside the accepted limits as laid down in the factory production control documentation have to be tested separately according to table D1 in Annex D.</p> <p>** Products/materials not covered by footnote (*).</p> <p>*** Products/materials that do not require to be tested for reaction to fire (e.g. products/materials of Class A1 according to Commission Decision 96/603/EC, as amended). This applies also to products that are covered by a CWFT (classified without further testing) decision.</p>			
<p>System 1: See Directive 89/106/EEC (CPD) Annex III.2.(i), without audit testing of samples.</p> <p>System 3: See Directive 89/106/EEC (CPD) Annex III.2.(ii), Second possibility.</p> <p>System 4: See Directive 89/106/EEC (CPD) Annex III.2.(ii), Third possibility.</p>			

¹ CEN/TR 14823:2003: Durability of wood and wood-based products; Quantitative determination of pentachlorophenol in wood - Gas chromatographic method.

² CEN/TS 14494:2003: Leather — Chemical tests — Determination of pentachlorophenol content.

The attestation of conformity of the floor coverings in Table ZA.1 shall be based on the evaluation of conformity procedures indicated in Tables ZA.3 to ZA.5 resulting from application of the clauses of this European Standard indicated therein.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 14041:2005/AC:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/feb3346e-388d-4daa-9506-0cc2307779ba/sist-en-14041-2005-ac-2005>