



SLOVENSKI STANDARD
SIST EN 14682:2008
01-februar-2008

JUfbcghicfcý_Ŧ `cVU]'!'Jfj]W]b'j YnU_`YbUcfcý_Ŧ `cVU]]Ŧ '!GdYWZ_UWY

Safety of children's clothing - Cords and drawstrings on children's clothing - Specifications

Sicherheit von Kinderbekleidung - Kordeln und Zugbänder an Kinderbekleidung - Anforderungen

Sécurité des vêtements d'enfants - Cordons et cordons coulissants sur les vêtements d'enfants - Spécifications

iteh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **EN 14682:2007**
<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>

ICS:

61.020	Uà æ ãæ	Clothes
97.190	Otroška oprema	Equipment for children

SIST EN 14682:2008 **en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14682:2008

<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>

English Version

Safety of children's clothing - Cords and drawstrings on children's clothing - Specifications

Sécurité des vêtements d'enfants - Cordons et cordons coulissants sur les vêtements d'enfants - Spécifications

Sicherheit von Kinderbekleidung - Kordeln und Zugbänder an Kinderbekleidung - Anforderungen

This European Standard was approved by CEN on 21 October 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword.....	3
Introduction.....	4
1 Scope	5
2 Terms and definitions	5
3 Requirements	9
Annex A (informative) Background	12
Annex B (informative) Anthropometric data.....	13
Annex C (informative) Rationale	15
Annex D (normative) Measurement of cord length.....	16
Annex E (informative) Considerations for risk assessments	18
Annex F (informative) Examples of cords and drawstrings	19
Bibliography	29

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 14682:2008](https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008)

<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>

Foreword

This document (EN 14682:2007) has been prepared by Technical Committee CEN/TC 248 "Textiles and textile products", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2008, and conflicting national standards shall be withdrawn at the latest by June 2008.

This document supersedes EN 14682:2004.

The main difference between this revision and the 2004 edition is that figures have been added to assist in clarification of the text.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14682:2008

<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>

Introduction

The European Commission Mandate No. M/309 The Safety of Consumers: drawstrings or cords on children's clothing, issued 9 March 2001 requested that CEN develop standards or specifications to consider cords and drawstrings on clothing intended for children up to age 14 years.

The aim of this European Standard is to minimise the risk of accidental entrapment by cords or drawstrings on children's clothing taking into account:

- a) the child's age;
- b) normal behaviour and activities of children for their age and stage of development, for example playing in playgrounds, climbing trees, travelling by bus or train, ability to look after themselves, and where relevant, level of supervision;
- c) national accident statistics indicate that serious accidents involving cords and drawstrings on children's clothing fall into two main groups by age of child;
 - 1) younger children: entrapment of hood cords in playground equipment such as slides, resulting in fatalities;
 - 2) older children and young persons: entrapment of cords and strings from the waist and lower hems of garments in moving vehicles such as bus doors, ski lifts and bicycles resulting in severe injuries or death from being dragged along or run over by the vehicle.

In addition elasticated hood or neck cords have resulted in a number of facial injuries.

[SIST EN 14682:2008](#)

Children's clothing sold in the EU is usually sold by height as the primary measurement, sometimes with age as an additional indicator. Clothing for babies (up to around 1 year of age) is generally sold by length of the baby although some countries use the baby's weight. All chest, waist, and hip measurements are secondary measurements.

1 Scope

This European Standard specifies requirements for cords and drawstrings on children's clothing, including disguise costumes and skiwear, up to the age of 14 years.

Within the scope of this European Standard it is not possible to cover all potential hazards that may create an unsafe garment.

Conversely, identifiable specific hazards in certain styles/design of garment might not present a risk for certain age groups.

NOTE It is recommended that an individual risk assessment is carried out on any garment in order to ensure that it does not present a hazard to the wearer.

This European Standard does not apply to:

- a) child use and care articles for example bibs, nappies and soother holders;
- b) shoes, boots and similar footwear;
- c) gloves, hats, bonnets and scarves;
- d) neckties designed to be worn with a shirt or blouse;
- e) belts and braces;
- f) religious clothing that may be worn all the time, and celebratory clothing such as that worn at civil or religious ceremonies or regional or national festivals;
- g) specialist sportswear and activity wear generally worn for limited periods and under supervision, for example rugby shorts, wet suits, and dancewear, except where those garments are commonly worn as day wear or night wear;
- h) theatrical costumes used for theatrical performances;
- i) aprons intended to be worn over day wear, for limited periods and under supervision, to protect clothing from soiling during activities such as painting, cooking, or during meal times.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

young child

person aged from birth to age 7 years (that is 6 years and 11 months) which includes all children up to and including a height of 134 cm (see Annex B)

2.2

older child and young person

person aged from 7 years up to age 14 years (that is up to 13 years and 11 months) which includes all boys of height greater than 134 cm up to 182 cm and girls of height greater than 134 cm up to 176 cm (see Annex B)

2.3

children's clothing

all garments intended by design, production route or selling route to be worn by children up to the age of 14 years, including all garments intended for boys up to a height of 182 cm and for girls up to a height of 176 cm

2.4

drawstring

cord, chain, ribbon, string or tape of any textile or non-textile material with or without embellishment, such as a toggle, pom-pom, feather, or bead which passes through a channel, loop(s) or eyelet(s) or similar, to adjust the size of the opening, or part of the garment or to fasten the garment itself

NOTE 1 The protruding length of the drawstring may increase when closure is effected.

NOTE 2 For some garments a drawstring may be a loop with a tightening device rather than a single length with two ends that may or may not be tied.

2.5

functional cord

cord, chain, ribbon, string or tape of any textile or non-textile material with or without embellishment, such as toggle, pom-pom, feather or bead, of fixed length, which is used to adjust the size of the opening, or part of the garment or to fasten the garment itself

2.6

decorative cord

non-functional cord, chain, ribbon, string or tape of any textile or non-textile material with or without embellishment such as toggle, pom-pom, feather or bead, of fixed length which is not intended to be used to adjust the size of the garment opening or fasten the garment itself

2.7

elastic cord

cord containing yarns of rubber or elastodiene or elastane polymer or similar, having high extensibility and complete or near complete recovery

2.8

shoulder strap

functional cord joining the front and back of a garment top together, which is close fitting and passes over the shoulder

2.9

halter neck cord

functional cord worn round the back of the neck holding the garment (for example dress, blouse or bikini) top leaving the shoulder and back bare

2.10

tied belt or sash

drawstring, decorative or functional cord or piece of textile material of not less than 30 mm width tied round the waist area of a garment

2.11

stirrup

narrow strip of textile or non-textile material attached to the lower hem of a trouser such that it passes under the foot or shoe to create a close fit to the wearer

2.12

toggle

wooden, plastic, metal or otherwise composed piece attached to or present on, a drawstring, functional cord or decorative cord

NOTE Toggles may or may not be functional.

2.13

loop

cord or narrow strip of fabric curved in shape, which may be fixed or adjustable in length, where both ends are attached to the garment

2.14

hood and neck area

part of the body from the top of the head to the top of the chest, level with the top of the armpits (axillae) and in between points on shoulder straight up from armpit (see Figure 1, zone A)

2.15

chest and waist area

part of the body from the top of the chest level with the armpits (axillae) to the hip level with the crotch (see Figure 1, zone B)

2.16

below hip area

part of the body below the hip, level with the crotch (see Figure 1, zone C)

2.17



back area

posterior part of the body and legs (see Figure 2, zone D)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 14682:2008](https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008)

<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14682:2008

<https://standards.iteh.ai/catalog/standards/sist/11207940-8faa-49a6-85bc-da254ec2cab4/sist-en-14682-2008>

Key

- A hood and neck area
- B chest and waist area
- C below hip
- D back area

Figure 1 — Body zones – front

Figure 2 — Body zones – back

2.18

zip puller

fitting attached to the slider to facilitate manipulation

2.19

zip slider

moving component consisting essentially of a slider body and, normally, a puller, which opens or closes the fastener by separating or engaging the interlocking members

NOTE The slider might incorporate a locking device. Alternative slider types are available with a flip-over puller or double pullers, to facilitate operation from both front and back sides.

2.20

adjusting tab

small strip of fabric not less than 20 mm in width intended to adjust the size of opening on a garment for example at the ankle or sleeve cuff

3 Requirements

3.1 General

3.1.1 The free ends of drawstrings, functional cords, and tied belts or sashes shall have no three-dimensional embellishments or knot and shall be secured to prevent fraying, for example by heat sealing or bar tacking. The ends may be doubled or folded provided no hazard of entrapment is created.

3.1.2 Toggles shall only be used on drawstrings with no free ends or decorative cords (see Figure F.1).

3.1.3 Where drawstrings are permitted, they shall be attached to the garment, for example using a bar tack, in at least one point positioned equidistant from the exit points (see Figure F.3).

3.1.4 Fixed loops, which protrude from the garment, for example to fasten, shall be no more than 75 mm in circumference. Flat loops which do not protrude from the garments, for example for belt loops, shall be no more than 75 mm in length, between the fixed points of attachment to the garment (see Figure F.4).

3.1.5 Zip pullers including any embellishment shall be no longer than 75 mm in length from zip slider and shall not hang below the lower edge of garments designed to finish at the ankle (see Figure F.5).

3.1.6 All measurements shall be carried out in accordance with Annex D.

3.2 Hood and neck area on garments for young children (Figure 1 zone A)

3.2.1 Garments intended for young children shall not be designed, manufactured or supplied with drawstrings, functional cords or decorative cords in the hood or neck area.

3.2.2 Adjusting tabs are permissible provided that the length is no more than 75 mm.

3.2.3 Shoulder straps are permissible provided they are constructed from one continuous length of material or cord attached at front and back of the garment. Decorative cords attached to a shoulder strap shall not have free ends longer than 75 mm and fixed loops shall be no more than 75 mm in circumference (see Figure F.7).

3.2.4 Halter neck-style garments shall be constructed with no free ends in the hood and neck area (see Figure F.8).

3.2.5 Stitched or otherwise attached embellishments, for example bows, shall not have free ends longer than 75 mm. Any loops shall be not greater than 75 mm in circumference (see Figure F.9).

3.3 Hood and neck area on garments for older children and young persons (Figure 1, zone A)

3.3.1 Drawstrings shall not have free ends.

When the garment opening is at its largest and the garment is laid flat there shall be no protruding loop. When the garment opening is at its smallest, i.e. the size it is intended to fit, maximum protruding loop circumference shall be 150 mm (see Figure F.10).

3.3.2 Functional cords and adjusting tabs shall be not more than 75 mm in length.

Functional cords shall not be made from elastic cords, except for shoulder straps and halter necks.

3.3.3 Decorative cords shall not be more than 75 mm in length at either end including any attachment such as a toggle.

Decorative cords shall not be made from elastic cords.

3.3.4 Shoulder straps are permissible provided any free ends are no longer than 140 mm from the point at which they are to be tied and fixed loops are no more than 75 mm in circumference (see Figure F.7).

3.3.5 Halter neck-style garments shall be constructed with no loose ends in the hood and neck area (see Figure F.8).

3.4 Waist area of garments, internal and external to the garment (Figure 1, zone B)

3.4.1 Free ends of drawstrings in the waist area shall protrude by a maximum of 140 mm at each end when the garment is opened to its largest and laid flat, and by no more than 280 mm when closed to the intended size (see Figure F.15). Drawstrings with no free ends shall have a loop with a maximum circumference of 280 mm when closed to the intended size.

3.4.2 Functional cords, decorative cords and adjusting tabs in the waist area shall be a maximum of 140 mm including any embellishment on decorative cords.

3.4.3 For young children, tied belts or sashes intended to be tied at the back of the garment are permissible provided that when untied and measured from the point where they are to be tied, they shall be no more than 360 mm in length and, when untied, do not hang below the hem of the garment (see Figure F.16).

3.4.4 For older children and young persons, tied belts or sashes intended to be tied at the back of the garment are permissible provided that, when untied and measured from the point where they are to be tied they shall be no more than 360 mm in length (see Figure F.16).

3.4.5 For both age groups, tied belts or sashes intended to be tied at the front of the garment shall be acceptable provided that when untied they shall be no more than 360 mm in length measured from the point where they are to be tied (see Figure F.17).

3.5 Lower hems of garments which hang below the crotch (Figure 1, zone C)

3.5.1 Drawstrings, decorative cords or functional cords including any toggle on the lower edges of garments where the lower edge is situated below the crotch shall not hang below the lower edge of the garment (see Figure F.11).

3.5.2 Drawstrings or cords at the lower edges of garments shall lie flat against the garment, when the garment is tightened or fastened.

3.5.3 In garments that are designed to finish at the ankle (coats, trousers or skirts), the drawstrings, functional cords and decorative cords at the bottom hem shall be totally on the inside of the garment.

NOTE Stirrups at the hem of trousers are permissible.

3.5.4 Adjusting tabs are acceptable provided that they are no longer than 140 mm in length and shall not hang below the hem of the garment (see Figure F.12).

3.6 Back area (Figure 2, zone D)

3.6.1 Children's garments shall not be designed to have drawstrings, decorative cords or functional cords that emerge from the back of the garment or to be tied at the back (see Figure F.2).

3.6.2 Tied belts or sashes are permissible (see 3.4.3 and 3.4.4).