



SLOVENSKI STANDARD
SIST-TS CEN/TS 15919:2010
01-februar-2010

; bc f U ! ' 9 _ g l f U _ V j U z g z f U ž h c d b Y [U j ' & ! c X g h c h b] ' a f U j ` 1 b b] _ [g] b]

Fertilizers - Extraction of phosphorus soluble in 2 % formic acid

Düngemittel - Extraktion des in 2%iger Ameisensäure löslichen Phosphors

Engrais - Extraction du phosphore soluble dans l'acide formique à 2 %

Ta slovenski standard je istoveten z: **CEN/TS 15919:2009**

[SIST-TS CEN/TS 15919:2010](https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010)

<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>

ICS:

65.080 Gnojila Fertilizers

SIST-TS CEN/TS 15919:2010 **en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST-TS CEN/TS 15919:2010

<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 15919

September 2009

ICS 65.080

English Version

Fertilizers - Extraction of phosphorus soluble in 2 % formic acid

Engrais - Extraction du phosphore soluble dans l'acide
formique à 2 %

Düngemittel - Extraktion des in 2%iger Ameisensäure
löslichen Phosphors

This Technical Specification (CEN/TS) was approved by CEN on 3 August 2009 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

(standards.iteh.ai)

SIST-TS CEN/TS 15919:2010

<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Sampling.....	4
5	Principle.....	4
6	Reagents.....	4
7	Apparatus	4
8	Procedure	5
Bibliography.....		6

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 15919:2010](https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010)
<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>

Foreword

This document (CEN/TS 15919:2009) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials", the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS CEN/TS 15919:2010

<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>

CEN/TS 15919:2009 (E)**1 Scope**

This document specifies the procedure for the determination of phosphorus soluble in 2 % formic acid (20 g per litre). The method is applicable to soft natural phosphates exclusively.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-2, *Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation*

EN 12944-1:1999, *Fertilizers and liming materials and soil improvers — Vocabulary — Part 1: General terms*

EN 12944-2:1999, *Fertilizers and liming materials and soil improvers — Vocabulary — Part 2: Terms relating to fertilizers*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1:1999 and EN 12944-2:1999 apply.

STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>

4 Sampling

Sampling is not part of the method specified in this document. A recommended sampling method is given in EN 1482-1.

Sample preparation shall be carried out in accordance with EN 1482-2. Grinding is recommended for homogeneity reasons.

5 Principle

To differentiate between hard natural phosphates and soft natural phosphates, phosphorus soluble in formic acid is extracted from the test portion with a 2 % formic acid solution under specified conditions.

6 Reagents

6.1 Water, distilled or demineralised.

6.2 Formic acid, 2 % ($\rho = 20$ g/l).

Make 82 ml of formic acid (concentration 98 % to 100 %; $d_{20} = 1,22$ g/ml) up to 5 l with distilled water.

7 Apparatus

7.1 Common laboratory equipment and glassware.

7.2 **500 ml graduated flask**, with a wide neck (e.g. Stohmann).

7.3 **Rotary shaker**, 35 turns to 40 turns per min.

7.4 **Dry pleated filter**, free of phosphates.

8 Procedure

8.1 Test portion

Weigh, to the nearest 0,001 g, 5 g of the laboratory sample and place it in a dry 500 ml graduated flask (7.2).

8.2 Extraction

While continuously rotating the flask by hand, add formic acid (6.2) to the test portion at (20 ± 1) °C until it is approximately 1 cm below the graduation mark and make up to the volume with formic acid (6.2). Close the flask with a rubber stopper and shake for 30 min at (20 ± 2) °C on a rotary shaker (7.3).

Filter the solution through a dry pleated filter (7.4) into a dry glass receptacle. Discard the first portion of the filtrate. Continue the filtering until a sufficient quantity of filtrate is obtained to carry out the phosphorus determination.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 15919:2010](https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010)

<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>

Bibliography

- [1] EN 1482-1, *Fertilizers and liming materials — Sampling and sample preparation — Part 1: Sampling*
- [2] Regulation (EC) No 2003/2003 of the European Parliament and of the Council of 13 October 2003 relating to fertilisers, Official Journal L 304, 21/11/2003, P. 0001-0194, Annex IV, method 3.1.2

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 15919:2010](https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010)
<https://standards.iteh.ai/catalog/standards/sist/09e949b4-a0b4-44c1-8210-2e868855c8ce/sist-ts-cen-ts-15919-2010>