



**SLOVENSKI STANDARD**  
**SIST EN 1015-10:2001/A1:2007**

**01-marec-2007**

---

A YlcXY dfYg\_i yUb^UnjXUfg\_Ya UHY! "%\$ "XY. '8 c`c Yj Ub^Ygi \ Ydfcglrcfbjbg\_Y  
a UgY^glf^ybYa UHY

Methods of test for mortar for masonry - Part 10: Determination of dry bulk density of hardened mortar

Prüfverfahren für Mörtel für Mauerwerk - Teil 10: Bestimmung der Trockenrohddichte von Festmörtel

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Méthodes d'essai des mortiers pour maçonnerie - Partie 10: Détermination de la masse volumique apparente sèche du mortier durci

<https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1c95c9d9f149/sist-en-1015-10-2001-a1-2007>

**Ta slovenski standard je istoveten z: EN 1015-10:1999/A1:2006**

---

**ICS:**

91.100.10 Cement. Mavec. Apno. Malta Cement. Gypsum. Lime.  
Mortar

**SIST EN 1015-10:2001/A1:2007 en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 1015-10:2001/A1:2007

<https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1c95c9d9f149/sist-en-1015-10-2001-a1-2007>

ICS 91.100.10

English Version

## Methods of test for mortar for masonry - Part 10: Determination of dry bulk density of hardened mortar

Méthodes d'essai des mortiers pour maçonnerie - Partie 10: Détermination de la masse volumique apparente sèche du mortier durci

Prüfverfahren für Mörtel für Mauerwerk - Teil 10: Bestimmung der Trockenrohddichte von Festmörtel

This amendment A1 modifies the European Standard EN 1015-10:1999; it was approved by CEN on 26 October 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 1015-10:2001/A1:2007](https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1c95c9d9f149/sist-en-1015-10-2001-a1-2007)

<https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1c95c9d9f149/sist-en-1015-10-2001-a1-2007>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Foreword

This document (EN 1015-10:1999/A1:2006) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This Amendment to the European Standard EN 1015-10:1999 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2007, and conflicting national standards shall be withdrawn at the latest by June 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 1015-10:2001/A1:2007](https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1c95c9d9f149/sist-en-1015-10-2001-a1-2007)

<https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1c95c9d9f149/sist-en-1015-10-2001-a1-2007>

## 2 Normative references

Delete the explanatory text "This European Standard incorporates . . . referred to applies."

and substitute "The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies."

Delete all occurrences of "pr" preceding EN references throughout the document.

## 3 Principle

Delete "when submerged in water in a saturated condition".

## 4 Symbols

Delete the following three symbols:

$m_{s,sat}$  (mass of saturated specimen)

$m_{s,i}$  (apparent mass of saturated specimen)

$\rho_w$  (density of water)

## 5 Apparatus

Delete "and equipped with a specimen-bearing stirrup for weighing the specimen submerged in water" in 5.1.

### 7.1 Drying to constant mass

[SIST EN 1015-10:2001/A1:2007](https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1e05e0d9f149/sist-en-1015-10-2001-a1-2007)

[https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-](https://standards.iteh.ai/catalog/standards/sist/b56ce409-beb8-4b07-8a91-1e05e0d9f149/sist-en-1015-10-2001-a1-2007)

Delete the heading "7.1 Drying to constant mass".

Delete "70 °C ± 5 °C" and substitute "105 °C ± 5 °C".

### 7.2 Determination of the volume of the specimen by means of displacement

Delete 7.2 in its entirety.

## 8 Calculation and expression of results

Add a new 1<sup>st</sup> paragraph " $V_s$  is taken as the volume of the mould, which is  $256 \times 10^{-6} \text{ m}^3$ ."