



SLOVENSKI STANDARD
SIST EN ISO 19133:2007

01-junij-2007

Geografske informacije – Storitve na podlagi lokacije – Sledenje in navigacija (ISO 19133:2005)

Geographic information - Location-based services - Tracking and navigation (ISO 19133:2005)

Geoinformation - Standortbezogene Dienste - Kursverfolgung und Navigation (ISO 19133:2005)

Information géographique - Services basés sur la localisation - Suivi et navigation (ISO 19133:2005)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

[https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

[176f01e339e/sist-en-iso-19133-2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

Ta slovenski standard je istoveten z: EN ISO 19133:2007

ICS:

35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science
-----------	-----------------------------------	----------------------------

SIST EN ISO 19133:2007

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19133:2007

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f601e339e/sist-en-iso-19133-2007>

ICS 35.240.70

English Version

**Geographic information - Location-based services - Tracking
and navigation (ISO 19133:2005)**

Information géographique - Services basés sur la
localisation - Suivi et navigation (ISO 19133:2005)

Geoinformation - Standortbezogene Dienste -
Kursverfolgung und Navigation (ISO 19133:2005)

This European Standard was approved by CEN on 25 February 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

The text of ISO 19133:2005 has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 19133:2007 by Technical Committee CEN/TC 287 "Geographic Information", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2007, and conflicting national standards shall be withdrawn at the latest by September 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of ISO 19133:2005 has been approved by CEN as EN ISO 19133:2007 without any modifications.

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007>

**Geographic information — Location-
based services — Tracking and
navigation**

*Information géographique — Services basés sur la localisation — Suivi
et navigation*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

[https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-
176f01e339e/sist-en-iso-19133-2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007>

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	viii
Introduction	ix
1 Scope	1
2 Conformance	1
3 Normative references	2
4 Terms and definitions.....	2
5 Abbreviated terms and UML notation.....	6
5.1 Abbreviated terms	6
5.2 UML notation	6
6 Tracking	7
6.1 Semantics	7
6.2 Package: Tracking Service	7
6.3 Package: Point Estimates	21
6.4 Package: Location Transformation.....	26
6.5 Package: Measured Coordinates.....	27
6.6 Package: Linear Reference Systems.....	32
7 Navigation.....	39
7.1 Semantics	39
7.2 Cost Functions and algorithms.....	41
7.3 Package: Navigation Service.....	42
7.4 Package: Cost Function.....	55
7.5 Package: Preferences.....	68
8 Address Model	70
8.1 Semantics	70
8.2 Package: Address.....	70
8.3 Package: Address Elements.....	74
9 Network.....	85
9.1 Semantics	85
9.2 Package: Network Model	85
9.3 Package: Turn and Junction.....	89
9.4 Package: Constraint and Advisory	95
9.5 Package: Link.....	108
9.6 Package: Network Position.....	111
9.7 Package: Route	112
9.8 Package: Combined Networks	117
10 Basic implementation packages	120
10.1 Package: Feature Data Model.....	120
10.2 Package: New Basic Types.....	124
Annex A (normative) Abstract test suite.....	127
Annex B (informative) Directed weighted graphs and their algorithms	134
Annex C (informative) View of Standard in terms of RM-ODP Services.....	137
Bibliography	139

Figures

Figure 1 — Tracking packages 7

Figure 2 — Context Diagram: TK_Position 8

Figure 3 — Context Diagram: TK_MobileSubscriber 9

Figure 4 — Context Diagram: TK_TrackingLocation..... 10

Figure 5 — Context Diagram: TK_TrackingService..... 11

Figure 6 — Context Diagram: TK_PositionType 12

Figure 7 — Context Diagram: TK_TrackingLocationSequence 13

Figure 8 — Context Diagram: TK_Trigger 14

Figure 9 — Context Diagram: TK_PeriodicTrigger 15

Figure 10 — Context Diagram: TK_TransitionTrigger..... 16

Figure 11 — Context Diagram: TK_TrackingLocationMetadata..... 17

Figure 12 — Context Diagram: TK_Transition 18

Figure 13 — Context Diagram: TK_QualityOfPosition 19

Figure 14 — Context Diagram: TK_Accuracy 20

Figure 15 — Context Diagram: TK_AccuracyStatement..... 20

Figure 16 — Point Estimate classes..... 21

Figure 17 — Geometric interpretations of point estimate types 22

Figure 18 — Context Diagram: EG_PointEstimateCircle 22

Figure 19 — Context Diagram: EG_PointEstimateEllipse 23

Figure 20 — Context Diagram: EG_PointEstimateArc 24

Figure 21 — Context Diagram: EG_PointEstimateSphere 25

Figure 22 — Context Diagram: EG_PointEstimateEllipsoid 26

Figure 23 — Context Diagram: LT_LocationTransformationService..... 27

Figure 24 — Measure Position 28

Figure 25 — Measured Coordinate Systems 29

Figure 26 — Context Diagram: MC_MeasurePosition 30

Figure 27 — Context Diagram: MC_CoordinateSystem 30

Figure 28 — Context Diagram: MC_CoordinateReferenceSystem 31

Figure 29 — LRS classes 32

Figure 30 — Context Diagram: LR_PositionExpression 33

Figure 31 — Context Diagram: LR_LinearReferenceMethod 35

Figure 32 — Context Diagram: LR_OffsetDirection..... 35

Figure 33 — Context Diagram: LR_ReferenceMarker 36

Figure 34 — Context Diagram: LR_Feature..... 37

Figure 35 — Context Diagram: LR_Element..... 37

Figure 36— Context Diagram: LR_OffsetExpression..... 38

Figure 37 — Navigation Packages..... 39

Figure 38 — Example of route from one link position to another..... 40

STANDARD PREVIEW

(standards.iteh.ai)

SIST EN ISO 19133:2007
<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-1761001e359c/sist-en-iso-19133-2007>

Figure 39 — Services.....	42
Figure 40 — Context Diagram: NS_NavigationService.....	43
Figure 41 — Context Diagram: NS_RouteRequest.....	46
Figure 42 — Context Diagram: NS_Instruction.....	48
Figure 43 — Context Diagram: NS_InstructionList.....	49
Figure 44 — Context Diagram: NS_RouteResponse.....	50
Figure 45 — Context Diagram: NS_CostedTurn.....	51
Figure 46 — Context Diagram: NS_RenderingService.....	51
Figure 47 — Context Diagram: NS_RenderingRequest.....	52
Figure 48 — Context Diagram: NS_RenderingResponse.....	53
Figure 49 — Context Diagram: NS_RenderingType.....	53
Figure 50 — Context Diagram: NS_CostedLink.....	54
Figure 51 — Context Diagram: NS_CostFunctionCode.....	54
Figure 52 — Context Diagram: NS_RouteRequestType.....	55
Figure 53 — Context Diagram: NS_CostFunction.....	59
Figure 54 — Context Diagram: NS_CostElements.....	59
Figure 55 — Context Diagram: NS_MonetaryCost.....	60
Figure 56 — Context Diagram: NS_Tolls.....	61
Figure 57 — Context Diagram: NS_Fares.....	61
Figure 58 — Context Diagram: NS_Time.....	62
Figure 59 — Context Diagram: NS_TravelTime.....	62
Figure 60 — Context Diagram: NS_WaitingTime.....	63
Figure 61 — Context Diagram: NS_Counts.....	64
Figure 62 — Context Diagram: NS_NumberManeuvers.....	64
Figure 63 — Context Diagram: NS_NumberTurns.....	65
Figure 64 — Context Diagram: NS_NumberTransfers.....	65
Figure 65 — Context Diagram: NS_Distance.....	66
Figure 66 — Context Diagram: NS_WeightedCost.....	67
Figure 67 — Context Diagram: NS_CostFunctionTerm.....	68
Figure 68 — Context Diagram: NS_RoutePreferences.....	68
Figure 69 — Context Diagram: NS_AvoidList.....	69
Figure 70 — Leaf packages of the Address Model.....	70
Figure 71 — Basic Address classes.....	71
Figure 72 — Context Diagram: AD_Address.....	72
Figure 73 — Context Diagram: AD_AbstractAddress.....	72
Figure 74 — Context Diagram: AD_USAddress.....	74
Figure 75 — Context Diagram: AD_AddressElement.....	75
Figure 76 — Context Diagram: AD_Addressee.....	76
Figure 77 — Context Diagram: AD_StreetIntersection.....	76
Figure 78 — Context Diagram: AD_Street.....	78

Figure 79 — Context Diagram: AD_PostalCode	79
Figure 80 — Context Diagram: AD_StreetLocation	79
Figure 81 — Context Diagram: AD_PhoneNumber.....	80
Figure 82 — Context Diagram: AD_NamedPlace.....	81
Figure 83 — Context Diagram: AD_StreetAddress.....	82
Figure 84 — Context Diagram: AD_NamedPlaceClassification	82
Figure 85 — Context Diagram: AD_Building	83
Figure 86 — Context Diagram: AD_MuniQuadrant.....	83
Figure 87 — Context Diagram: AD_RegionCode	84
Figure 88 — Context Diagram: AD_NumberRange.....	85
Figure 89 — Context Diagram: AD_ListNamedPlaces	85
Figure 90 — Context Diagram: NT_Network	86
Figure 91 — Context Diagram: NT_WayPoint	87
Figure 92 — Context Diagram: NT_WayPointList.....	88
Figure 93 — Junction and turns	89
Figure 94 — Context Diagram: NT_Turn.....	92
Figure 95 — Context Diagram: NT_TurnDirection	92
Figure 96 — Context Diagram: NT_Junction.....	94
Figure 97 — Context Diagram: NT_JunctionType	95
Figure 98 — Context Diagram: NT_AngularDirection	95
Figure 99 — Context Diagram: NT_Constraint.....	96
Figure 100 — Context Diagram: NT_VehicleConstraint.....	98
Figure 101 — Context Diagram: NT_TemporalConstraint	99
Figure 102 — Context Diagram: NT_LaneConstraint	100
Figure 103 — Context Diagram: NT_Vehicle	101
Figure 104 — Context Diagram: NT_Advisory	102
Figure 105 — Context Diagram: NT_SpatialRelation.....	103
Figure 106 — Context Diagram: NT_AdvisoryCategory	104
Figure 107 — Context Diagram: NT_AdvisoryElement	104
Figure 108 — Context Diagram: NT_ExitAssociation.....	105
Figure 109 — Context Diagram: NT_AdvisoryDirection	106
Figure 110 — Context Diagram: NT_AdvisoryDistance	107
Figure 111 — Context Diagram: NT_AdvisorySpatialRelation	107
Figure 112 — Context Diagram: NT_Link	110
Figure 113 — Context Diagram: NT_RouteSegmentCategory	110
Figure 114 — Context Diagram: NT_LinkPosition	111
Figure 115 — Context Diagram: NT_NetworkPosition	112
Figure 116 — Context Diagram: NT_Route	114
Figure 117 — Context Diagram: NT_RouteSummary	115
Figure 118 — Context Diagram: NT_Maneuver.....	117

iTeH STANDARD PREVIEW
 (standards.iteh.ai)
 SIST EN ISO 19133:2007
<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4689-b3c4-19133-2007>

Figure 119 — Combined Networks	117
Figure 120 — Context Diagram: NT_CombinedNetwork	118
Figure 121 — Context Diagram: NT_TransferNode	119
Figure 122 — Context Diagram: NT_Transfer	119
Figure 123 — Context Diagram: NT_TransferLink	120
Figure 124 — Feature data classes	120
Figure 125 — Context Diagram: FD_Feature	121
Figure 126 — Context Diagram: FD_FeatureCollection	122
Figure 127 — Context Diagram: FD_QueryFeatureCollection	123
Figure 128 — Context Diagram: FD_FeatureName	124
Figure 129 — Context Diagram: VoiceStream	125
Figure 130 — Context Diagram: BinaryData	125
Figure 131 — Context Diagram: Map	126
Figure 132 — Context Diagram: Image	126
Figure C.1 — Conceptual architecture equating mobile and non-mobile services	137

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007)

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19133 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 19133:2007

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f01e339e/sist-en-iso-19133-2007>

Introduction

This International Standard is a description of the data and services needed to support tracking and navigation applications for mobile clients. The web services views of this International Standard are given in Annex C.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19133:2007](https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f601e339e/sist-en-iso-19133-2007)

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f601e339e/sist-en-iso-19133-2007>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19133:2007

<https://standards.iteh.ai/catalog/standards/sist/aa366ca9-7b8d-4685-b3c4-176f601e339e/sist-en-iso-19133-2007>

Geographic information — Location-based services — Tracking and navigation

1 Scope

This International Standard describes the data types, and operations associated with those types, for the implementation of tracking and navigation services. This International Standard is designed to specify web services that can be made available to wireless devices through web-resident proxy applications, but is not restricted to that environment.

2 Conformance

Conformance to this International Standard takes on two meanings dependent on the type of entity declaring conformance.

Mechanisms for the transfer of data are conformant to this International Standard if they can be considered to consist of transfer record or type definitions that implement or extend a consistent subset of the object types described within this International Standard.

Web servers for tracking and navigation are conformant to this International Standard if their interfaces implement one or more of the subtypes of service defined in this International Standard and their communications and messaging are accomplished using a conformant transfer mechanism.

Clauses 6 and 7 of this International Standard use the Unified Modeling Language (UML) to present conceptual schemas for describing the information and services for tracking and navigation. Clause 8 further describes a general schema for addresses to be used as location equivalents in three types of services. Clause 9 describes network data appropriate for these services. This International Standard concerns only externally visible interfaces and places no restriction on the underlying implementations other than what is needed to satisfy the interface specifications in the actual situation, such as

- interfaces to software services using techniques such as COM or CORBA;
- interfaces to databases using techniques such as SQL;
- data interchange using encoding as defined in ISO 19118.

Few applications will require the full range of capabilities described by this conceptual schema. This clause, therefore, defines a set of conformance classes that will support applications whose requirements range from the minimum necessary to define data structures to full object implementation. This flexibility is controlled by a set of UML types that can be implemented in a variety of manners. Implementations that define full object functionality shall implement all operations defined by the types of the chosen conformance class, as is common for UML designed object implementations. Implementations that choose to depend on external “free functions” for some or all operations, or forgo them altogether, need not support all operations, but shall always support a data type sufficient to record the state of each of the chosen UML types as defined by its member variables. Common names for “metaphorically identical” but technically different entities are acceptable. The UML model in this International Standard defines abstract types, application schemas define conceptual classes, various software systems define implementation classes or data structures, and the XML from the encoding standard (ISO 19118) defines entity tags. All of these reference the same information content. There is no difficulty in allowing the use of the same name to represent the same information content